



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	<b>Lexmark</b>
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (	based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Single-function Color Laser Device
Commercial name *	Lexmark CS943de
Model number *	CS943de
Issue date *	10 June 2022 (revised on May 11th, 2023)
Intended market *	☑ Global   Europe   Asia, Pacific & Japan   Americas   Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	CS943de	Logo	1 α
Issue date *	10 June 2022 (revised on May 11th, 2023)		<b>Lexmark</b>

Item	Produc	t environmental attributes - Legal requirements	Require	ement	met
P1.1 Products do not contain Asbestos (see legal reference).  P1.2 Products do not contain Asbestos (see legal reference).  Comment. Legal reference has no maximum concentration value.  P1.3 Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochromofluorocarbons (HEFC), Halons, carbonitetrachioride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment. Legal reference has no maximum concentration values.  P1.4 Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Comment. Legal reference has no maximum concentration values.  P1.5 Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6 Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to ENIA811:2011-5.  P2.6 Program Manager (Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, XP 40559  P2. Batteries  P2.1 If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2 Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of camium. (See legal reference)  P3. Conformity verification & Eco design (EFP)  P3.1 The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  P4. Consumable materials  P4.1 If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference).  P4. If inkliners is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference).  P5. Product packaging  P6. Pro	Item		Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference) Comment: Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromolluorocarbons (HBFC), hydrochirofluorocarbons (HBFC), hydrochirocarbons (HBFC), hydrochirocarbon	P1	Hazardous substances and preparations			
Comment_Legal reference has no maximum concentration value.	P1.1*		$\boxtimes$		
Comment. Legal reference has no maximum concentration value.  P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1, 1, 1-trichlorethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Comment: Deplay of the contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Parts with direct and prologed skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Articles 3 information about substances in articles is available at (add URL or mail contact); REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, REACH Program Manager (Sustainability) Experiment, 140 West New Circle Rd, Lerington, ReaCH Program Manager Rd, Lerington, ReaCH Program Manager Rd, Lerington, Rd, Rd, Rd, Rd, Rd, Rd, Rd, Rd, Rd, Rd	P1.2*		$\boxtimes$		
hydrobromofluorocarbons (HBFC), hydrochlorofluoroarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.  Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).  Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability/Blezmank.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, RY-4050  P2 Batteries  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.3* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P3. Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.kemark.com/en.us/bourteautory-compliance/european-unkn-declaration-of-conformity, html  P3.2* The product complise with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Quite in item P15 or added to this document, were producted products in the product, it does not contain a a level greater than 0,01% (see legal reference).  P4.1* If his/hore is used in the product, it does not contain a a level					
Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   P1.5*   Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).   P1.6*   Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).   Comment: Max limit in legal reference when tested according to EN1811:2011-5.   P1.7*   REACH Article 33 information about substances in articles is available at (add URL or mail contact);	P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chian containing at least 48% per mass of chlorine in the SCCP (see legal reference).  P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Article 33 information about substances in articles is available at (add URL or mail contact):  P2.8* Batteries  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P3. **Conformity verification & Eco design (Err)  P3.1* The product is C5—marked to show conformace with applicable legal requirements (see legal reference).  The product of C5—marked to show conformace with applicable legal requirements (see legal reference).  The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php  P4. **Consumable materials**  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference).  P4.2* If ink/loner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference).  P4.3* If the ink/loner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulatio	P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	$\boxtimes$		
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): κ/γ 40550  P2 Batteries  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  P3.2* The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en/en/link the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  Required information is;	P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability/Beharank.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY.40550  P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3. Conformity verification & Eco design (ErP)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  P3.1* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  P3. The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  Required information is; given in item P15 or added to this document,  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.2* If ink/loner is used in the product, it does not contain a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.2* The packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.3* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P6. Treatment information	P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).			
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)   P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)   P2.3* Batteries and accumulators are readily removable. (See legal reference)   P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):	P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington,			
Symbol. Information on proper disposal is provided in user manual. (See legal reference)		Batteries			
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)  P2.3* Batteries and accumulators are readily removable. (See legal reference)  P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.kemark.com/en_us/about/regulatory-compliance/european-unlon-declaration-af-conformity.html  P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.4.2* If ink/toner is used in the product, it does not contain a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P6. The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference).  Comment: Legal reference has no maximum concentration values.	P2.1*				
P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php  P4. Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-complance/european-union-declaration-of-conformity.html  P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0.01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0.1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.kexmark.com/enulation-of-conformity.html  P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, savailable at (add URL): https://csr.lexmark.com/product-certifications.php  P4 Consumable materials  P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	P3	Conformity verification & Eco design (ErP)			
P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  Required information is;	P3.1*	The Declaration of Conformity can be requested at (add link or e-mail address):			
Required information is; given in item P15 or added to this document, available at (add URL): <a href="https://csr.lexmark.com/product-certifications.php">https://csr.lexmark.com/product-certifications.php</a> P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,	$\boxtimes$		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5. Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information		Required information is; given in item P15 or added to this document,	$\boxtimes$		
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).  P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5. Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	D.4				
P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)  P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5. Product packaging  P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information		If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			
P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
hexavalent chromium by weight of these together.  P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5	Product packaging			
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5.1*				
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  P6 Treatment information	P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
	P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	P6	· · · · · · · · · · · · · · · · · · ·			
			X		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CS943de	Logo	1 N
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Regu	ireme	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	
7	Design			
	Disassembly, recycling			
P7.1 <b>*</b>	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2 <b>*</b>	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3 <b>*</b>	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4 <b>*</b>	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\overline{\boxtimes}$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\boxtimes}$		
	Product lifetime			
P7.7 <b>*</b>	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\overline{\boxtimes}$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
77.40	Material type: <i>PC+ABS</i> Material type: <i>PC+ABS</i> Material type: <i>HIPS</i> Insulation materials of external electrical cables are PVC free.			
P7.12				
27.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	$\boxtimes$		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
P7.18	according ISO 1043-4: <i>FR16</i> Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "			I 🗆
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CS943de	Logo	IN.
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product e	environmental att	ributes - Market re	quirements (continu	ued)	R	equire	ment	met
Item						Yes	No	n.a.
	Material and subst	ance requirements (	continued)					
P7.20*	•		ontent is used in the pro	,	:			
			below shall be answer he postconsumer recyc		intent (calculated as a			
		total plastic by weight)		·	,			
		ecycled material is	g.					
P7.21*	Biobased plastic ma	iterial content is used	in the product (See NO	TE B7):			$\boxtimes$	
If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.  or  b) The weight of the biobased plastic material is g.								
P7.22*		ee from mercury, i.e. le				$\boxtimes$		
		pecify: Number of lam		m mercury content pe	r lamp: mg		ш	ш
P8	Batteries							
P8.1*	.1* Battery chemical composition: Lithium Manganese Dioxide (LiMnO2)							
P9	Energy consumpti	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumption	s are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
STAR® Op (OM) produ	e for ENERGY perational Mode ucts	W	W	W				
Standby/of	f mode for STAR Operational	W	W	W				$\boxtimes$
TEC produ	for ENERGY STAR cts (TEC= Typical nsumption)	0.86 kWh/week	0.86 kWh/week	0.86 kWh/week	Energy Star V3.2			
Printing		<b>743</b> W	<b>724</b> W	<b>756</b> W	Corporate Standard			
Ready Mo	de	71 W	<b>72</b> W	<b>75</b> W	Energy Star V3.2			
Sleep		1.30 W	1.30 W	1.31 W	Energy Star V3.2			
Hibernate		0.04 W	0.05 W	0.08 W	IEC 62301			
Off		0.02 W	0.02 W	0.03 W	IEC 62301			
		W	W	W				
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prot	ocol) * :				$\boxtimes$
Print/Scan	Speed * :	55 images per minute			ISO 24734			
Default tim	e to enter energy sav				Energy Star V3.2			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.		$\boxtimes$		

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CS943de	Logo	
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product	duct environmental attributes - Market requirements (continued)				Requirement met						
Item									Yes	No	n.a.
P10	Emissions										
	Noise emission		ccording to ISO 9296								
P10.1	Mode	Mode descr	ption		Statistical up L <sub>WA,c</sub> (B)	pper limit	A-weighted	sound power	level,		
	Idle	* Idle / Read	dy		3.3						
	Operation	* Duplex Me	onochrome Printing		6.9						
	Other mode	Simplex N	Ionochrome Printing	9	6.7						
	Measured accord	ding to: 🔀 IS	O 7779 🔀 ECMA-74		only if not co	vered by	ECMA-74)				
	Chemical emiss	sions from pi	inting products (Sec	NOTE E	310)		,				
P10.2*	Test performed a	according to E	CMA-328 Determinate	tion of Ch	emical Emis	sion Rate	es from Elec	tronic	$\square$		
			, other specify: <b>RAI</b>	L-UZ 219							
P10.3	Typical emission	rate (operation	on phase) is (mg/h):								
	Electrophotograp TVOC 8.018	ohic devices:	Ozone <0.29 (LOQ) [	Oust <0.24	4 (LOQ) Styr	ene 0.31	1 Benzene	<0.012 (LOQ)			
	Ink devices:		Dust	S	styrene	Benze	ene	TVOC			
	NOTE: complian	ce with maxin	num emission rates in	eco labe	els to be decl	ared in P	14.				
P11	Consumable ma										
P11.1*	A Safety Data Sh	neet (SDS) is	available for the ink/to	oner prep	aration, ever	า if not le	gally require	ed (see P4.3).			
P11.2*	Paper containing EN 12281.	post-consun	ner recycled fibers car	n be used	, provided th	at it meet	ts the requi	rements of	$\boxtimes$		
P11.3*	2-sided (duplex)	printing/copy	ng is an integrated pr	oduct fun	ction.						
P11.4*	The product is de	elivered to en	d-user with default au	to-duplex	enabled.				$\boxtimes$		
P13	Packaging and	documentati	on								
P13.1*	Product packagir Product packagir Product packagir Product packagir	ng material ty ng material ty	pe(s):	weight (ko weight (ko weight (ko weight (ko	g): g):						
P13.2*	Product plastic p	rimary packa	ging is free from PVC	•					$\boxtimes$		
P13.3*	For product prima		d fiberboard packagir tent: %	g, specify	the contain	ed percer	ntage of mir	nimum post-			
P13.4*		r user and pro	oduct documentation	(tick box):							
P13.5	(Please only com	nplete this iter t documentat	m if paper documenta on on paper media is								
	Totally chlorine-fi Elemental chlorin Processed chlori	ne-free									
P14	Voluntary progr										
P14.1			ments of the following	g voluntar	y program(s	):					
	ENERGY STAR® Eco-label: <b>Blue</b>		Criteria version: <b>3.2</b> Criteria version: <i>RAL</i>	UZ-219	Date: Nov. Date: Jan.	2021		egory: <i>Imagin</i> egory: <i>Office I</i> <i>Inction</i>			
	Eco-label:		Criteria version:		Date:		Product cat				

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	CS943de	Logo	DN .
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

<b>Produc</b>	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.	ent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	