



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lexmark | Logo |
|--------------------------------------|---|------------------|
| Company name * | Lexmark International Inc. | |
| Contact information * e-mail address | Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com | ∑ Lexmark |
| Internet site * | www.lexmark.com/TED - and- csr.lexmark.com | |
| Additional information | | |

| | The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | | | |
|------------------------|--|--|--|--|--|--|--|--|
| Type of product * | Multi-function Color Laser Device | | | | | | | |
| Commercial name * | Lexmark CX931dse, Lexmark CX931dtse, Lexmark XC9335 | | | | | | | |
| Model number * | CX931dse, CX931dtse, XC9335 | | | | | | | |
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | | | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | | | | |
| Additional information | | | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

| Model number * | CX931dse, CX931dtse, XC9335 | Logo | TN. |
|----------------|--|------|---------|
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | Lexmark |

| P1.11 | nt met |
|--|--------|
| P1.1 Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1) P1.2 Products do not contain Asbestos (see legal reference). | n.a. |
| P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carboniterachloride, 1,1,1-tichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Comment: Legal reference has no maximum concentration values. P1.5* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skill contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Article Program Manager (Substanbilhubbranuts, cam): Corporate Sustainability Pepartment, 740 West New Circle Rt., Lexington, Kr. 40550 P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.3* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3. Conformity verification & Eco design (EFP) P3.1* The product is CE-marked to show conformance with applicable legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): Interpretation of Conformity and be requested at (add link or e-mail address): Interpretation of Conformity can be requested at (add link or e-mail address): Interpretation of Conform | |
| P1.3° Products do not contain Ozone Depleting Substances: Chrorollucrocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorochane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4° Products do not contain more than, 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated in the product of not contain more than 0,1% short chain chiloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5° Products do not contain more than 0,1% short chain chiloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to ENIB11.2011-5. P1.7° REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information about substances in articles is available at (add URL or mail contact): REACH Article 30 information on proper disposal is provided in user manual. (See legal reference) P2.1° Batteries or accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1° The product conditions are decaying removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1° The product compiles with the applicable regulation of conf | |
| Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), Halons, carbontetrachloride, 1,1,1-trichlorocthane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated tetrphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chiloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P2.4* CACH Arques 3 information abous substances in articles is available at (add URL or mail contact): REACH Arques 3 information abous substances in articles is available at (add URL or mail contact): REACH Arques 3 information abous substances in articles is available at (add URL or mail contact): REACH Arques 3 information abous substances in articles is available at (add URL or mail contact): REACH Arques 3 information about substances in articles is available at (add URL or mail contact): REACH Arques 3 information about substances in articles is available at (add URL or mail contact): REACH Arques 3 information about substances in articles is available at (add URL or mail contact): REACH Arques 3 information about substances in articles is available with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.1* If the product contains a battery or an accumulator, the battery/accumulator is tabeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference). P3.2* The product opinity ve | |
| hydrobromofluorocarbons (HBFC), hydrochlorofluoroarbons (HGFC), Halons, carbontetrachloride, 1,1,1-tichlorocthane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chiloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chilorine in the SCCP (see legal reference). P1.6* Parts with direct and polonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Articles 33 information about substances in articles is available at (add URL or mail contact): REACH Articles 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, Xr 40559 P2 Batteries P2.1* If the product contains a battery or an accumulator; the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product or Committed on the contain more than 0,005% of mercury or 0,002% of cadmium. (See legal reference). The Declaration of Conformity combinaceuropasa-union-declaration-acconformity. Intel P4.1* If a photo conductor (Grum, bett etc.) is used in the product, it | |
| Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact); REACH Article 33 information about substances in articles is available at (add URL or mail contact); REACH Article 33 information about substances in articles is available to the Reach Program Manager (Sustainability Recompts, comp.); Corporate Sustainability Department, 740 West New Circle Rd. Leerington, KY 40550 P2.8* Batteries and accumulators are readily removable. (See legal reference) as atteries and accumulators are readily removable. (See legal reference) as atteries and accumulators are readily removable. (See legal reference) are reference). P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): National Part | |
| P1.6* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability/discurrack.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550 P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/in. us/about/regulatory-compliance/surropsan-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is: given in item P15 or added to this document, was a substance of the product of drum, better at (add URL): https://csr.lexmark.com/product-certifications.php P4.1* If a photo conductor (drum, better) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference) and NOTE B1). P4.1* If it ink/hore is used in the product, it does not contain cadmium at a level greater than 0,1% (see legal reference) implicable regulations and a Safety Data Sheet (SDS) in accordance with th | |
| P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550 P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity can be requested at (add link or e-mail address): http://www.lexmark.com/unity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, see legal reference and NOTE B1). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) and NO | |
| REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd, Lexington, RY 40550 Reach Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd, Lexington, RY 40550 Reach Product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) Reach Product on accumulators are readily removable. (See legal reference) Reference Refere | |
| P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php | |
| Symbol. Information on proper disposal is provided in user manual. (See legal reference) | |
| P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) | |
| P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lewmark.com/m us/about/regulatory-compliance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; | |
| P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/ion_us/about/regulatory-combilance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; | |
| P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lewmark.com/n us/about/regulatory-compliance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.2* Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | |
| (see legal reference). Required information is; | |
| Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.4* Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference) has no maximum concentration values. P6. Treatment information | |
| P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | |
| P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information | |
| | |
| | |
| P6.1* Information for recyclers/treatment facilities is available (see legal reference). | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | CX931dse, CX931dtse, XC9335 | Logo | 100 |
|----------------|--|------|----------------|
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | Lexmark |

| | roduct environmental attributes - Market requirements (See General Note GN below) - Environmental conscious design | | | | | |
|-------------------|--|-------------|-----------|--|--|--|
| tem | *=mandatory to fill in. Additional information regarding each item may be found under P14. | | No | n.a. | | |
| 7 | Design | | | | | |
| | Disassembly, recycling | | | | | |
| P7.1 * | Parts that have to be treated separately are easily separable | | | | | |
| P7.2 * | Plastic materials in covers/housing have no surface coating. | \boxtimes | | | | |
| ² 7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | \boxtimes | | | | |
| P7.4 * | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | | | | |
| | Product lifetime | | | <u> </u> | | |
| P7.7 * | Upgrading can be done e.g. with processor, memory, cards or drives | X | | | | |
| P7.8 * | Upgrading can be done using commonly available tools | \boxtimes | | | | |
| ⊃ 7.9 | Spare parts are available after end of production for: 5 years | | | | | |
| P7.10 | Service is available after end of production for: 5 years | | | | | |
| | Material and substance requirements | | | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | | | |
| 27.40 | Material type: ABS Material type: PC+ABS Material type: HIPS | | | 1 | | |
| 27.12 | Insulation materials of external electrical cables are PVC free. | | \succeq | | | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | \geq | | | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. | | | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2) | | × | | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40 | \boxtimes | | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #: | | | | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16 | | | | | |
| 7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " | | | | | |
| | 3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40 | | | | | |
| 7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5) | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Model number * | CX931dse, CX931dtse, XC9335 | Logo | 1 12 |
|----------------|--|------|---------|
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | Lexmark |

| Product | environmental att | ributes - Market re | quirements (contin | ued) | R | equire | ment | met |
|--|--|---|--|----------------------------|--|-------------|-------|-------------|
| Item | | | | | | Yes | No | n.a. |
| | Material and subst | ance requirements (d | continued) | | | | | |
| P7.20* | · | | ontent is used in the pro | , | | | | |
| | | | below shall be answer he postconsumer recyc | | ntent (calculated as a | | | |
| | | total plastic by weight) | | | | | | |
| | b) The weight of r | ecycled material is | g. | | | | | |
| P7.21* Biobased plastic material content is used in the product (See NOTE B7): | | | | | | | Ш | |
| | | parts' weight > 25 g, | below shall be answer the biobased plastic ma | | ated as a percentage of | | | |
| | | he biobased plastic m | aterial is g. | | | | | |
| P7.22* | Light sources are free If mercury is used s | ee from mercury, i.e. le pecify: Number of lam | ess than 0,1 mg/lamp. ps: and maximul | m mercury content pe | r lamp: mg | | | |
| P8 | Batteries | | | | | | | |
| P8.1* | Battery chemical co | mposition: <i>Lithium Ma</i> | anganese Dioxide (Lil | MnO2) | | | | |
| P9 | Energy consumpti | on (See NOTE B8) | | | | | | |
| P9.1 | For the product the | following power levels | or energy consumption | ns are reported: | | | | |
| Energy mo | ode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard modes and test method | | nergy | |
| • | le for ENERGY perational Mode ucts | W | W | W | | | | |
| Standby/of ENERGY S Mode (OM | STAR Operational | W | W | W | | | | \boxtimes |
| TEC produ | for ENERGY STAR ucts (TEC= Typical ensumption) | 0.53 kWh/week | 0.53 kWh/week | 0.50 kWh/week | Energy Star V3.2 | | | |
| Printing | | 472 W | 462 W | 467 W | Corporate Standard | | | |
| Ready Mo | ode | 91 W | 88 W | 91 W | Energy Star V3.2 | | | |
| Sleep | | 1.15 W | 1.06 W | 1.04 W | Energy Star V3.2 | | | |
| Hibernate | | 0.05 W | 0.05 W | 0.06 W | IEC 62301 | | | |
| Off | | 0.01 W | 0.00 W | 0.01 W | IEC 62301 | | | |
| | | W | W | W | | | | |
| External P | ower Supply Efficienc | y Level (International | Efficiency Marking Prot | ocol) * : | | | | |
| Print/Scan | Speed * : | 35 images per minute | | | ISO 24734 | | | |
| | ie to enter energy sav | | - | - | Energy Star V3.2 | | | |
| P9.2* | Information about th | e energy save functio | n is provided with the p | roduct. | | \boxtimes | | |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | CX931dse, CX931dtse, XC9335 | Logo | |
|----------------|--|------|---------|
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | Lexmark |

| Product 6 | environmental a | attributes - | - Market requirements | (continued) | | Require | ment | met |
|-----------|---|--|--|--|----------------------------------|---------|------|------|
| Item | | | | | | Yes | No | n.a. |
| P10 | Emissions | | | | | | | |
| | | | according to ISO 9296 (See | | | | | |
| P10.1 | Mode | Mode desc | ription | Statistical upper L _{WA,c} (B) | r limit A-weighted sound power I | level, | | |
| | Idle | * Idle / Rea | | 3.3 | | | | |
| | Operation | | Ionochrome Printing | 6.7 | | | | |
| | Other mode | • | Ionochrome Printing | 6.7 | | | | |
| | Measured accord | ling to: 🔀 l | SO 7779 🔀 ECMA-74 Other | (only if not covere | ed by ECMA-74) | | | |
| | | | printing products (See NO | | | | | |
| P10.2* | * Test performed according to ECMA-328 Determination of Chemical Emission Rates from Electronic | | | | | | | |
| | Equipment (ISO/IEC 28360), other specify: RAL-UZ 219 | | | | | | | |
| P10.3 | Typical emission | rate (operat | ion phase) is (mg/h): | | | | | |
| | Electrophotograp TVOC 3.545 | ohic devices: | Ozone <0.25 (LOQ) Dust (| 0.86 Styrene 0.256 B | enzene <0.012 (LOQ) | | | |
| | Ink devices: | | Dust | Styrene I | Benzene TVOC | | | |
| <u> </u> | | | mum emission rates in eco | labels to be declared | d in P14. | | | |
| P11 | | | orinting products | | | | | |
| P11.1* | | , , | | | not legally required (see P4.3). | | | |
| P11.2* | EN 12281. | • | • | ., | t meets the requirements of | | | |
| P11.3* | | | ying is an integrated produc | | | | | |
| P11.4* | The product is de | elivered to er | nd-user with default auto-du | ıplex enabled. | | | | |
| P13 | Packaging and | | | | | | | |
| P13.1* | Product packagin Product packagin Product packagin Product packagin | ng material ty ng material ty ng material ty | ype(s): weigh ype(s): weigh ype(s): weigh | nt (kg): ht (kg): ht (kg): ht (kg): | | | | |
| P13.2* | | | aging is free from PVC. | | | | | |
| P13.3* | consumer recove | ered fiber co | ntent: % | | percentage of minimum post- | | | |
| P13.4* | Specify media for Electronic , Pa | | roduct documentation (tick her | box): | | | | |
| P13.5 | (Please only com | nplete this ite | em if paper documentation ution on paper media is chlo | used) rine-free: | | | | |
| | Totally chlorine-fr Elemental chlorin Processed chlorin | ne-free | | | | | | |
| P14 | Voluntary progra | ams: | | | | | | |
| P14.1 | The product mee | ts the requir | ements of the following volu | untary program(s): | | | | |
| | ENERGY STAR® Eco-label: Blue A | | Criteria version: 3.2 Criteria version: RAL UZ-2 | Date: Nov. 202 219 Date: Jan. 202 | 0, | | | |
| ı | Eco-lahel | | Criteria version: | Date: | Product category: | | | |

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | CX931dse, CX931dtse, XC9335 | Logo | N |
|----------------|--|------|---------|
| Issue date * | 10 June 2022 (revised on May 11th, 2023) | | Lexmark |
| issue uate | 10 Julie 2022 (revised oil May 11th, 2023) | | LCXIII |

| Produc | t environmental attributes - Market requirements (concluded) | Requirement met |
|---------------|--|---------------------------------|
| P15 | Additional information (See NOTE B11) | |
| P2.1 | The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product. | duct is product User's Guide |
| P2.3 | The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers | be removed by |
| P5.2 | The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g | aterial(s) used when |
| P7.14 | A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts. | ent. No bromine was |
| P7.20 | Per IEEE 1680.2 PCR calculation | |

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

| Reference | Declaration item |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1, P3.1, P4.1 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII | P1.10 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II) | P4.3 |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2.3, P8.1 |
| Directive 2014/35/EU (Low Voltage Directive) | P3.1 |
| Directive 2014/30/EU (EMC Directive) | P3.1 |
| Directive 2014/53/EU (RE Directive) | P3.1 |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation) | P3.1, P3.2, P9.1 |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | |
| Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies | P3.1, P3.2, P9.1 |
| Commission Regulation (EC) 1272/2008 (CLP Regulation) | P4.3, P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |

| Directive 2012/19/EU (WEEE directive) | P6.1 |
|--|------|
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register. | |
| Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State. | |