



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	∑ Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Multi-function Color Laser Device
Commercial name *	Lexmark CX942adse, Lexmark XC9445
Model number *	CX942adse, XC9445
Issue date *	10 June 2022 (revised on May 11th, 2023)
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	CX942adse, XC9445	Logo	1 α
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Hear	Product	environmental attributes - Legal requirements	Require	ement	t met
P1.2* Products do nort contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Asbestos (see legal reference). Products do not contain Asbestos (see legal reference). Products do not contain Asbestos (see legal reference). Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HBFC), hydrochlorocarbons (Item		Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-tichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Comment: Legal reference has no maximum concentration values. P1.5* Products do not contain more than; 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): Articles (See legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P2. Batteries P2. Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3. Conformity verification & Eco design (EFP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Required information is; given in item P15 or added to this document, halons are community workplace exposure limits, the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference). P4. Consumable materials If a photo conductor (drum, belt etc.) is used in the product,	P1	Hazardous substances and preparations			
Comment: Legal reference has no maximum concentration value.	P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrobromof	P1.2*		\square		
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons, Carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chioroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chiorine in the SCCP (see legal reference). P1.6* Parts with direct and polonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference), Comment: Max limit in legal reference when tested according to EN1811;2011-5. P1.7* REACH Articles 3 information abous substances in articles is available at (add URL or mail contact); REACH Articles 3 information abous substances in articles is available at (add URL or mail contact); REACH Program Manager (Sustainability@lexmark.com): Corporate Sustainability Department, 740 West New Circle Rd. Lexington, XY 40509 P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.3* Batteries or accumulators are readily removable. (See legal requirements (see legal reference) P3. Conformity verification & Eco design (EFP) P3.1* The product complies with the applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address); http://www.karnark.com/en.u/shout/requistory-complence/uropean-union-declaration-of-conformity.html P4. Consumable materials [
Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Prioducts do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Prioducts do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): P2.2* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal substances are substanced at (add URL): P2.2* Batteries and accumulators are readily removable. (See legal reference) P3.	P1.3*	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.5° Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7° REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Article 33 information about substances in articles is available at (add URL): REACH Program Manager (Sustainability@lexamatk.com): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, XY 40550 P2 Batteries If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P3	P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
P1.6° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexamet.comi): Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550 P2 Batteries P2.1° If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are readily removable. (See legal reference) P3.1° The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-usion-declaration-of-conformity.html P3.2° The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Qualitable at (add URL): https://csr.lexmark.com/product-certifications.php P4.1° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater fran 0,01% (see legal reference and NOTE B1). P4.1° If it his/hore is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference). P4.3° If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1° Product packaging materials are marked	P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact); REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550 Reactive Stationability Department, Path West New Circle Rd., Lexington, KY 40550 Reactive Stationability Department, Path West New Circle Rd., Lexington, KY 40550 Reactive Stationability Department, Path West New Circle Rd., Lexington, KY 40550 Reactive Stationability Department, Path West New Circle Rd., Lexington, KY 40550 Reactive Stationary	P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above $0.5 \mu g/cm^2/week$ (see legal reference).			
P2.1*	P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington,			
Symbol. Information on proper disposal is provided in user manual. (See legal reference) Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P3.2* Batteries and accumulators are readily removable. (See legal reference) P3.2* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html	P2	Batteries			
P2.2* Batteries or accumulators do not contain more than 0,005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) Batteries and accumulators are readily removable. (See legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.kemark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/foner is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference) legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). Comment: Legal reference). Comment: Legal reference has no maximum concentration values. P66 Treatment information	P2.1*				
P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/europea-mion-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is;	P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference). Required information is;	P2.3*		\square		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): http://www.lew.mark.com/en_us/about/recompliance/europagn-union-declaration-of-conformity.html P3.2* The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	P3	Conformity verification & Eco design (ErP)			<u> </u>
(see legal reference). Required information is;	P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):			
Required information is; given in item P15 or added to this document, available at (add URL): https://csr.lexmark.com/product-certifications.php P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6. Treatment information	P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products,			
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information		Required information is; given in item P15 or added to this document,			
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5. Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information					
than 0,01% (see legal reference and NOTE B1). P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information					
P4.2* If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference) P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P4.1*		\boxtimes		Ш
P4.3* If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see			
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5	Product packaging			
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.1*				
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
	P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).			
	P6	<u> </u>			
		Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX942adse, XC9445	Logo	
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Reau	irem	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	
7	Design			
	Disassembly, recycling			
P7.1 *	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2 *	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3 *	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
² 7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$		
	Product lifetime			
P7.7 *	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
⊃7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			一百
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
77.40	Material type: ABS Material type: PC+ABS Material type: HIPS			
P7.12	Insulation materials of external electrical cables are PVC free.		X	
27.13	Insulation materials of internal electrical cables are PVC free.		$\underline{\hspace{0.1cm}}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		X	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	X		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CX942adse, XC9445	Logo	I N
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product	environmental att	ributes - Market re	quirements (contin	ued)	F	Require	ment	met
Item			·	•		Yes	No	n.a.
	Material and subst	ance requirements (continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6)	:	\boxtimes		
			below shall be answer he postconsumer recyc		ontent (calculated as a			
		total plastic by weight)		nea plactic material co	mioni (odiodidiod do d			
	b) The weight of r	ecycled material is	g.					
P7.21*			in the product (See NO				\boxtimes	
		parts' weight > 25 g,	s below shall be answer the biobased plastic ma		ated as a percentage of			
	or b) The weight of t	he biobased plastic m	aterial is g.					
P7.22*	Light sources are fre		ess than 0,1 mg/lamp.	m mercury content pe	r lamp: mg	X		
P8	Batteries		•					
P8.1*	Battery chemical co	mposition: <i>Lithium Ma</i>	anganese Dioxide (Lil	MnO2)				
P9	Energy consumpti	on (See NOTE B8)						_
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				
TEC produ	for ENERGY STAR lots (TEC= Typical nsumption)	0.72 kWh/week	0.71 kWh/week	0.73 kWh/week	Energy Star V3.2			
Printing		675 W	672 W	697 W	Corporate Standard			
Ready Mo	de	81 W	76 W	94 W	Energy Star V3.2			
Sleep		1.17 W	1.13 W	1.15 W	Energy Star V3.2			
Hibernate		0.04 W	0.05 W	0.09 W	IEC 62301			
Off		0.02 W	0.02 W	0.04 W	IEC 62301			
		W	W	W				
External Po	ower Supply Efficienc	y Level (International	Efficiency Marking Prof	tocol) * :				\boxtimes
Print/Scan	•	45 images per minute			ISO 24734			
	e to enter energy sav		-	-	Energy Star V3.2			
P9.2*	Information about th	e energy save functio	n is provided with the p	product.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX942adse, XC9445	Logo	
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product 6	environmental a	attributes -	Market requirements	(con	tinued)				Require	ment	met
Item									Yes	No	n.a.
P10	Emissions										
			according to ISO 9296 (Se								
P10.1	Mode	Mode desc	ription		Statistical up L _{WA,c} (B)	per limit	A-weight	ted sound power l	evel,		
	Idle	* Idle / Rea	dy	4	4.5						
	Operation	* Duplex M	onochrome Printing	(6.7						
	Other mode	Simple M	onochrome Printing	(6.5						
	Measured accord	ding to: 🔀 l	SO 7779 ECMA-74	(0)	nly if not cov	ered by	ECMA-7	4)			
	Chemical emiss	ions from p	rinting products (See NO					/			
P10.2*			ECMA-328 Determination			sion Rate	s from E	lectronic	\boxtimes		П
	Equipment (ISO/	IEC 28360)	, other specify: RAL-UZ	Z 219					_		
P10.3	Typical emission	rate (operat	ion phase) is (mg/h):								
		hic devices:	Ozone <0.29 (LOQ) Dust	<0.24	(LOQ) Styre	ene <u>0.31</u> 1	Benzen	ie <0.012 (LOQ)			
	TVOC 8.018										
	Ink devices:		Dust	St	yrene	Benze	ene	TVOC			
	NOTE: complian	co with movi	mum emission rates in eco	o laboli	s to bo dock	arod in D	1.4				
P11			printing products	U IADEI	s to be decid	aleu III F	14.				
P11.1*			available for the ink/toner	r prepa	ration, even	if not led	ally requ	uired (see P4.3).		П	
P11.2*	•	, ,	mer recycled fibers can be					,			
P11.3*		printing/copy	ring is an integrated produ	ct func	ction.				\square		П
P11.4*			nd-user with default auto-d							П	Ħ
P13	Packaging and										
P13.1*	Product packagir Product packagir Product packagir Product packagir	ng material ty ng material ty ng material ty	/pe(s): weig /pe(s): weig /pe(s): weig /pe(s): weig	ght (kg) ght (kg) ght (kg) ght (kg)):):						
P13.2*	Product plastic p	rimary packa	iging is free from PVC.						\boxtimes		
P13.3*	consumer recove	ered fiber co	ed fiberboard packaging, s ntent: %		the containe	ed percer	ntage of i	minimum post-			
P13.4*	Specify media fo		roduct documentation (tick	(box):							
P13.5	(Please only com	nplete this ite t documenta	m if paper documentation tion on paper media is chlo								
	Totally chlorine-fi	ree							\square		
	Elemental chlorin										
	Processed chlori	ne-free							H		
P14	Voluntary progr	ams.									
P14.1			ements of the following vo	luntary	/ program(s)):					
	ENERGY STAR® Eco-label: <i>Blue</i>	R	Criteria version: 3.2 Criteria version: RAL UZ-	·	Date: Nov. Date: Jan.	2021 2021	Product o	category: Imaging category: Office E Function			
	Eco-label:		Criteria version:		Date:		Product (category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX942adse, XC9445	Logo	
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Produc	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.	ent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	