



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Reyjoseph Ocaba Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	<b>Lexmark</b>
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	onforms to the statements given in this declaration.				
Type of product *	Multi-function Color Laser Device				
Commercial name *	Lexmark CX943adtse, Lexmark CX943adxse, Lexmark XC9455				
Model number *	CX943adtse, CX943adxse, XC9455				
Issue date *	10 June 2022 (revised on May 11th, 2023)				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

Model number *	CX943adtse, CX943adxse, XC9455	Logo	I N
Issue date *	10 June 2022 (revised on May 11th, 2023)		<b>Lexmark</b>

Product	environmental attributes - Legal requirements	Require		t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$		
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	$\boxtimes$		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html">http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</a>			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	$\boxtimes$		
	Required information is; given in item P15 or added to this document,  available at (add URL): <a href="https://csr.lexmark.com/product-certifications.php">https://csr.lexmark.com/product-certifications.php</a>			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)	$\boxtimes$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	CX943adtse, CX943adxse, XC9455	Logo	100
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

	t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design	Reau	irem	ent met
tem	*=mandatory to fill in. Additional information regarding each item may be found under P14.		No	
7	Design			
	Disassembly, recycling			
P7.1 <b>*</b>	Parts that have to be treated separately are easily separable			
P7.2 <b>*</b>	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
<sup>2</sup> 7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\boxtimes$		
P7.4 <b>*</b>	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			<u> </u>
P7.7 <b>*</b>	Upgrading can be done e.g. with processor, memory, cards or drives	X		
P7.8 <b>*</b>	Upgrading can be done using commonly available tools	$\boxtimes$		
<b>⊃</b> 7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
27.40	Material type: ABS Material type: PC+ABS Material type: HIPS			<del>1                                    </del>
27.12	Insulation materials of external electrical cables are PVC free.		$\succeq$	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\geq$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		×	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	$\boxtimes$		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR16, FR17, FR30+40			
7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CX943adtse, CX943adxse, XC9455	Logo	12
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product environmental attributes - Market requirements (continued)					F	Require	ment	met
Item			·			Yes	No	n.a.
	Material and subst	ance requirements (d	continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6)	:	$\boxtimes$		
			below shall be answer he postconsumer recyc		ontent (calculated as a			
	percentage of t	otal plastic by weight)		noa piaono matoriar oc	mioni (odiodidiod do d			
		ecycled material is	g.					]
P7.21*			in the product (See NO					
	a) Of total plastic	parts' weight > 25 g,	s below shall be answer the biobased plastic m		ated as a percentage of			
	total plastic by	0 ,						
D7 00*		he biobased plastic m	aterial is g. ess than 0,1 mg/lamp.					
P7.22*		ee from mercury, i.e. it pecify: Number of lam		m mercury content pe	r lamp: mg			
P8	Batteries							
P8.1*	Battery chemical co	mposition: <i>Lithium Ma</i>	anganese Dioxide (Lil	MnO2)				
P9	Energy consumpti	on (See NOTE B8)						
P9.1	For the product the	following power levels	or energy consumption	ns are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test method		nergy	
	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				
TEC produ	for ENERGY STAR lots (TEC= Typical nsumption)	0.84 kWh/week	0.84 kWh/week	0.85 kWh/week	Energy Star V3.2			
Printing		<b>760</b> W	<b>731</b> W	773 W	Corporate Standard			
Ready Mo	de	<b>80</b> W	<b>84</b> W	87 W	Energy Star V3.2			
Sleep		1.21 W	1.13 W	1.11 W	Energy Star V3.2			
Hibernate		0.04 W	0.05 W	<b>0.07</b> W	IEC 62301			
Off		<b>0.02</b> W	0.01 W	0.03 W	IEC 62301			
		W	W	W				
		y Level (International	Efficiency Marking Prot	tocol) * :				
Print/Scan	•	55 images per minute			ISO 24734			
	e to enter energy sav				Energy Star V3.2			
P9.2*	Information about th	e energy save functio	n is provided with the p	roduct.				

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX943adtse, CX943adxse, XC9455	Logo	
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

Product 6	environmental a	attributes -	- Market requirements	(continued)			Requirer	ment	met
Item							Yes	No	n.a.
P10	Emissions								
			according to ISO 9296 (See						
P10.1	Mode	Mode desc	ription	Statistical L <sub>WA,c</sub> (B)	l upper limi	it A-weighted sound power l	evel,		
	Idle	* Idle / Rea		4.5					
	Operation		Ionochrome Printing	6.8					
	Other mode	•	Ionochrome Printing	6.7					
	Measured accord	ling to: 🔀 l	SO 7779 X ECMA-74 Other	(only if not	covered by	y ECMA-74)			
	Chemical emiss	ions from p	orinting products (See NO	TE B10)					
P10.2*	•	-	ECMA-328 Determination of		nission Ra	tes from Electronic	$\boxtimes$		
	Equipment (ISO/I	IEC 28360)	, other specify: <b>RAL-UZ</b>						
P10.3	Typical emission	rate (operat	ion phase) is (mg/h):						
	Electrophotograp TVOC 8.018	hic devices:	Ozone <0.29 (LOQ) Dust	<0.24 (LOQ) S	tyrene 0.3	11 Benzene <0.012 (LOQ)			
	Ink devices:		Dust	Styrene	Ben:	zene TVOC			
i	NOTE: compliand	ce with maxi	mum emission rates in eco	labels to be de	eclared in l	P14.			
P11			orinting products						
P11.1*	A Safety Data Sh	neet (SDS) is	s available for the ink/toner	preparation, ev	ven if not le	egally required (see P4.3).			
P11.2*	Paper containing EN 12281.	post-consul	mer recycled fibers can be	used, provided	that it me	ets the requirements of			
P11.3*		printing/copy	ying is an integrated produc	ct function.					
P11.4*	The product is de	elivered to er	nd-user with default auto-du	uplex enabled.					
P13	Packaging and								
P13.1*	Product packagin Product packagin Product packagin Product packagin	ng material ty ng material ty ng material ty	ype(s): weigl ype(s): weigl ype(s): weigl	ht (kg): ht (kg): ht (kg): ht (kg):					
P13.2*			aging is free from PVC.				$\boxtimes$		
P13.3*	consumer recove	ered fiber co	ed fiberboard packaging, sp ntent:		ained perce	entage of minimum post-			
P13.4*	Specify media for Electronic , Pa	r user and p	roduct documentation (tick	box):					
P13.5	(Please only com	nplete this ite t documenta	em if paper documentation i tion on paper media is chlo						
	Totally chlorine-fr Elemental chlorin Processed chlorin	ne-free							
P14	Voluntary progra								
P14.1	The product mee	ts the requir	ements of the following vol	untary program	າ(s):				
	ENERGY STAR® Eco-label: Blue A		Criteria version: 3.2 Criteria version: RAL UZ-		ov. 2021 nn. 2021	Product category: Imaging Product category: Office E Printing Function			
	Fco-lahel·		Criteria version:	Date:		Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

Model number *	CX943adtse, CX943adxse, XC9455	Logo	DN .
Issue date *	10 June 2022 (revised on May 11th, 2023)		Lexmark

<b>Produc</b>	t environmental attributes - Market requirements (concluded)	Requirement met
P15	Additional information (See NOTE B11)	
P2.1	The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product.	duct is product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers	be removed by
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g	aterial(s) used when
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.	ent. No bromine was
P7.20	Per IEEE 1680.2 PCR calculation	

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	