



## Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                              | Lexmark   | Logo             |
|--------------------------------------|---|------------------|
| Company name *                       | Lexmark International Inc.  |                  |
| Contact information * e-mail address | Reyjoseph Ocaba<br>Lexmark International Inc.<br>740 New Circle Road, Building 001<br>Lexington, KY 40550<br>sustainability@lexmark.com | <b>∑</b> Lexmark |
| Internet site *                      | www.lexmark.com/TED - and- csr.lexmark.com  |                  |
| Additional information               |   |                  |

| The company declares (   | The company declares (based on product specification or test results based obtained from sample testing), that the product |  |  |  |  |  |
|--------------------------|--|--|--|--|--|--|
| conforms to the statemer | conforms to the statements given in this declaration.  |  |  |  |  |  |
| Type of product *        | Multi-function Color Laser Device  |  |  |  |  |  |
| Commercial name *        | Lexmark CX944adtse, Lexmark CX944adxse, Lexmark XC9465   |  |  |  |  |  |
| Model number *           | CX944adtse, CX944adxse, XC9465   |  |  |  |  |  |
| Issue date *             | 10 June 2022 (revised on May 11th, 2023)   |  |  |  |  |  |
| Intended market *        | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other   |  |  |  |  |  |
| Additional information   |  |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

5

| Model number * | CX944adtse, CX944adxse, XC9465           | Logo | I N            |
|----------------|--|------|----------------|
| Issue date *   | 10 June 2022 (revised on May 11th, 2023) |      | <b>Lexmark</b> |

| Product | environmental attributes - Legal requirements   | Require     |    | t met |
|---------|---|-------------|----|-------|
| Item    |   | Yes         | No | n.a.  |
| P1      | Hazardous substances and preparations   |             |    |       |
| P1.1*   | Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)  | $\boxtimes$ |    |       |
| P1.2*   | Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.   |             |    |       |
| P1.3*   | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.   |             |    |       |
| P1.4*   | Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).   | $\boxtimes$ |    |       |
| P1.5*   | Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).  |             |    |       |
| P1.6*   | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.  |             |    |       |
| P1.7*   | REACH Article 33 information about substances in articles is available at (add URL or mail contact):  REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550   |             |    |       |
| P2      | Batteries   |             |    |       |
| P2.1*   | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)  |             |    |       |
| P2.2*   | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)   |             |    |       |
| P2.3*   | Batteries and accumulators are readily removable. (See legal reference)   | $\boxtimes$ |    |       |
| P3      | Conformity verification & Eco design (ErP)  |             |    |       |
| P3.1*   | The product is CE-marked to show conformance with applicable legal requirements (see legal reference).  The Declaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html">http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html</a> |             |    |       |
| P3.2*   | The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).  |             |    |       |
|         | Required information is; given in item P15 or added to this document,  available at (add URL): <a href="https://csr.lexmark.com/product-certifications.php">https://csr.lexmark.com/product-certifications.php</a>  |             |    |       |
| P4      | Consumable materials  |             |    |       |
| P4.1*   | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater than 0,01% (see legal reference and NOTE B1).   |             |    |       |
| P4.2*   | If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see legal reference)   | $\boxtimes$ |    |       |
| P4.3*   | If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there are Community workplace exposure limits, the product/packaging is adequately labeled according to applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).  |             |    |       |
| P5      | Product packaging   |             |    |       |
| P5.1*   | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.   |             |    |       |
| P5.2*   | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).  |             |    |       |
| P5.3*   | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.  |             |    |       |
| P6      | Treatment information   |             |    |       |
| P6.1*   | Information for recyclers/treatment facilities is available (see legal reference).  | $\boxtimes$ |    |       |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | CX944adtse, CX944adxse, XC9465           | Logo | 100            |
|----------------|--|------|----------------|
| Issue date *   | 10 June 2022 (revised on May 11th, 2023) |      | <b>Lexmark</b> |

|                   | t environmental attributes - Market requirements (See General Note GN below) Environmental conscious design  | Reau                    | irem     | ent met            |
|-------------------|--|-------------------------|----------|--------------------|
| tem               | *=mandatory to fill in. Additional information regarding each item may be found under P14.   |                         | No       |                    |
| 7                 | Design   |                         |          |                    |
|                   | Disassembly, recycling   |                         |          |                    |
| P7.1 <b>*</b>     | Parts that have to be treated separately are easily separable  | $\boxtimes$             |          |                    |
| P7.2 <b>*</b>     | Plastic materials in covers/housing have no surface coating.   | $\boxtimes$             |          |                    |
| P7.3 <b>*</b>     | Plastic parts > 100 g consist of one material or of easily separable materials.  | $\boxtimes$             |          |                    |
| <sup>2</sup> 7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  | X                       |          |                    |
| P7.5              | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.   |                         |          |                    |
| P7.6*             | Labels are easily separable. (This requirement does not apply to safety/regulatory labels).  | $\overline{\mathbb{X}}$ |          |                    |
|                   | Product lifetime   |                         |          |                    |
| P7.7 <b>*</b>     | Upgrading can be done e.g. with processor, memory, cards or drives   | $\boxtimes$             |          |                    |
| ⊃7.8*             | Upgrading can be done using commonly available tools   | X                       |          |                    |
| P7.9              | Spare parts are available after end of production for: 5 years   |                         |          |                    |
| P7.10             | Service is available after end of production for: 5 years  |                         |          | $ \overline{\Box}$ |
|                   | Material and substance requirements  |                         |          |                    |
| P7.11*            | Product cover/housing material type (e.g. plastics, metal, aluminum):  |                         |          |                    |
| 27.12             | Material type: <i>ABS</i> Material type: <i>PC+ABS</i> Material type: <i>HIPS</i> Insulation materials of external electrical cables are PVC free.   |                         | <u> </u> | 1 -                |
| 27.12             |  | <u> </u>                | X        |                    |
|                   | Insulation materials of internal electrical cables are PVC free.   |                         | $\times$ |                    |
| P7.14             | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. |                         | L        |                    |
| P7.15             | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)   |                         | X        |                    |
| P7.16             | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40  | X                       |          |                    |
| P7.17             | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):   |                         |          |                    |
|                   | TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:  |                         |          |                    |
|                   | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16   |                         |          |                    |
| P7.18             | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  |                         |          |                    |
|                   | 3. Chemical name: , CAS #: "  Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:  FR16, FR17, FR30+40   |                         |          |                    |
| 7.19              | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)  |                         |          |                    |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see <a href="http://www.ecma-internationl.org/publications/standards/Ecma-370.htm">http://www.ecma-internationl.org/publications/standards/Ecma-370.htm</a>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

| Model number * | CX944adtse, CX944adxse, XC9465           | Logo | 12      |
|----------------|--|------|---------|
| Issue date *   | 10 June 2022 (revised on May 11th, 2023) |      | Lexmark |

| Product 6  | environmental att                            | ributes - Market re          | quirements (contin                             | ued)                       | R  | equire      | ement       | met         |
|--|--|------------------------------|--|----------------------------|--|-------------|-------------|-------------|
| Item   |  |                              |  |                            |  | Yes         | No          | n.a.        |
|  | Material and substa                          | ance requirements (          | continued)                                     |                            |  |             |             |             |
| P7.20*   | Postconsumer recyc                           | cled plastic material co     | ontent is used in the pro                      | oduct (See NOTE B6)        | :  |             |             |             |
|  | ,  |                              | below shall be answer<br>he postconsumer recyc | ,                          | intent (calculated as a                  |             |             |             |
|  |  | total plastic by weight)     |  | sica piastic material oc   | michi (calculated as a                   |             |             |             |
|  | b) The weight of r                           | ecycled material is          | g.   |                            |  |             |             |             |
| P7.21*   | Biobased plastic ma                          | iterial content is used      | in the product (See NC                         | OTE B7):                   |  |             | $\boxtimes$ |             |
| <ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is</li> <li>%.</li> </ul> |  |                              |  |                            |  |             |             |             |
| or b) The weight of the biobased plastic material is g.  |  |                              |  |                            |  |             |             |             |
| P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg   |  |                              |  |                            |  |             |             |             |
|  | · · · · · · · · · · · · · · · · · · ·        | pecify: Number of lam        | ps: and maximu                                 | m mercury content pe       | r lamp: mg                               |             |             |             |
| P8   | Batteries                                    |                              |  |                            |  |             |             |             |
| P8.1*  | Battery chemical cor                         | mposition: <i>Lithium Ma</i> | anganese Dioxide (Lil                          | MnO2)                      |  |             |             |             |
| P9   | Energy consumption                           |                              |  |                            |  |             |             |             |
| P9.1 For the product the following power levels or energy consumptions are reported:   |  |                              |  |                            |  |             |             |             |
| Energy mo  | de *   | Power level at<br>100 V AC   | Power level at<br>115 V AC                     | Power level at<br>230 V AC | Reference/Standard modes and test method |             | energy      |             |
|  | e for ENERGY<br>perational Mode<br>ucts      | W                            | W  | W                          |  |             |             |             |
| Standby/of<br>ENERGY S<br>Mode (OM   | STAR Operational                             | W                            | W  | W                          |  |             |             | $\boxtimes$ |
| TEC produ  | for ENERGY STAR cts (TEC= Typical nsumption) | 1.00 kWh/week                | 0.97 kWh/week                                  | 0.98 kWh/week              | Energy Star V3.2                         |             |             |             |
| Printing   |  | <b>824</b> W                 | 811 W  | <b>820</b> W               | Corporate Standard                       |             |             |             |
| Ready Mo   | de   | <b>81</b> W                  | 87 W   | <b>84</b> W                | Energy Star V3.2                         |             |             |             |
| Sleep  |  | 1.24 W                       | 1.14 W   | 1.11 W                     | Energy Star V3.2                         |             |             |             |
| Hibernate  |  | 0.05 W                       | 0.07 W   | <b>0.07</b> W              | IEC 62301                                |             |             |             |
| Off  |  | 0.02 W                       | 0.02 W   | 0.07 W                     | IEC 62301                                |             |             |             |
|  |  | W                            | W  | W                          |  |             |             |             |
| External Po  | ower Supply Efficienc                        | y Level (International       | Efficiency Marking Pro                         | tocol) * :                 |  |             |             |             |
| Print/Scan   | Speed * :                                    | 65 images per minute         |  |                            | ISO 24734                                |             |             |             |
|  | e to enter energy sav                        |                              |  |                            | Energy Star V3.2                         |             |             |             |
| P9.2*  | Information about th                         | e energy save functio        | n is provided with the p                       | product.                   |  | $\boxtimes$ |             |             |

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

| Model number * | CX944adtse, CX944adxse, XC9465           | Logo |         |
|----------------|--|------|---------|
| Issue date *   | 10 June 2022 (revised on May 11th, 2023) |      | Lexmark |

| Product 6 | environmental a  | attributes -                     | Market requirements                                     | (con   | tinued)                                 |              |            |  | Require     | ment | met  |
|-----------|--|----------------------------------|---|--|---|--------------|------------|--|-------------|------|------|
| Item      |  |                                  |   |  |   |              |            |  | Yes         | No   | n.a. |
| P10       | Emissions  |                                  |   |  |   |              |            |  |             |      |      |
|           |  |                                  | according to ISO 9296 (Se                               |  |   |              |            |  |             |      |      |
| P10.1     | Mode   | Mode desc                        | ription   |  | Statistical up<br>L <sub>WA,c</sub> (B) | per limit    | A-weight   | ed sound power l                                   | evel,       |      |      |
|           | Idle   | * Idle / Rea                     | dy  | 4  | 4.5                                     |              |            |  |             |      |      |
|           | Operation  | * Duplex M                       | onochrome Printing                                      | 7  | 7.0                                     |              |            |  |             |      |      |
|           | Other mode   | Simple M                         | onochrome Printing                                      | (  | 6.9                                     |              |            |  |             |      |      |
|           | Measured accord  | ding to: 🔀 l                     | SO 7779 ECMA-74   | (0)  | nly if not cov                          | ered by      | ECMA-7     | 4)   |             |      |      |
|           | Chemical emiss   | ions from p                      | rinting products (See NO                                |  |   | ,            |            | /  |             |      |      |
| P10.2*    |  |                                  | ECMA-328 Determination                                  |  |   | sion Rate    | s from E   | lectronic  | $\boxtimes$ |      | П    |
|           |  |                                  | , other specify: <i>RAL-U</i> 2                         | Z 219  |   |              |            |  |             |      |      |
| P10.3     | Typical emission   | rate (operat                     | ion phase) is (mg/h):                                   |  |   |              |            |  |             |      |      |
|           |  |                                  |   |  |   |              |            |  |             |      | _    |
|           |  | hic devices:                     | Ozone <0.29 (LOQ) Dust                                  | <0.24  | (LOQ) Styre                             | ene 0.311    | Benzen     | e <0.012 (LOQ)                                     |             |      |      |
|           | TVOC 8.018   |                                  |   |  |   |              |            |  |             |      |      |
|           |  |                                  |   |  |   |              |            |  |             |      |      |
|           | Ink devices:   |                                  | Dust  | St   | yrene                                   | Benze        | ene        | TVOC   |             |      |      |
|           | NOTE: complian   | ce with mavi                     | mum emission rates in eco                               | o label                                      | s to be decla                           | ared in D    | 1.4        |  |             |      |      |
| P11       |  |                                  | printing products                                       | U IADEI                                      | 3 to be decid                           | aled III I   | 14.        |  |             |      |      |
| P11.1*    |  |                                  | available for the ink/toner                             | r prepa                                      | ration, even                            | if not led   | ally requ  | ired (see P4.3).                                   |             | П    | П    |
| P11.2*    | Paper containing EN 12281.   | post-consui                      | mer recycled fibers can be                              | used,  | provided that                           | at it meet   | s the req  | uirements of                                       |             |      |      |
| P11.3*    |  | printing/copy                    | ring is an integrated produ                             | ict func                                     | ction.                                  |              |            |  | $\boxtimes$ |      |      |
| P11.4*    | The product is de  | elivered to er                   | nd-user with default auto-d                             | duplex                                       | enabled.                                |              |            |  |             | Ħ    | Ħ    |
| P13       | Packaging and  |                                  |   | •  |   |              |            |  |             |      |      |
| P13.1*    | Product packagir<br>Product packagir<br>Product packagir<br>Product packagir | ng material ty<br>ng material ty | /pe(s): weig<br>/pe(s): weig                            | ght (kg)<br>ght (kg)<br>ght (kg)<br>ght (kg) | ):<br>):                                |              |            |  |             |      |      |
| P13.2*    |  |                                  | iging is free from PVC.                                 |  |   |              |            |  | $\boxtimes$ |      |      |
| P13.3*    | consumer recove  | ered fiber co                    | ed fiberboard packaging, s<br>ntent: %                  |  | the containe                            | ed percer    | ntage of r | minimum post-                                      |             |      |      |
| P13.4*    | Specify media fo   |                                  | roduct documentation (tick                              | ( box):                                      |   |              |            |  |             |      |      |
| P13.5     | (Please only com   | nplete this ite<br>t documenta   | m if paper documentation<br>tion on paper media is chlo |  |   |              |            |  |             |      |      |
|           | Totally chlorine-fi  | ree                              |   |  |   |              |            |  | $\square$   |      |      |
|           | Elemental chlorin  |                                  |   |  |   |              |            |  |             |      |      |
|           | Processed chlori   |                                  |   |  |   |              |            |  | H           |      |      |
| P14       | Voluntary progr  | ams:                             |   |  |   |              |            |  |             |      |      |
| P14.1     |  |                                  | ements of the following vo                              | luntary                                      | / program(s)                            | :            |            |  |             |      |      |
|           | ENERGY STAR®<br>Eco-label: <i>Blue</i>                                       | R                                | Criteria version: 3.2<br>Criteria version: RAL UZ-      | ·  | Date: Nov.<br>Date: Jan.                | 2021<br>2021 | Product o  | category: <i>Imaging</i> category: <i>Office E</i> |             |      |      |
|           | Eco-label:   |                                  | Criteria version:                                       |  | Date:                                   |              | Product ∂  | category:  |             |      |      |

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$ 

NOTE B10 A Guidance document on Chemical Emissions is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>.

| Model number * | CX944adtse, CX944adxse, XC9465           | Logo | 128     |
|----------------|--|------|---------|
| Issue date *   | 10 June 2022 (revised on May 11th, 2023) |      | Lexmark |
|                |  |      |         |

| <b>Produc</b> | t environmental attributes - Market requirements (concluded)   | Requirement met                 |
|---------------|--|---------------------------------|
| P15           | Additional information (See NOTE B11)  |                                 |
| P2.1          | The battery contained within this product should be disposed of properly with the product. The properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product. | duct is<br>product User's Guide |
| P2.3          | The battery contained within this product meets the exception listed. The battery is not intended to the customer; however, is designed for easy removal by recyclers and service providers                | be removed by                   |
| P5.2          | The packaging materials are marked with abbreviations and numbers indicating the nature of the mathey are >25g   | aterial(s) used when            |
| P7.14         | A small amount of bromine may be present in covers due to sourcing post-consumer recycled continuentionally added in the processing of these parts.  | ent. No bromine was             |
| P7.20         | Per IEEE 1680.2 PCR calculation  |                                 |

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B1

| Reference  | Declaration item             |
|--|------------------------------|
| Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.  | P1.1, P3.1, P4.1             |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII  | P1.2, P1.4, P1.6, P1.7, P4.2 |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII   | P1.10                        |
| Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)   | P4.3                         |
| Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)  | P1.3, P5.3                   |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002   | P1.5                         |
| Directive 2006/66/EC (Battery and accumulators Directive), as amended.*  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.             | P2.1, P2.2, P2.3, P8.1       |
| Directive 2014/35/EU (Low Voltage Directive)   | P3.1                         |
| Directive 2014/30/EU (EMC Directive)   | P3.1                         |
| Directive 2014/53/EU (RE Directive)  | P3.1                         |
| Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)                           | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions |                              |
| Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies  | P3.1, P3.2, P9.1             |
| Commission Regulation (EC) 1272/2008 (CLP Regulation)  | P4.3, P7.19                  |
| Directive 2004/12/EC (Packaging Directive)   | P5.1                         |
| Decision 97/129/EC (Secondary packaging legislation)   | P5.2                         |

| Directive 2012/19/EU (WEEE directive)  | P6.1 |
|--|------|
| Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.  |      |
| Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State. |      |