



Annex B1 - Product environmental attributes Imaging equipment

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lexmark	Logo
Company name *	Lexmark International Inc.	
Contact information * e-mail address	Krizia Mae Konno Lexmark International Inc. 740 New Circle Road, Building 001 Lexington, KY 40550 sustainability@lexmark.com	Lexmark
Internet site *	www.lexmark.com/TED - and- csr.lexmark.com	
Additional information		

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
	nts given in this declaration.					
Type of product *	Multi-function Color Laser Printer					
Commercial name *	Lexmark CX950					
Model number *	CX950se, XC9525					
Issue date *	April 11, 2025					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B1

Annex B1 reflects Product environmental attributes relevant for Imaging products. The following items from the ECMA-370 Main body are not shown in the template:

P9.1 PTEC, ETEC and display resolution

P12.1-P12.2 Ergonomic requirements.

Model number *	CX950se, XC9525	Logo	TP
Issue date *	April 11, 2025		Lexmark

Produc	t environmental attributes - Legal requirements	Require	emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with the current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
P1.4*	concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated		_	
F 1.4	terphenyl (PCT) in preparations (see legal reference).		Ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	X	П	
1 1.0	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).		ш	
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week	\boxtimes		
	(see legal reference).			_
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	REACH Program Manager (Sustainability@lexmark.com); Corporate Sustainability Department, 740 West New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal			
	symbol. Information on proper disposal is provided in user manual. (See legal reference)		ш	ш
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal	\boxtimes		
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X		
	The Declaration of Conformity can be requested at (add link or e-mail address):	_		
D0.0*	http://www.lexmark.com/en_us/about/regulatory-compliance/european-union-declaration-of-conformity.html			
P3.2*	The product complies with the applicable Eco design Requirements for Energy-Related Products, (see legal reference).	\boxtimes		
	Required information is; given in item P15 or added to this document,	\boxtimes		
	· · · · · · · · · · · · · · · · · · ·		ш	ш
D4	available at (add URL): https://csr.lexmark.com/product-certifications.php			
P4	Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium at a level greater			_
P4.1	than 0,01% (see legal reference and NOTE B1).		Ш	
P4.2*	If ink/toner is used in the product, it does not contain cadmium at a level greater than 0,1% by weight (see	\square		
	legal reference)		ш	ш
P4.3*	If the ink/toner formulation/preparation is classified as hazardous or contains a substance for which there	\boxtimes		
	are Community workplace exposure limits, the product/packaging is adequately labeled according to	<u>~_</u> V		
	applicable regulations and a Safety Data Sheet (SDS) in accordance with these requirements is available			
	(see legal reference).			
P5	Product packaging	<u> </u>	_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
P5.2*	hexavalent chromium by weight of these together. The packaging materials are marked with abbreviations and numbers indicating the nature of the materials.		_	$\overline{}$
i-0.2	used (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal	\boxtimes		
. 0.0	Protocol (see legal reference).		Ш	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		

Model number *	CX950se, XC9525	Logo	M
Issue date *	April 11, 2025		Lexmark

Product	t environmental attributes - Market requirements (See General Note GN below)				
	Environmental conscious design	Requ	irem	ent m	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes			
P7	Design				
	Disassembly, recycling				
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	X			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X			\Box
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$			\Box
	Product lifetime		_		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes			
P7.8*	Upgrading can be done using commonly available tools	X			
P7.9	Spare parts are available after end of production for: 5 years				
P7.10	Service is available after end of production for: 5 years				一
	Material and substance requirements				
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):				
	Material type: ABS Material type: PC+ABS Material type: HIPS				
P7.12	Insulation materials of external electrical cables are PVC free.		\succeq		<u>Ш</u>
P7.13	Insulation materials of internal electrical cables are PVC free.		\geq]	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.]	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See NOTE B2)		\boxtimes		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR40	\boxtimes]	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBPA (additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: , CAS #:]	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: <i>FR16</i>	\boxtimes]	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)]	
	2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " 4. Chemical name: , CAS #: "	\boxtimes		1	
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR16, FR17, FR30+40			J	
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)]	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available;

see http://www.ecma-internationl.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

Model number *	CX950se, XC9525	Logo	M
Issue date *	April 11, 2025		Lexmark

Product	environmental att	ributes - Market re	quirements (contin	ued)	F	Requirem	nent	met
Item				•		Yes	No	n.a.
	Material and subst	ance requirements (continued)					
P7.20*	Postconsumer recyc	cled plastic material co	ontent is used in the pro	oduct (See NOTE B6):				
	 a) Of total plastic percentage of t 		below shall be answer he postconsumer recyc is %.	,	ntent (calculated as a			
		ecycled material is	g.					
P7.21*	Biobased plastic ma	terial content is used	in the product (See NO	TE B7):				
	 a) Of total plastic total plastic by or 	parts' weight > 25 g, weight) is %.			ated as a percentage of			
P7.22*		he biobased plastic m ee from mercury, i.e. le	aterial is g. ess than 0,1 mg/lamp.				П	$\overline{\Box}$
		pecify: Number of lam	ps: and maximu	m mercury content per	r lamp: mg			
P8	Batteries	mposition: Lithium M	anganasa Diavida // il	MnO2)				
P8.1*			anganese Dioxide (Lil	VINO2)				Ш
P9	Energy consumpti							
P9.1		following power levels	or energy consumption	ns are reported:				
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard modes and test metho		ergy	
	e for ENERGY perational Mode ucts	W	W	W				
Standby/of ENERGY S Mode (OM	STAR Operational	W	W	W				
TEC produ	for ENERGY STAR lcts (TEC= Typical nsumption)	0.41 kWh/week	0.41 kWh/week	0.40 kWh/week	Energy Star V3.2			
Printing		443 W	411 W	411 W	Corporate Standard			
Copying		485 W	451 W	438 W	Corporate Stanard			
Ready		36 W	37 W	36 W	Energy Star V3.2			
Sleep		0.9 W	0.87 W	0.94 W	Energy Star V3.2			Ш
		0.09 W	0.09 W	0.12 W	IEC 62301			
<i>0.09</i> W		0.03	0.09 W	0.12 W	IEC 62301			
		y Level (International	Efficiency Marking Pro	tocol) *:				
Print/Scan	<u> </u>	25 images per mir			ISO 24734			
	e to enter energy sav				Energy Star V3.2			
P9.2*	Information about th	e energy save functio	n is provided with the p	product.		\square	\Box	

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic.

NOTE B8 A Guidance document on Energy efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX950se, XC9525	Logo	I av ma and D
Issue date *	April 11, 2025		Lexmark

Product	uct environmental attributes - Market requirements (continued)					Requiren	nent	met	
Item							Yes	No	n.a.
P10	Emissions								
			ccording to ISO 9	296 (See NC			<u> </u>		
P10.1	Mode	Mode descri	ption		Statistical upper lim $L_{WA,c}$ (B)	it A-weighted sound power le	evel,		
	Idle	* Idle / Rea	dv		* 3.2				\boxtimes
	Operation		onochrome Print	ing	* 6.1				X
	Other mode		nochrome Print		6.0				V V
	Measured accord		O 7779 🔀 ECM/	A-74	only if not covered b	v ECMA-74)			
	Chemical emiss	ions from pr	inting products	,	•	,			
P10.2*	Test performed a	according to E	CMA-328 Determ	ination of Ch	nemical Emission Ra	tes from Electronic	X	П	П
	Equipment (ISO/	TEC 28360)	, other specify:	DE-UZ 219			_		
P10.3			on phase) is (mg/h						
	Electrophotograp Ink devices:	ohic devices: (Ozone <0.27 (LOQ)	Dust <0.25) (L Dust	Styrene 0.050	Benzene <0.012 (LOQ) TV Benzene TV	OC 6.854		
	NOTE: complian	ce with maxim	num emission rate	es in eco labe	els to be declared in	P14.			
P11	Consumable ma								
P11.1*	•	, ,				egally required (see P4.3).	\boxtimes		
P11.2*	EN 12281.		•		•	ets the requirements of			
P11.3*	2-sided (duplex)	printing/copyi	ng is an integrate	d product fun	nction.		\boxtimes		
P11.4*	The product is de	elivered to end	d-user with defaul	t auto-duplex	cenabled.		\boxtimes		
P13	Packaging and	documentati	on						
P13.1*	Product packaging mate Product packaging mate	erial type(s): Expand erial type(s): Wood erial type(s): High De erial type(s): Extrude erial type(s): Molded erial type(s): Paper	led Polystyrene (EPS) ensity PE Film ed PE (EPE) Pulp (Fiber)	weight(kg): 5.94 weight(kg): 0.224 weight(kg): 11.42 weight(kg): 0.16 weight(kg): 0.157 weight(kg): 0.605 weight(kg): 0.071 weight(kg): 0.003	Product packaging ma Product packaging ma Product packaging ma Product packaging ma Product packaging ma	sterial type(s): Polypropylene (PP) sterial type(s): Glass yarn filament and PP sterial type(s): Oriented PP Film	weight(kg weight(kg weight)(kg weight(kg weight(kg weight(kg weight(kg	(i): 0.049 (i): 0.022 (i): 0.001 (i): 0.002 (i): 0.004 (i): 0.003	5
P13.2*	Product plastic p	rimary packaç	ging is free from P	VC.			\boxtimes		
P13.3*	consumer recove	ered fiber cont	tent: 35 %			entage of minimum post-			
P13.4*	Specify media fo		oduct documentati	ion (tick box)	:				
P13.5			n if paper docume	entation used)				
1 10.0		t documentati	on on paper medi						
	Totally chlorine-f	ree					\square		
	Elemental chlorir								
	Processed chlori						H		
P14	Voluntary progr								
P14.1			ments of the follo	wing volunta	ry program(s):				
	ENERGY STARGECO-label: Blue	® Angel	Criteria version: 3 Criteria version: F	.2	Date: Nov. 2021 Date: Jan. 2021	Product category: Imaging Product category: Office E Printing Function			
	Eco-label:	(Criteria version:		Date:	Product category:			

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}.$

NOTE B10 A Guidance document on Chemical Emissions is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	CX950se, XC9525	Logo	I av oar audi
Issue date *	April 11, 2025		Lexmark

Produc	t environmental attributes - Market requirements (concluded) Requirement met
P15	Additional information (See NOTE B11)
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide
P2.3	The battery contained within this product meets the exception listed. The battery is not intended to be removed by the customer; however, is designed for easy removal by recyclers and service providers
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used when they are >25g
P7.14	A small amount of bromine may be present in covers due to sourcing post-consumer recycled content. No bromine was intentionally added in the processing of these parts.
P7.2	Per IEEE 1680.2 PCR calculation
P13.3	The value pertains to recovered fiber content per Lexmark Packaging specification (www.lexmark.com/pkgspec)

NOTE B11 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B1

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1, P3.1, P4.1
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7, P4.2
Commission Regulation (EC) 1907/2006 (REACH Regulation), annex VII	P1.10
Commission Regulation (EC) 1907/2006 (REACH Regulation), Article 31, annex II)	P4.3
Commission Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000, (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2.3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Commission Regulation (EC) No 1275/2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off mode electric power consumption of electrical and electronic household and office equipment (Standby Regulation)	P3.1, P3.2, P9.1
Commission Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
Commission Regulation (EC) 1272/2008 (CLP Regulation)	P4.3, P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2

Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	