

DECLARATION OF CONFORMITY

According to ISO/IEC 17050-1 and EN 17050-1

Manufacturer:	Lexmark International Inc.
Manufacturer's Address:	740 West New Circle Road, Lexington, Kentucky 40550 USA
Authorized Representative:	Lexmark International Technology Hungária Kft.
Authorized Representative's Address:	8 Lechner Ödön fasor, Millennium Tower III, 1095 Budapest HUNGARY

declares that the following product(s)

Product: Lexmark X792de	Type/Model: 7562 – 436
Lexmark X792dte	Type/Model: 7562 – 436
Lexmark X792dtfe	Type/Model: 7562 – 436
Lexmark X792dtpe	Type/Model: 7562 – 436
Lexmark X792dtme	Type/Model: 7562 – 436
Lexmark X792dtse	Type/Model: 7562 – 436
Lexmark XS796de	Type/Model: 7562 – 496
Lexmark XS796dte	Type/Model: 7562 – 496

Product Options: 47B0110 47B0111 47B1103 47B1100 47B1101 47B1102

conforms to the following Product Specifications:

SAFETY:	EN 60950-1: 2006 + A11: 2009 + A1: 2010 + A12: 2011	EN 60825-1: 2007
	EN 62311:2008	
EMC:	EN 55022: 2006 + A1: 2007 (Class A)	
	EN 55024: 1998 + A1: 2001 + A2: 2003	
	EN 61000-3-2: 2006 + A1: 2009 + A2: 2009	
	EN 61000-3-3: 2008	
R&TTE:	ETSI ES 203 021-2 V2.1.2	ETSI ES 203 021-3 V2.1.2

The product(s) described above are in conformity with the following Directives of the European Parliament and the Council of the European Union:

2006/95/EC	(LVD) relating to electrical equipment designed for use within certain voltage limits;
2004/108/EC	(EMC) relating to electromagnetic compatibility;
1999/5/EC	(R&TTE) on radio equipment and telecommunications terminal equipment;
2011/65/EU	(RoHS2) on the restriction of the use of certain hazardous substances in electrical and electronic equipment

and carry the CE marking accordingly.

Supplementary Information:

- (1) This printer was tested in a typical configuration with the following cable(s): Lexmark USB cable.
- (2) CE Mark affixed 2010

November 28, 2012


Paul Dullaghan
Managing Director
Lexmark International Technology S.A.
20 Route de Pre Bois
Case Postale 508, ICC Bloc A
CH-1215 Geneva 15, Switzerland

TLUMACZENIE POŚWIADCZONE Z JĘZYKA ANGIELSKIEGO

[Uwagi tłumacza wpisano kursywą i umieszczono w nawiasach kwadratowych]
[Dokument składa się z jednej strony tekstu sporządzonego na papierze firmowym LEXMARK]

Raport EMEA L737c-EMC-2012

Aneks do RAPORTU L737a-EMC-2010

Deklaracja zgodności

zgodnie z ISO/IEC 17050-1 oraz EN 17050-1

Nazwa Producenta:	Lexmark International Inc.
Adres Producenta:	740 West New Circle Road, Lexington, Kentucky 40550 USA
Autoryzowany Przedstawiciel:	Lexmark International Technology Hungária Kft.
Adres Autoryzowanego Przedstawiciela:	8 Lechner Ödön fasor, Millennium Tower III, 1095 Budapest HUNGARY

Oświadczam, że produkt(y)

Produkt:	Lexmark X792de	Typ / Model 7562 - 436
	Lexmark X792dte	Typ / Model 7562 - 436
	Lexmark X792dtfe	Typ / Model 7562 - 436
	Lexmark X792dtpe	Typ / Model 7562 - 436
	Lexmark X792dtme	Typ / Model 7562 - 436
	Lexmark X792dtse	Typ / Model 7562 - 436
	Lexmark XS796de	Typ / Model 7562 - 496
	Lexmark XS796dte	Typ / Model 7562 - 496

Opcje produktu: 47B0110 47B0111 47B1103 47B1100 47B1101 47B1102

jest zgodny z następującymi specyfikacjami produktu:

BEZPIECZE	EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011	EN 60825-1:2007
ŃSTWO:	EN 62311:2008	
EMC:	EN 55022:2006 + A1:2007 (Klasa A) EN 55024:1998 + A1:2001 + A2:2003 EN 61000-3-2:2006 + A1:2009 + A2:2009 EN 61000-3-3:2008	
R&TTE :	ETSI ES 203 021-2 V2.1.2	ETSI ES 203 021-3 V2.1.2

Opisany produkt(y) jest zgodny z następującymi Dyrektywami Parlamentu Europejskiego oraz Rady Unii Europejskiej:

2006/95/WE	(dyrektywy LVD) dotyczącej wyposażenia elektrycznego przewidzianego do stosowania w niektórych granicach napięcia;
2004/108/WE	(dyrektywy EMC) dotyczącej kompatybilności elektromagnetycznej;
1999/5/WE	(dyrektywy R&TTE) dotyczącej urządzeń radiowych i końcowych urządzeń telekomunikacyjnych;
2011/65/UE	(dyrektywy RoHS2) w sprawie ograniczenia stosowania niektórych niebezpiecznych substancji w sprzęcie elektrycznym i elektronicznym

i jest odpowiednio oznaczony znakiem CE.

Informacje dodatkowe:

- (1) Ta drukarka była testowana w typowej konfiguracji z następującymi kablami: kablem Lexmark

USB.

(2) Przyznano znak CE 2010.

28 listopada 2012 r.

[podpis:]

Paul Dullaghan

Dyrektor Zarządzający

Lexmark International Technology S.A

20 Route de' Pre Bois

Case Postale 508, ICC Bloc A

CH-1215 Geneva 15, Switzerland

Strona 1 z 1

Ja, tłumacz przysięgły języka angielskiego, Justyna Surmiak, poświadczam zgodność niniejszego przekładu z przedłożonym mi wydrukiem skanu dokumentu w języku angielskim.

Rep. Nr 124/ 14

Maków Podhalański, dnia 4 listopada 2014 r.