



ISO/IEC 19798 Yield Test Report

CS725 High Yield Print Cartridge

Printer: CS725

Part Numbers of Cartridges:

Cyan (C) 74CxHC0, 74C0HCG, 74CxHCE
Magenta (M) 74CxHM0, 74C0HMG, 74CxHME

Yellow (Y) 74CxHY0, 74C0HYG, 74CxHYE
Black (K) 74CxHK0/HKE, 74C0H10, 74C0HKG

Lexmark Toner Cartridge Yield Claim:

Average Continuous Composite Color (CMY) Cartridge Yield	12,000	standard pages
Average Continuous Black (K) Cartridge Yield	20,000	standard pages
Declared yield in accordance with ISO/IEC 19798		

Tested Cartridge Summary:

90% Lower Confidence

Composite Color (CMY) = **12,463** pages
Black = **22,633** pages

For questions concerning testing contact:

Lexmark International Inc.
740 West New Circle Rd.
Lexington, Ky. 40550 USA
Attn: Laser Supplies Product Manager

Date Tested

27-Nov-2015

9-Dec-2015

Number of cartridges in testing	C= 9	M= 9	Y= 9	K= 9
Qty. of cartridges used in calculation	C= 9	M= 9	Y= 9	K= 9
Type of cartridge	Replenishment			
Shake Procedure	No Shake			
1st shake	No Shake			
2nd shake	Continuous			
Print mode	3			
Number of printers tested	Hammermill Tidal MP - 20 lbs. - Letter			
Media used	Short Edge Feed (SEF)			
Paper feed orientation	B35			
Driver version	Windows 7 Professional			
Operating system	Adobe Reader 9.4			
Application software	ISO-IEC_24712_2007.pdf			
Test page version	N			
Power (off/on) everyday	Y			
Pre-generated file used	Y			
Header / Footer used	Y			
Computer Model	Intel(R) Core™ i5-2520M CPU @ 2.50 GHz			
Computer RAM and CPU type	4.0 GB			
PC / Printer connection	Network			

ISO/IEC 19798 Yield Test Report

Printer	Color	Cartridge SN	Temperature C / F			Humidity			Cartridge Yield	Cartridge used in Calculation
			Avg	Max	Min	Avg	Max	Min		
7528364510010	C	SCAH152261133	22 / 72	24 / 74	21 / 70	54	59	50	11145	Y
752836451000C	C	SCAH152261226	22 / 72	24 / 74	21 / 70	54	59	50	11275	Y
752836451001F	C	SCAH152261127	22 / 72	24 / 74	21 / 70	54	59	50	11295	Y
7528364510010	C	SCAH15226111A	22 / 72	24 / 74	21 / 70	54	59	50	11145	Y
7528364510010	C	SCAH1522610E6	22 / 72	24 / 74	21 / 70	54	59	50	11615	Y
752836451000C	C	SCAH152261125	22 / 72	24 / 74	21 / 70	54	59	50	11100	Y
752836451001F	C	SCAH1522610E1	22 / 72	24 / 74	21 / 70	54	59	50	11520	Y
752836451000C	C	SCAH152261122	22 / 72	24 / 74	21 / 70	54	59	50	11005	Y
752836451001F	C	SCAH1522611E5	22 / 72	24 / 74	21 / 70	54	59	50	11780	Y
7528364510010	K	SCAH152940FCA	22 / 72	24 / 74	21 / 70	54	59	50	23260	Y
752836451001F	K	SCAH152940FC9	22 / 72	24 / 74	21 / 70	54	59	50	23270	Y
752836451000C	K	SCAH152940FCC	22 / 72	24 / 74	21 / 70	54	59	50	25135	Y
752836451001F	K	SCAH152940FCE	22 / 72	24 / 74	21 / 70	54	59	50	22475	Y
7528364510010	K	SCAH152940F14	22 / 72	24 / 74	21 / 70	54	59	50	22600	Y
752836451000C	K	SCAH152940FE0	22 / 72	24 / 74	21 / 70	54	59	50	22555	Y
752836451001F	K	SCAH152940F15	22 / 72	24 / 74	21 / 70	54	59	50	22820	Y
7528364510010	K	SCAH152940FD0	22 / 72	24 / 74	21 / 70	54	59	50	22745	Y
752836451000C	K	SCAH152940FE5	22 / 72	24 / 74	21 / 70	54	59	50	23430	Y
752836451001F	M	SCAH152292067	22 / 72	24 / 74	21 / 70	54	59	50	13955	Y
7528364510010	M	SCAH15229200A	22 / 72	24 / 74	21 / 70	54	59	50	15030	Y
752836451000C	M	SCAH152291FFE	22 / 72	24 / 74	21 / 70	54	59	50	14350	Y
752836451001F	M	SCAH152291FF9	22 / 72	24 / 74	21 / 70	54	59	50	14385	Y
7528364510010	M	SCAH152291FF5	22 / 72	24 / 74	21 / 70	54	59	50	14735	Y
752836451000C	M	SCAH152291FF3	22 / 72	24 / 74	21 / 70	54	59	50	13275	Y
752836451001F	M	SCAH152291FC4	22 / 72	24 / 74	21 / 70	54	59	50	14120	Y
7528364510010	M	SCAH152291FD3	22 / 72	24 / 74	21 / 70	54	59	50	14525	Y
752836451000C	M	SCAH152291FD5	22 / 72	24 / 74	21 / 70	54	59	50	14750	Y
7528364510010	Y	SCAH1523022C3	22 / 72	24 / 74	21 / 70	54	59	50	12790	Y
752836451000C	Y	SCAH1523022C6	22 / 72	24 / 74	21 / 70	54	59	50	12470	Y
752836451001F	Y	SCAH1523022D5	22 / 72	24 / 74	21 / 70	54	59	50	12950	Y
752836451001F	Y	SCAH1523022BC	22 / 72	24 / 74	21 / 70	54	59	50	12530	Y
7528364510010	Y	SCAH1523022DD	22 / 72	24 / 74	21 / 70	54	59	50	12725	Y
752836451000C	Y	SCAH1523022C1	22 / 72	24 / 74	21 / 70	54	59	50	12485	Y
752836451001F	Y	SCAH1523022C5	22 / 72	24 / 74	21 / 70	54	59	50	12605	Y
7528364510010	Y	SCAH1523022BB	22 / 72	24 / 74	21 / 70	54	59	50	12715	Y
752836451000C	Y	SCAH1523022BF	22 / 72	24 / 74	21 / 70	54	59	50	12465	Y

	Average	Std Dev. Of Sample	90% Lower Confidence
Cyan Cartridge	11320	262	11157
Magenta Cartridge	14347	520	14025
Yellow Cartridge	12637	169	12533
CMY Composite			12463
Black Cartridge	23143	824	22633

Comments and or exceptions:

*The print file was generated with number of copies set equal to 4.