

Lexmark CX950se

With the new CX950se colour A3 multifunction printer, you get reassuring versatility, exceptional sustainability and surprising simplicity from such sophisticated technology. Boost your productivity with vivid prints — up to 25 pages per minute*. Intuitively navigate the 25 cm colour touchscreen, and save time with single-pass two-sided scanning.

Part Number

20L8110

Print Technology

Colour Laser

Function

Colour Copying, Colour Printing, Colour Scanning, Trusted Platform Module (TPM), The Trusted Platform Module (TPM) is not available in some countries.

Workgroup Size

Large Workgroup

Touch Screen Display

Yes

Display

Lexmark e-Task 10.1-inch (25.6 cm) colour touch screen

Print Speed (A4, Black)

Up to 25 ppm⁴

Print Speed (A4, Colour)

Up to 25 ppm⁴

Print Speed (A4, Black) Duplex

Up to 25 spm⁴

Print Speed (A4, Colour) Duplex

Up to 25 spm⁴

Time to First Page (Black)

As fast as TBD seconds

Time to First Page (Colour)

As fast as TBD seconds

Duplex (2-sided) Printing

Integrated Duplex

Print Resolution, Black

1200 x 1200 dpi, 4800 Color Quality

Print Resolution, Colour

1200 x 1200 dpi, 4800 Color Quality

Copy Speed (A4, Black)

Up to 25 cpm⁴

Copy Speed (A4, Colour)

Up to 25 cpm⁴

Copy Speed (A4, Black) Duplex

Up to 25 spm⁴

Copy Speed (A4, Colour) Duplex

Up to 25 spm⁴

Time to First Copy (Black)

As fast as TBD seconds

Time to First Copy (Colour)

As fast as TBD seconds

Reduce / Enlarge Range

25 - 400 %

A4/Ltr Simplex Scan Speed (Black)

Up to 100/100 sides per minute

A4/Ltr Simplex Scan Speed (Colour)

Up to 100/100 sides per minute

A4/Ltr Duplex Scan Speed (Black)

Up to 200/200 sides per minute

A4/Ltr Duplex Scan Speed (Colour)

Up to 200/200 sides per minute

Scan Area, Maximum (mm)

297 x 432 mm

ADF Scan

DADF (single pass Duplex)

Scanner Type

Flatbed scanner with automatic document feeder

Scan Resolution, Enhanced

600 x 600 dpi

Scan Resolution, Optical

300 x 300 dpi

Optical Scanning Resolution

300 X 300 dpi

Scan File Formats (Send as)

JPEG, JPG, PDF, Secure PDF, TIFF, Archival PDF (A-1a, A-1b), Searchable PDF, TXT, RTF, DOCX

Scan Destinations

e-mail, FTP, USB Flash drive, USB or Network connected computer

Processor Speed

Quad Core, 1.2 GHz

Memory, Standard

4 GB

Memory, Maximum

4 GB

Hard Disk

Intelligent Storage Drive included; Magnetic Hard Disk available

Apple Operating Systems Supported

Support is provided through AirPrint and AirScan only

Citrix MetaFrame

Microsoft Windows Server 2012 R2 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Foundation running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Essentials running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Standard running Citrix XenApp 6.0, 6.5

Linux Operating Systems Supported

Ubuntu 20.04, Debian 10, SUSE Linux Enterprise Server 12 SP5, OpenSUSE 15.2, Debian 11, Ubuntu 22.04, Fedora 36, Fedora 37, SUSE Linux Enterprise Server 15 SP4, OpenSUSE 15.4, Red Hat Linux 8.7, Red Hat Linux 9.1

Microsoft Windows Operating Systems Supported

Windows Vista, Windows Vista x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 running Terminal Services, Windows Server 2008 x64 running Terminal Services, Windows 7, Windows 7 x64, Windows Server 2008 R2, Windows Server 2008 R2 running Terminal Services, Windows 8, Windows 8 x64, Windows Server 2012, Windows 8.1, Windows Server 2012 R2, Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows 11

Novell Operating Systems Supported

Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server 2 (SP3) on SuSE Linux Enterprise Server 10 SP4 (x86 and x64) 3, Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64), Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 12 SP1 (x86 and x64), Novell Open Enterprise Server 15 (SP1) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64)

Other Operating Systems Supported

Virtually any platform supporting TCP/IP

Included Paper Handling

550-Sheet Tray, 150-Sheet Multipurpose Feeder, 500-Sheet Output Bin

Optional Paper Handling

550-Sheet Tray, Offset Stacker, 500-Sheet Staple Offset Finisher, 2 x 550-Sheet Tray, 2000-Sheet Tandem Tray, Cabinet, 1,500-Sheet High-Capacity Tray, Paper Transport Unit, Folding Paper Transport Unit, 1,250-Sheet Staple Hole Punch Finisher, 2,250-Sheet Booklet Staple Hole Punch Finisher

Paper Input Capacity, Standard

Up to 700 pages 75 gsm bond

Paper Input Capacity, Maximum

Up to 4750 pages 75 gsm bond

Paper Output Capacity, Standard

Up to 500 pages 75 gsm bond

Paper Output Capacity, Maximum

Up to 2650 pages 75 gsm bond

Paper Weight Range Supported - Standard Tray (gsm)

60 - 300 gsm

Paper Weight Range Supported - Multipurpose Feeder (gsm)

60 - 300 gsm

A3

Yes

ADF

200-Sheet Automatic Document Feeder

ADF Paper Input Capacity

Up to 200 pages 75 gsm bond

ADF Paper Output Capacity

Up to 200 pages 75 gsm bond

Finishing Option

Yes

Finishing Functions

Offset stacking, Stapling, Hole punching

Number of Paper Inputs, Standard

2

Number of Paper Inputs, Maximum

6

Media Types Supported

Card Stock, Envelopes, Glossy paper, Labels, Plain Paper, Vinyl Labels, Refer to the Paper & Specialty Media Guide

Media Sizes Supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A3, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Hagaki Card, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Oficio, A6, SRA3, 304.8 x 483 mm

Standard Connectivity

USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), 802.11a/b/g/n/ac + Apple iBeacon

Optional Local Ports

Internal RS-232C serial, Internal 1284-B Bidirectional Parallel

Optional Network Ports

MarkNet N8230 Fiber Ethernet Print Server

Direct USB

Yes

Ethernet Network

Yes

Wireless

Yes

Wireless Network

WPA2™ - Personal, WPA™ and WPA2™ - Personal, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS

Network Protocol Support

TCP, UDP, IPSEC w/ IPv4, IPSEC w/ IPv6, ICMP, IGMP, IPv4, IPv6

Network Printing Methods

Direct IP (Port 9100), Enhanced IP (Port 9400), FTP, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing, Thin Print, LPR

Network Management Protocols

WINS, APIPA (AutoIP), DHCP, DNS, DDNS, mDNS, ARP, BOOTP

Network Security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, Certificate Management, SSL Cipher Configuration, TCP/UDP Port Access Control, Security Port Lockdown, TCP Restricted Server List, IPSEC Support (IPv4/IPv6)

Printable Area (metric)

4 mm of the top, bottom, right and left edges (within)

Printer Languages (Standard)

PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, PDF 1.7 emulation, PCLm, PCL 5 Emulation

Fonts and Symbol Sets

39 scalable PPDS fonts, 5 PPDS bitmap fonts, 2 PCL 5/6 bitmap fonts, 163 scalable PostScript fonts, 94 scalable PCL 5/6 fonts

Laser Cartridge Yields (up to)³

, 46,900-page Colour (CMY) Cartridges, 47,700-page Black Cartridge

Imaging Unit Estimated Yield

Up to 225,000 (black) and 250,000 (colour) pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage

Cartridge(s) Shipping with Product

5,000-page Black and Colour (CMYK) Toner Cartridges

Replacement Cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/ regions for more details.

Packaged Size (mm - H x W x D)

1080 x 740 x 785 mm

Packaged Weight, kg

102.5 kg

Size (mm - H x W x D)

809 x 592 x 660 mm

Weight

81.9 kg

Noise level (Idle mode)

TBD dBA

Noise Level (Print), Operating

TBD dBA

Duplex Print Noise Level, Operating

TBD dBA

Noise Level (Copy), Operating

TBD dBA

Noise Level (Scan), Operating

TBD dBA

Quiet Mode

TBD dBA

Average Power (Hibernate Mode)

TBD watts

Average Power (Sleep Mode)

TBD watts

Average Power (Ready Mode)

TBD watts

Average Power (Printing)

TBD watts

Average Power while Printing Duplex

TBD watts

Average Power (Copying)

TBD watts

Average Power (Scanning)

TBD watts

Product Guarantee

1-Year Onsite Repair, Next Business Day

Maximum Monthly Duty Cycle

Up to 100 000 pages per month²

Recommended Monthly Page Volume

4,000 - 20,000 pages¹

Specified Operating Environment

Humidity: 15 to 80% Relative Humidity, Altitude: 0 - 2896 Metres (9,500 Feet), Temperature: 10 to 32.2°C (50 to 90°F)

Country of Origin

North America & TAA Compliant - Mexico, Rest of World - PRC

UNSPSC Code

43212110


¹"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including:

supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

²"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

³Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

⁴Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.



Callout	Availability	Description
1	Standard	25.6 cm (10.1-inch) Colour Touch Screen
10	Optional	Paper Transport Unit
11	Optional	Folding Paper Transport Unit
12	Optional	500-Sheet Staple Finisher
13	Optional	Offset Stacker
14	Optional	1,250-Sheet Staple Hole Punch Finisher
15	Optional	2,250-Sheet Booklet Staple Hole Punch Finisher
2	Standard	500-Sheet Output Bin
3	Standard	150-Sheet Multipurpose Feeder
4	Standard	550-Sheet Tray
5	Optional	
6	Optional	2 x 550-Sheet Tray
7	Optional	2,000-Sheet Tandem Tray
8	Optional	Cabinet
9	Optional	1,500-Sheet High-Capacity Tray

P/N	Toner Cartridges	P/N	Paper Handling
25A0013	Staple Cartridges (3 pack)	20L8816	Offset Stacker
77LOW00	Lexmark CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 120K Waste Container	P/N	Furniture
		20L8806	Cabinet
		20L8807	Keyboard Shelf
77LOZKO	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 Black Return Programme 225K Imaging Unit	P/N	Memory Options
		27X0420	500GB Hard Disk Drive (SATA)
		57X0070	Removable Hard Disk Enclosure Kit
77LOZVO	Lexmark CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 3- Colour Return Programme 250K Imaging Kit	P/N	Application Solutions
		57X0300	Contact Authentication Device
		57X0301	Contactless Authentication Device
		57X0210	Elatec Reader Authentication Device
77LOZ10	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 Black 225K Imaging Unit	82S1204	Bar Code License
		82S1203	IPDS License
20L7500	Staple Cartridges (4-pack)	57X0235	Contactless Front Solutions Module (Primary Choice)
77LOZ50	Lexmark CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 3- Colour 250K Imaging Kit	57X0225	Desktop Contactless Reader
77L20C0	Lexmark CS963, CX950, 951, 961, 962, 963, 833 Cyan Return Programme 12K Toner Cartridge	P/N	Connectivity
		27X0142	Lexmark MarkNet™ N8230 Fiber Ethernet Print Server
77L20M0	Lexmark CS963, CX950, 951, 961, 962, 963, 833 Magenta Return Programme 12K Toner Cartridge	57X7040	English Keyboard Kit
		1021231	Parallel (10') Cable
		1021294	USB (2 Meter) Cable
77L20Y0	Lexmark CS963, CX950, 951, 961, 962, 963, 833 Yellow Return Programme 12K Toner Cartridge	37X6146	Fax Card Option
		14F0100	RS-232C Serial Interface Card
77L20K0	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833 Black Return Programme 15K Toner Cartridge	SPD0002	Surge Protective Device, 220-240V
79L2HC0	Lexmark CX950, 951, 833 Cyan Return Programme 46.9K Toner Cartridge	P/N	Extended Warranties
		2382620	CX950 2-Year Onsite Repair NBD Warranty
79L2HM0	Lexmark CX950, 951, 833 Magenta Return Programme 46.9K Toner Cartridge	2382621	CX950 3-Year Onsite Repair NBD Warranty
		2382622	CX950 4-Year Onsite Repair NBD Warranty
79L2HY0	Lexmark CX950, 951, 833 Yellow Return Programme 46.9K Toner Cartridge	2382623	CX950 5-Year Onsite Repair NBD Warranty
		2382624	CX950 6-Year Onsite Repair NBD Warranty
79L2HK0	Lexmark CX950, 951, 833 Black Return Programme 47.7K Toner Cartridge	2382625	CX950 1-Year Renewal Onsite Repair, Response Time Next Business Day
		2382626	CX950 2-Year Renewal Onsite Repair, Response Time Next Business Day
79LOH20	Lexmark CX950, 951, 833, XC9525, 9535, 8355 Cyan 46.9K Toner Cartridge	2382627	CX950 3-Year Renewal Onsite Repair, Response Time Next Business Day
		2382628	CX950 4-Year Renewal Onsite Repair, Response Time Next Business Day
79LOH30	Lexmark CX950, 951, 833, XC9525, 9535, 8355 Magenta 46.9K Toner Cartridge	2382629	CX950 1-Year Post Warranty Onsite Repair Next Business Day
		2382644	CX950 1-Year Parts-Only Extended Warranty
79LOH40	Lexmark CX950, 951, 833, XC9525, 9535, 8355 Yellow 46.9K Toner Cartridge	2382645	CX950 2-Year Parts-Only Extended Warranty
		2382646	CX950 3-Year Parts-Only Extended Warranty
79LOH10	Lexmark CX950, 951, 833, XC9525, 9535, 8355 Black 47.7K Toner Cartridge	2382647	CX950 4-Year Parts-Only Extended Warranty
		2382648	CX950 5-Year Parts-Only Extended Warranty
P/N	Paper Handling	2382649	CX950 6-Year Parts-Only Extended Warranty
20L8800	550-Sheet Tray		
20L8801	2 x 550-Sheet Tray	2382650	CX950 1-Year Renewal Parts-Only
20L8802	2,000-Sheet Tandem Tray – A4	2382651	CX950 2-Year Renewal Parts-Only
20L8803	2,000-Sheet Tandem Tray – Letter	2382652	CX950 3-Year Renewal Parts-Only
20L8804	1,500-Sheet High-Capacity Tray	2382653	CX950 4-Year Renewal Parts-Only
20L8810	500-Sheet Staple Finisher	2382617	CX950 1-Year Base Warranty Onsite Repair NBD Warranty
20L8817	Paper Transport Unit		
20L8811	Folding Paper Transport Unit		
20L8812	1250-Sheet Staple 2/3 Hole Punch Finisher		
20L8813	1250-Sheet Staple 2/4 Hole Punch Finisher		
20L8814	2250-Sheet Booklet Staple 2/3 Hole Punch Finisher		
20L8815	2250-Sheet Booklet Staple 2/4 Hole Punch Finisher		