



Lexmark MX953se

With the new MX953se monochrome A3 multifunction printer, you get reassuring versatility, exceptional sustainability and surprising simplicity from such sophisticated technology. Boost your productivity with high-quality prints — up to 55 pages per minute*. Intuitively navigate the 25 cm colour touchscreen, and save time with single-pass two-sided scanning.

Part Number

20L8360

Print technology

Black & White Laser Printer

Functionality

Colour Scanning, Copying, Printing, Trusted Platform Module (TPM), The Trusted Platform Module (TPM) is not available in some countries.

Workgroup size

Large Workgroup

Touch screen display

Yes

Display

Lexmark e-Task 10.1-inch (25.6 cm) colour touch screen

Print speed (A4, black)

Up to 55 ppm⁴

Print speed (A4, black) duplex

Up to 55 spm⁴

Time to first page (black)

As fast as 7.3 seconds

Duplex (2-sided) printing

Integrated Duplex

Print resolution, black

1200 x 1200 dpi, 2400 IQ

Copy speed (A4, black)

Up to 55 cpm⁴

Copy speed (A4, black) duplex

Up to 55 spm⁴

Time to first copy (black)

As fast as 9.1 seconds

Reduce / enlarge range

25 - 400 %

Simplex scan speed (A4, black)

Up to 100/100 spm

Simplex scan speed (A4, colour)

Up to 100/100 spm

Duplex scan speed (A4, black)

Up to 200/200 spm

Duplex scan speed (A4, colour)

Up to 200/200 spm

Scan area, maximum

297 x 432 mm

ADF scan

DADF (single pass Duplex)

Scanner type

Flatbed scanner with automatic document feeder

Scan resolution, enhanced

Up to 600 X 600 dpi

Scan resolution, optical

Up to 600 dpi

Scan file formats (send as)

JPEG, JPG, PDF, Secure PDF, TIFF, Archival PDF (A-1a, A-1b), Searchable PDF, TXT, RTF, DOCX

Scan destinations

e-mail, FTP, USB Flash drive, USB or Network connected computer

Processor speed

Quad Core, 1.2 GHz

Memory, Standard

4 GB

Memory, Maximum

4 GB

Hard Disk

Intelligent Storage Drive included; Magnetic Hard Disk available

Apple Operating Systems Supported

Support is provided through AirPrint and AirScan only

Citrix MetaFrame

Microsoft Windows Server 2012 R2 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Foundation running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Essentials running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Standard running Citrix XenApp 6.0, 6.5

Linux operating systems supported

Ubuntu 20.04, Debian 10, SUSE Linux Enterprise Server 12 SP5, OpenSUSE 15.2, Debian 11, Ubuntu 22.04, Fedora 36, Fedora 37, SUSE Linux Enterprise Server 15 SP4, OpenSUSE 15.4, Red Hat Linux 8.7, Red Hat Linux 9.1

Microsoft Windows operating systems supported

Windows Vista, Windows Vista x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 running Terminal Services, Windows Server 2008 x64 running Terminal Services, Windows 7, Windows 7 x64, Windows Server 2008 R2, Windows Server 2008 R2 running Terminal Services, Windows 8, Windows 8 x64, Windows Server 2012, Windows 8.1, Windows Server 2012 R2, Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows 11

Novell operating systems supported

Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server 2 (SP3) on SuSE Linux Enterprise Server 10 SP4 (x86 and x64) 3, Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64), Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 12 SP1 (x86 and x64), Novell Open Enterprise Server 15 (SP1) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64)

Other operating systems supported

Virtually any platform supporting TCP/IP

Standard paper handling

550-sheet drawer, 150-Sheet Multipurpose Feeder, 500-Sheet Output Bin

Optional paper handling

550-Sheet Tray, Offset stacker, 500-Sheet Staple Offset Finisher, 2 x 550-Sheet Tray, 2000-Sheet Tandem Tray, Cabinet, 1,500-Sheet High-Capacity Tray, Paper Transport Unit, Folding Paper Transport Unit, 1,250-Sheet Staple Hole Punch Finisher, 2,250-Sheet Booklet Staple Hole Punch Finisher

Paper input capacity, standard

Up to 700 pages

Paper input capacity, maximum

Up to 4750 pages

Paper output capacity, standard

Up to 500 pages

Paper output capacity, maximum

Up to 2650 pages

Paper weight range supported - standard tray

60 - 300 g/m²

Paper weight range supported - multipurpose feeder

60 - 300 g/m²

A3

Yes

Autom. document feeder (ADF)

200-Sheet Automatic Document Feeder

ADF paper input capacity

Up to 200 pages

ADF paper output capacity

Up to 200 pages

Finishing

Yes

Finishing functions

Offset stacking, Stapling, Hole punching

Number of paper inputs, standard

2

Number of paper inputs, maximum

6

Media types supported

Card Stock, Envelopes, Glossy paper, Labels, Plain Paper, Vinyl Labels, Refer to the Paper & Specialty Media Guide

Media sizes supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A3, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Hagaki card, Executive, Folio, JIS-B4, JIS-B5, Ledger, Legal, Letter, Statement, Oficio, A6, SRA3, 304.8 x 483 mm

Standard connectivity

USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), 802.11a/b/g/n/ac + Apple iBeacon

Optional local ports

Internal RS-232C serial, Internal 1284-B Bidirectional Parallel

Optional network ports

MarkNet N8230 Fiber Ethernet Print Server

Direct USB

Yes

Ethernet network

Yes

Wireless

Yes

Wireless network

WPA2 - Personal, WPA and WPA2 - Personal, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS

Network protocol support

TCP, UDP, IPSEC w/ IPv4, IPSEC w/ IPv6, ICMP, IGMP, IPv4, IPv6

Network printing methods

Direct IP (Port 9100), Enhanced IP (Port 9400), FTP, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing, Thin Print, LPR

Network management protocols

WINS, APIPA (AutoIP), DHCP, DNS, DDNS, mDNS, ARP, BOOTP

Network security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, Certificate Management, SSL Cipher Configuration, TCP/UDP Port Access Control, Security Port Lockdown, TCP Restricted Server List, IPSEC Support (IPv4/IPv6)

Printable area

4 mm of the top, bottom, right and left edges (within)

Printer languages (standard)

PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, PDF 1.7 emulation, PCLm, PCL 5 Emulation

Fonts and symbol sets

39 scalable PPDS fonts, 5 PPDS bitmap fonts, 2 PCL 5/6 bitmap fonts, 163 scalable PostScript fonts, 94 scalable PCL 5/6 fonts

Cartridge yields: up to³

, 47,700-page Black Cartridge

Imaging unit yield

Up to 225,000 pages, based on average 3 pages per print job and 5% coverage

Cartridge(s) shipped with product

5000-page black toner cartridge

Replacement cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/ regions for more details.

Packaged size (HxWxD)

1080 x 740 x 785 mm

Packaged weight

94.0 kg

Size (HxWxD)

809 x 592 x 660 mm

Weight

73.9 kg

Noise level, idle

14 dBA

Noise Level (Print), Operating

51 dBA

Duplex print noise level, operating

52 dBA

Noise Level (Copy), Operating

53 dBA

Noise Level (Scan), Operating

42 dBA

Quiet mode

44 dBA

Average power in Hibernate mode

0.2 Watt

Average power in Sleep mode

1 Watt

Average power in Ready mode

61 Watt

Average power while printing

756 Watt

Average power while printing duplex

707 Watt

Energy Star Typical Electricity Consumption (TEC)

0.8 kWh per week

Product guarantee

1-Year Onsite Repair, Next Business Day

Maximum monthly duty cycle

Up to 270 000 pages per month²

Recommended monthly page volume

7,000 - 50,000 pages¹

Specified operating environment

Humidity: 15 to 80% Relative Humidity, Altitude: 0 - 2896 Metres (9,500 Feet), Temperature: 10 to 32.2°C (50 to 90°F)

Country of origin

North America & TAA Compliant - Mexico, Rest of World - PRC

UNSPSC code


43212110

¹"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

²"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

³Average standard page yield value declared in accordance with ISO/IEC 19752.

⁴Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.



Callout	Availability	Description
1	Standard	
10	Optional	Paper Transport Unit
11	Optional	Folding Paper Transport Unit
12	Optional	500-Sheet Staple Finisher
13	Optional	Offset stacker
14	Optional	1,250-Sheet Staple Hole Punch Finisher
15	Optional	2,250-Sheet Booklet Staple Hole Punch Finisher
2	Standard	500-Sheet Output Bin
3	Standard	150-Sheet Multipurpose Feeder
4	Standard	550-Sheet Tray
5	Optional	
6	Optional	2 x 550-Sheet Tray
7	Optional	2,000-Sheet Tandem Tray
8	Optional	Cabinet
9	Optional	1,500-Sheet High-Capacity Tray

P/N	Toner Cartridges	P/N	Extended Warranties
25A0013	Staple Cartridges (3 pack)	2382513	MX953 5-Year Onsite Repair NBD Warranty
79L0W00	Lexmark MX953 315K Waste Container	2382514	MX953 6-Year Onsite Repair NBD Warranty
77L0ZK0	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 Black Return Programme 225K Imaging Unit	2382515	MX953 1-Year Renewal Onsite Repair, Response Time Next Business Day
77L0Z10	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833, XC9525, 9535, 9635, 9645, 9655, 8355 Black 225K Imaging Unit	2382516	MX953 2-Year Renewal Onsite Repair, Response Time Next Business Day
20L7500	Staple Cartridges (4-pack)	2382517	MX953 3-Year Renewal Onsite Repair, Response Time Next Business Day
77L20K0	Lexmark MX953, CS963, CX950, 951, 961, 962, 963, 833 Black Return Programme 15K Toner Cartridge	2382518	MX953 4-Year Renewal Onsite Repair, Response Time Next Business Day
77L2HK0	Lexmark MX953, CS963, CX961, 962, 963 Black Return Programme 47.7K Toner Cartridge	2382519	MX953 1-Year Post Warranty Onsite Repair Next Business Day
77L0H10	Lexmark MX953, CS963, CX961, 962, 963, XC9635, 9645, 9655 Black 47.7K Toner Cartridge	2382520	MX953 Per Call On Site Repair NBD Warranty
		2382534	MX953 1-Year Parts-Only Extended Warranty
		2382535	MX953 2-Year Parts-Only Extended Warranty
		2382536	MX953 3-Year Parts-Only Extended Warranty
		2382537	MX953 4-Year Parts-Only Extended Warranty
		2382538	MX953 5-Year Parts-Only Extended Warranty
		2382539	MX953 6-Year Parts-Only Extended Warranty
		2382540	MX953 1-Year Renewal Parts-Only
		2382541	MX953 2-Year Renewal Parts-Only
		2382542	MX953 3-Year Renewal Parts-Only
		2382543	MX953 4-Year Renewal Parts-Only
		2382507	MX953 1-Year Base Warranty Onsite Repair NBD Warranty
		2382564	MX953 Per Call Preventative Maintenance w/ Kit
P/N	Paper Handling		
20L8800	550-Sheet Tray		
20L8801	2 x 550-Sheet Tray		
20L8802	2,000-Sheet Tandem Tray – A4		
20L8803	2,000-Sheet Tandem Tray – Letter		
20L8804	1,500-Sheet High-Capacity Tray		
20L8810	500-Sheet Staple Finisher		
20L8817	Paper Transport Unit		
20L8811	Folding Paper Transport Unit		
20L8812	1250-Sheet Staple 2/3 Hole Punch Finisher		
20L8813	1250-Sheet Staple 2/4 Hole Punch Finisher		
20L8814	2250-Sheet Booklet Staple 2/3 Hole Punch Finisher		
20L8815	2250-Sheet Booklet Staple 2/4 Hole Punch Finisher		
20L8816	Offset Stacker		
P/N	Furniture		
20L8806	Cabinet		
20L8807	Keyboard Shelf		
P/N	Memory Options		
27X0420	500GB Hard Disk Drive (SATA)		
P/N	Application Solutions		
57X0300	Contact Authentication Device		
57X0301	Contactless Authentication Device		
57X0210	Elatec Reader Authentication Device		
82S1204	Bar Code License		
82S1203	IPDS License		
57X0235	Contactless Front Solutions Module (Primary)		
57X0225	Desktop Contactless Reader		
P/N	Connectivity		
27X0142	Lexmark MarkNet N8230 Fibre Ethernet Print Server		
57X7040	English Keyboard Kit		
1021231	Parallel Cable (IEEE 1284 A-B, 3 meter)		
1021294	USB Cable (2 meter)		
37X6146	Fax Card Option		
14F0100	RS-232C Serial Interface Card		
SPD0002	Surge protective device		
P/N	Extended Warranties		
2382510	MX953 2-Year Onsite Repair NBD Warranty		
2382511	MX953 3-Year Onsite Repair NBD Warranty		
2382512	MX953 4-Year Onsite Repair NBD Warranty		