



Lexmark MS321dn

Strike the perfect balance of performance and affordability in small-workgroup mono printing with the up to 36-pages-per-minute* Lexmark MS321dn, featuring standard two-sided printing, enhanced security and built-in durability.

Part Number

36S0110

Print technology

Black & White Laser Printer

Workgroup size

Small workgroup

Touch screen display

No

Display

2-line 128 x 32 pixel (APA) monochrome OLED display

Print speed (A4, black)

Up to 36 ppm⁶

Print speed (A4, black) duplex

Up to 19 spm⁶

Time to first page (black)

As fast as 6.5 seconds

Duplex (2-sided) printing

Integrated Duplex

Print resolution, black

1200 IQ (1200 x 600 dpi), 1200 x 1200 dpi, 2400 IQ (2400 x 600 dpi), 300 x 300 dpi, 600 x 600 dpi

Processor speed

1.0 GHz

Memory, standard

512 MB

Memory, maximum

512 MB

Hard Disk

Not available

Apple Operating Systems Supported

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13)

Citrix MetaFrame

Microsoft Windows 2000 Server running Terminal Services with Citrix MetaFrame XP Presentation Server or Citrix MetaFrame Presentation Server 3.0., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 3.0, 4.0, Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5

Linux operating systems supported

Debian GNU/Linux 7.0, 8.0, SUSE Linux Enterprise Server 10, 11, 12, openSUSE Linux 13.2, Ubuntu 16.04 LTS, Fedora 23, 24, Red Hat Enterprise Linux WS 6, 7, openSUSE Linux 42.3

Microsoft Windows operating systems supported

Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows 10

Novell operating systems supported

Novell NetWare 6.5 Open Enterprise Server, Novell NetWare 5.1(SP 6+), 6.0(SP 3+) with Novell Distributed Print Services (NDPS), Novell Open Enterprise Server on SUSE Linux Enterprise Server, Novell Open Enterprise Server 2 on SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11, Novell Open Enterprise Server 2 SP2 on SuSE Linux Enterprise Server 10 SP3 3

UNIX operating systems supported

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

Standard paper handling

250-sheet input, 100-Sheet Multipurpose Feeder, 150-sheet output bin, Integrated Duplex

Optional paper handling

250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray

Paper input capacity, standard

Up to 350 pages

Paper input capacity, maximum

Up to 900 pages

Paper output capacity, standard

Up to 150 pages

Paper output capacity, maximum

Up to 150 pages

Paper weight range supported - standard tray

60 - 120 g/m²

Paper weight range supported - multipurpose feeder

60 - 216 g/m²

Finishing

No

Number of paper inputs, standard

2

Number of paper inputs, maximum

3

Media types supported

Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Paper & Specialty Media Guide

Media sizes supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6

Standard connectivity

USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)

Direct USB

No

Ethernet network

Yes

Wireless

No

Network protocol support

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

Network printing methods

LPR/LPD, Enhanced IP (Port 9400), FTP, TFTP, ThinPrint .print integration, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

Network management protocols¹

HTTP, HTTPs (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, APIPA (AutoIP), DHCP, ICMP, DNS, DDNS, mDNS, ARP, NTP, Telnet, Finger,

Network security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS

Printable area

4.0 mm of the top, bottom, right and left edges (within)

Printer languages (standard)

PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, AirPrint™, PDF 1.7 emulation

Fonts and symbol sets

3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference., 91 scalable PostScript fonts

Cartridge yields: up to⁵

6000-page cartridge, 15,000-page High Yield Cartridge,

Imaging unit yield

Up to 60000 pages, based on average 3 pages per print job and 5% coverage⁴

Cartridge(s) shipped with product

2,000-page Starter Return Programme Toner Cartridge

Replacement cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/ regions for more details.

Packaged size (HxWxD)

376 x 430 x 470 mm

Packaged weight

15.69 kg

Size (HxWxD)

260 x 399 x 374 mm

Weight

13.9 kg

Noise level, idle

14 dBA

Noise Level (Print), Operating

54 dBA

Duplex print noise level, operating

53 dBA

Quiet mode

51 dBA

Energy Star

Yes

Average power in Hibernate mode

0.1 Watt

Average power in Sleep mode

1.19 Watt

Average power in Ready mode

7 Watt

Average power while printing

520 Watt

Average power while printing duplex

315 Watt

Energy Star Typical Electricity Consumption (TEC)

0.47 kWh per week

Product guarantee

1-Year Return-to-Base Service

Product certifications

ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, China Green Product (CGP)

Maximum monthly duty cycle

Up to 50000 pages per month³

Recommended monthly page volume

500 - 6000 pages²

Specified operating environment

Humidity: 8 to 80% Relative Humidity,
Temperature: 10 to 32°C (50 to 90°F), Altitude:
0 - 5000 Meters

License/Agreement Terms

Printers are sold subject to certain license/ agreement conditions. See www.lexmark.com/printerlicense for details.

Country of origin

US/Canada/LV LAD - Mexico, LA HV, AP &
EMEA - PRC

UNSPSC code

43212105

¹This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

³"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

⁵Average standard page yield value declared in accordance with ISO/IEC 19752.

⁶Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.



Callout	Availability	Description
1	Standard	2-line LCD
2	Standard	100-Sheet Multipurpose Feeder
3	Standard	250-Sheet Input
4	Optional	250-Sheet Tray / 550-Sheet Tray

P/N	Toner Cartridges	P/N	Extended Warranties
56F0HA0	Lexmark MS/MX321 15K Toner Cartridge	2361862	MS321 3-Year Onsite Service NBD Fix
56F2000	Lexmark MS/MX321, 421, 521, 622, MX522, MS621 Return Programme 6K Toner Cartridge	2361863	MS321 4-Year Onsite Service NBD Fix
56F0ZA0	Lexmark MS/MX321, 421, 521, 622, MX522, MS621, B/MB2338, 2442, 2546, 2650, M/XM1242, 1246, 3250 60K Imaging Unit	2361864	MS321 1-Year Renewal Onsite Service NBD Fix
56F0Z00	MS/MX32x, 42x, 52x, 62x, M/XM12xx, 32xx, B/MB2x Return Programme 60K Imaging Unit	2364491	MS321 2-Year Return-to-Base Renewal, 5-7 Business Days
56F2H00	Lexmark MS/MX321, 421, 521, 622, MS621, MX522 Return Programme 15K Toner Cartridge	2364492	MS321 3-Year Return-to-Base Renewal, 5-7 Business Days
56F2H0E	Lexmark MS/MX321, 421, 521, 622, MS621, MX522 Corporate 15K Toner Cartridge	2364493	MS321 4-Year Return-to-Base Renewal, 5-7 Business Days
56F0Z0E	Lexmark MS/MX321, 421, 521, 622, MX522, MS621, B/MB2338, 2442, 2546, 2650, M/XM1242, 1246, 3250 Corporate 60K Imaging Unit	2364495	MS321 2-Year Onsite Service Renewal
		2364496	MS321 3-Year Onsite Service Renewal
		2364497	MS321 4-Year Onsite Service Renewal
		2364498	MS321 2-Year Renewal Onsite Service NBD Fix
		2364499	MS321 3-Year Renewal Onsite Service NBD Fix
		2364500	MS321 4-Year Renewal Onsite Service NBD Fix
P/N	Paper Handling	P/N	User Replaceable Parts
36S2910	250-Sheet Tray	2364494	MS321 6-Years Total (1+5) Onsite Service
36S3110	550-Sheet Tray	2364490	MS321 6-Years Total (1+5) Return-to-Base, 5-7 Business Days
36S3120	550-Sheet Lockable Tray	2368870	MS321 5-Year Onsite Service NBD Fix
P/N	Furniture	P/N	
3073173	Swivel cabinet (25 cm, incl. storage)	41X0918	Pick Tire
35S8502	Printer Stand (adjustable height)		
P/N	Memory Options		
57X9801	256 MB Flash Memory Card		
57X9814	Korean Font Card		
57X9815	Japanese Font Card		
57X9812	Simplified Chinese Font Card		
57X9810	Traditional Chinese Font Card		
P/N	Connectivity		
1021294	USB Cable (2 meter)		
SPD0002	Surge protective device		
P/N	Extended Warranties		
2361844	MS321 2-Years Total (1+1) Return-to-Base, 5-7 Business Days		
2361845	MS321 3-Years Total (1+2) Return-to-Base, 5-7 Business Days		
2361846	MS321 4-Years Total (1+3) Return-to-Base, 5-7 Business Days		
2361847	MS321 5-Years Total (1+4) Return-to-Base, 5-7 Business Days		
2361848	MS321 1-Year Return-to-Base Renewal, 5-7 Business Days		
2361849	MS321 1-Year Post Warranty Return-to-Base, 5-7 Business Days		
2361850	MS321 1-Year Per Call Return-to-Base, 5-7 Business Days		
2361851	MS321 Upgrade to Onsite Service		
2361859	MS321 Upgrade to Onsite Service NBD Fix		
2361852	MS321 2-Years Total (1+1) Onsite Service		
2361853	MS321 3-Years Total (1+2) Onsite Service		
2361854	MS321 4-Years Total (1+3) Onsite Service		
2361855	MS321 5-Years Total (1+4) Onsite Service		
2361856	MS321 1-Year Onsite Service Renewal		
2361857	MS321 1-Year Post Wty OSR NBD Ext Warranty		
2361858	MS321 Per Call OSR 1 Time NBD Extended Warranty		
2361860	MS321 1-Year Onsite Service NBD Fix		
2361861	MS321 2-Year Onsite Service NBD Fix		