



# Lexmark MS521dn

With its powerful processor, 44 pages-per-minute\* output, enhanced security and built-in durability, the MS521dn supports the success of mid-size workgroups in all their mono printing.

## Part Number

36S0310

## Print technology

Black & White Laser Printer

## Workgroup size

Medium workgroup

## Touch screen display

No

## Display

2.4-inch (60 mm) Colour LCD display

## Print speed (A4, black)

Up to 44 ppm<sup>6</sup>

## Print speed (A4, black) duplex

Up to 22 spm<sup>6</sup>

## Time to first page (black)

As fast as 6.0 seconds

## Duplex (2-sided) printing

Integrated Duplex

## Print resolution, black

1200 IQ (1200 x 600 dpi), 1200 x 1200 dpi, 2400 IQ (2400 x 600 dpi), 300 x 300 dpi, 600 x 600 dpi

## Processor speed

1.0 GHz

## Memory, standard

512 MB

## Memory, maximum

512 MB

## Hard Disk

Not available

## Apple Operating Systems Supported

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13)

## Citrix MetaFrame

Microsoft Windows 2000 Server running Terminal Services with Citrix MetaFrame XP Presentation Server or Citrix MetaFrame Presentation Server 3.0., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 3.0, 4.0, Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5

## Linux operating systems supported

Debian GNU/Linux 7.0, 8.0, SUSE Linux Enterprise Server 10, 11, 12, openSUSE Linux 13.2, Ubuntu 16.04 LTS, Fedora 23, 24, Red Hat Enterprise Linux WS 6, 7, openSUSE Linux 42.3

## Microsoft Windows operating systems supported

Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows 10

## Novell operating systems supported

Novell NetWare 6.5 Open Enterprise Server, Novell NetWare 5.1(SP 6+), 6.0(SP 3+) with Novell Distributed Print Services (NDPS), Novell Open Enterprise Server on SUSE Linux Enterprise Server, Novell Open Enterprise Server 2 on SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11, Novell Open Enterprise Server 2 SP2 on SuSE Linux Enterprise Server 10 SP3 3

## UNIX operating systems supported

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

## Standard paper handling

250-sheet input, 100-Sheet Multipurpose Feeder, 150-sheet output bin, Integrated Duplex

## Optional paper handling

250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray

## Paper input capacity, standard

Up to 350 pages

## Paper input capacity, maximum

Up to 2000 pages

## Paper output capacity, standard

Up to 150 pages

## Paper output capacity, maximum

Up to 150 pages

## Paper weight range supported - standard tray

60 - 120 g/m<sup>2</sup>

## Paper weight range supported - multipurpose feeder

60 - 216 g/m<sup>2</sup>

## Finishing

No

## Number of paper inputs, standard

2

## Number of paper inputs, maximum

5

## Media types supported

Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Paper & Specialty Media Guide

## Media sizes supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, DL Envelope, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6

## Standard connectivity

USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000)

## Optional network ports

Marknet N8370 WiFi Option

## Direct USB

No

## Ethernet network

Yes

## Wireless

Wireless Option

## Network protocol support

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

## Network printing methods

LPR/LPD, Enhanced IP (Port 9400), Secure IP (Port 96xx), FTP, TFTP, ThinPrint .print integration, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

## Network management protocols<sup>1</sup>

HTTP, HTTPS (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, APIPA (AutoIP), DHCP, ICMP, DNS, DDNS, mDNS, ARP, NTP, Telnet, Finger,

## Network security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS

## Printable area

4.0 mm of the top, bottom, right and left edges (within)

## Printer languages (standard)

PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, AirPrint™, PDF 1.7 emulation

## Fonts and symbol sets

3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference., 91 scalable PostScript fonts

## Cartridge yields: up to<sup>5</sup>

6000-page cartridge, 15,000-page High Yield Cartridge, 20,000-page cartridge, , 25,000-page Ultra High Yield Cartridge

## Imaging unit yield

Up to 60000 pages, based on average 3 pages per print job and 5% coverage<sup>4</sup>

## Cartridge(s) shipped with product

5000-page starter Return Programme toner cartridge

## Replacement cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/](http://www.lexmark.com/) regions for more details.

## Packaged size (HxWxD)

376 x 430 x 470 mm

## Packaged weight

15.99 kg

## Size (HxWxD)

260 x 399 x 374 mm

## Weight

14.1 kg

## Noise level, idle

14 dBA

**Noise Level (Print), Operating**

56 dBA

**Duplex print noise level, operating**

55 dBA

**Quiet mode**

52 dBA

**Energy Star**

Yes

**Average power in Hibernate mode**

0.1 Watt

**Average power in Sleep mode**

1.31 Watt

**Average power in Ready mode**

8 Watt

**Average power while printing**

620 Watt

**Average power while printing duplex**

370 Watt

**Energy Star Typical Electricity Consumption (TEC)**

0.6 kWh per week

**Product guarantee**

1-Year Return-to-Base Service

**Product certifications**

ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, China Green Product (CGP)

**Maximum monthly duty cycle**

Up to 120000 pages per month<sup>3</sup>

**Recommended monthly page volume**

2000 - 15000 pages<sup>2</sup>

**Specified operating environment**

Humidity: 8 to 80% Relative Humidity,  
Temperature: 10 to 32°C (50 to 90°F), Altitude:  
0 - 5000 Meters

**License/Agreement Terms**

Printers are sold subject to certain license/ agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details.

**Country of origin**

US/Canada/LV LAD - Mexico, LA HV, AP & EMEA - PRC

**UNSPSC code**

43212105

<sup>1</sup>This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

<sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

<sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

<sup>4</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

<sup>5</sup>Average standard page yield value declared in accordance with ISO/IEC 19752.

<sup>6</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).



| Callout | Availability | Description                     |
|---------|--------------|---------------------------------|
| 1       | Standard     | 6 cm (2.4-inch) LCD             |
| 2       | Standard     | 100-Sheet Multipurpose Feeder   |
| 3       | Standard     | 250-Sheet Input                 |
| 4       | Optional     | 250-Sheet Tray / 550-Sheet Tray |

| P/N     | Toner Cartridges   | P/N     | Extended Warranties   |
|---------|--|---------|---|
| 56F0UA0 | Lexmark MS/MX521, 622, MX522, MS621 25K Toner Cartridge  | 2361944 | MS521 1-Year Per Call Return-to-Base, 5-7 Business Days     |
| 56F2000 | Lexmark MS/MX321, 421, 521, 622, MX522, MS621 Return Programme 6K Toner Cartridge  | 2361945 | MS521 Upgrade to Onsite Service                             |
| 56F2X00 | Lexmark MS/MX421, 521, 622, MS621, MX522 Return Programme 20K Toner Cartridge  | 2361946 | MS521 2-Years Total (1+1) Onsite Service                    |
| 56F2U00 | Lexmark MS/MX521, 622, MX522, MS621 Return Programme 25K Toner Cartridge   | 2361947 | MS521 3-Years Total (1+2) Onsite Service                    |
| 56F0ZA0 | Lexmark MS/MX321, 421, 521, 622, MX522, MS621, B/MB2338, 2442, 2546, 2650, M/XM1242, 1246, 3250 60K Imaging Unit           | 2361948 | MS521 4-Years Total (1+3) Onsite Service                    |
| 56F0Z00 | MS/MX32x, 42x, 52x, 62x, M/XM12xx, 32xx, B/MB2x Return Programme 60K Imaging Unit  | 2361949 | MS521 5-Years Total (1+4) Onsite Service                    |
| 56F2H00 | Lexmark MS/MX321, 421, 521, 622, MS621, MX522 Return Programme 15K Toner Cartridge   | 2361950 | MS521 1-Year Onsite Service Renewal                         |
| 56F2H0E | Lexmark MS/MX321, 421, 521, 622, MS621, MX522 Corporate 15K Toner Cartridge  | 2361951 | MS521 1-Year Post Wty OSR NBD Ext Warranty                  |
| 56F2X0E | Lexmark MS/MX421, 521, 622, MS621, MX522 Corporate 20K Toner Cartridge   | 2361952 | MS521 Per Call OSR 1 Time NBD Extended Warranty             |
| 56F2U0E | Lexmark MS/MX521, 622, MX522, MS621 Corporate 25K Toner Cartridge  | 2361953 | MS521 Upgrade to Onsite Service NBD Fix                     |
| 56F0Z0E | Lexmark MS/MX321, 421, 521, 622, MX522, MS621, B/MB2338, 2442, 2546, 2650, M/XM1242, 1246, 3250 Corporate 60K Imaging Unit | 2361954 | MS521 1-Year Onsite Service NBD Fix                         |
|         |  | 2361955 | MS521 2-Year Onsite Service NBD Fix                         |
|         |  | 2361956 | MS521 3-Year Onsite Service NBD Fix                         |
|         |  | 2361957 | MS521 4-Year Onsite Service NBD Fix                         |
|         |  | 2361958 | MS521 1-Year Renewal Onsite Service NBD Fix                 |
|         |  | 2364600 | MS521 6-Years Total (1+5) Return-to-Base, 5-7 Business Days |
|         |  | 2364604 | MS521 6-Years Total (1+5) Onsite Service                    |
|         |  | 2367100 | MS521 7-Years Total (1+6) Onsite Service                    |
|         |  | 2368924 | MS521 5-Year Onsite Service NBD Fix                         |
|         |  | 2368925 | MS521 6-Year Onsite Service NBD Fix                         |
|         |  | 2361974 | MS521 Per Call Prev Maint. with Kit                         |
|         |  | 2364601 | MS521 2-Year Return-to-Base Renewal, 5-7 Business Days      |
|         |  | 2364602 | MS521 3-Year Return-to-Base Renewal, 5-7 Business Days      |
|         |  | 2364603 | MS521 4-Year Return-to-Base Renewal, 5-7 Business Days      |
|         |  | 2364605 | MS521 2-Year Onsite Service Renewal                         |
|         |  | 2364606 | MS521 3-Year Onsite Service Renewal                         |
|         |  | 2364607 | MS521 4-Year Onsite Service Renewal                         |
|         |  | 2364608 | MS521 2-Year Renewal Onsite Service NBD Fix                 |
|         |  | 2364609 | MS521 3-Year Renewal Onsite Service NBD Fix                 |
|         |  | 2364610 | MS521 4-Year Renewal Onsite Service NBD Fix                 |
| P/N     | Paper Handling   | P/N     | User Replaceable Parts                                      |
| 36S2910 | 250-Sheet Tray   | 41X0918 | Pick Tire   |
| 36S3110 | 550-Sheet Tray   |         |   |
| 36S3120 | 550-Sheet Lockable Tray  |         |   |
| P/N     | Furniture  |         |   |
| 3073173 | Swivel cabinet (25 cm, incl. storage)  |         |   |
| 35S8502 | Printer Stand (adjustable height)  |         |   |
| P/N     | Memory Options   |         |   |
| 57X9801 | 256 MB Flash Memory Card   |         |   |
| 57X9814 | Korean Font Card   |         |   |
| 57X9815 | Japanese Font Card   |         |   |
| 57X9812 | Simplified Chinese Font Card   |         |   |
| 57X9810 | Traditional Chinese Font Card  |         |   |
| P/N     | Application Solutions  |         |   |
| 40C9201 | IPDS Card  |         |   |
| 40C9200 | Forms and Bar Code Card  |         |   |
| 40C9202 | Prescribe Card   |         |   |
| P/N     | Connectivity   |         |   |
| 27X6510 | MarkNet N8370 802.11 a/b/g/n/ac Wireless Print Server  |         |   |
| 27X2000 | Lexmark Parallel 1284-B Interface Card   |         |   |
| 1021294 | USB Cable (2 meter)  |         |   |
| SPD0002 | Surge protective device  |         |   |
| P/N     | Extended Warranties  |         |   |
| 2361938 | MS521 2-Years Total (1+1) Return-to-Base, 5-7 Business Days  |         |   |
| 2361939 | MS521 3-Years Total (1+2) Return-to-Base, 5-7 Business Days  |         |   |
| 2361940 | MS521 4-Years Total (1+3) Return-to-Base, 5-7 Business Days  |         |   |
| 2361941 | MS521 5-Years Total (1+4) Return-to-Base, 5-7 Business Days  |         |   |
| 2361942 | MS521 1-Year Return-to-Base Renewal, 5-7 Business Days   |         |   |
| 2361943 | MS521 1-Year Post Warranty Return-to-Base, 5-7 Business Days   |         |   |