



# Lexmark MS632dwe

With exceptional performance and secure design, the MS632dwe delivers enhanced productivity of up to 47 pages per minute\* and a toner yield of up to 31,000 pages\*\*. Fast time to first print, superior print quality and easy-to-use touch screen.

## Part Number

38S0510

## Print Technology

Black & White Laser Printer

## Function

Printing, Trusted Platform Module (TPM), The Trusted Platform Module (TPM) is not available in some countries.

## Workgroup Size

Medium Workgroup

## Touch Screen Display

Yes

## Display

Lexmark e-Task 10.9 cm (4.3-inch) colour touch screen

## Print Speed (A4, Black)

Up to 47 ppm<sup>4</sup>

## Print Speed (A4, Black) Duplex

Up to 24 spm<sup>4</sup>

## Time to First Page (Black)

As fast as 6 seconds

## Duplex (2-sided) Printing

Integrated Duplex

## Print Resolution, Black

1200 IQ (1200 x 600 dpi), 1200 x 1200 dpi

## Processor Speed

Dual Core, 1 GHz

## Memory, Standard

1024 MB

## Memory, Maximum

1024 MB

## Hard Disk

Intelligent Storage Drive available; Magnetic Hard Disk available

## Apple Operating Systems Supported

Support is provided through AirPrint and AirScan only

## Citrix MetaFrame

Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 3.0, 4.0, Microsoft Windows Server 2003 running Terminal Services with Citrix Presentation Server 3.0, 4.0, 4.5, Microsoft Windows Server 2003 x64 running Terminal Services with Citrix Presentation Server 4.0 x64, 4.5 x64, Microsoft Windows Server 2003 and 2003 X64 Edition with Citrix XenApp 5.0, Microsoft Windows Server 2008 and 2008 X64 Edition with Citrix XenApp 5.0, Microsoft Windows 2000 Server running Terminal Services with Citrix MetaFrame Presentation Server 4.0, Microsoft Windows Server 2012 R2 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2012 Foundation running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Essentials running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 Standard running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2008 R2 Datacenter Edition running Citrix XenApp 7.5, 6, 7, 8, 9, 11, 12, 13, 14, 15, 16, Microsoft Windows Server 2008 R2 Enterprise Edition running Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2008 R2 Standard Edition running Citrix XenApp 6.0, 6.5

## Linux Operating Systems Supported

Debian 9.4, Ubuntu 18.04 LTS, Ubuntu 20.04, Debian 10, Fedora 32, Fedora 33, SUSE Linux Enterprise Server 12 SP5, SUSE Linux Enterprise Server 15 SP2, Red Hat Linux 7.9, Red Hat Linux 8.3, OpenSUSE 15.1, OpenSUSE 15.2

## Microsoft Windows Operating Systems Supported

Windows 2000, Windows NT (4.00/4.00 Server), Windows Me, Windows XP, Windows Server 2003, Windows 98 2nd Edition, Windows XP x64, Windows Server 2003 running Terminal Services, Windows 2000 Server running Terminal Services, Windows Server 2003 x64, Windows Server 2003 x64 running Terminal Services, Windows Vista, Windows Vista x64, Windows Server 2008, Windows Server 2008 x64, Windows Server 2008 running Terminal Services, Windows Server 2008 x64 running Terminal Services, Windows 7, Windows 7 x64, Windows Server 2008 R2, Windows Server 2008 R2 running Terminal Services, Windows 8, Windows 8 x64, Windows Server 2012, Windows 8.1, Windows Server 2012 R2, Windows 10, Windows Server 2016, Windows Server 2019, Windows Server 2022, Windows 11

## Novell Operating Systems Supported

Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server 2 (SP3) on SuSE Linux Enterprise Server 10 SP4 (x86 and x64) 3, Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64), Novell Open Enterprise Server 11 (SP3) on SuSE Linux Enterprise Server 12 SP1 (x86 and x64), Novell Open Enterprise Server 15 (SP1) on SuSE Linux Enterprise Server 11 SP4 (x86 and x64)

## Other Operating Systems Supported

Virtually any platform supporting TCP/IP

## Included Paper Handling

550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 250-Sheet Output Bin

## Optional Paper Handling

250-Sheet Tray, 550-Sheet Tray, 550-Sheet Lockable Tray

## Paper Input Capacity, Standard

Up to 650 pages 75 gsm bond

## Paper Input Capacity, Maximum

Up to 2300 pages 75 gsm bond

## Paper Output Capacity, Standard

Up to 250 pages 75 gsm bond

## Paper Output Capacity, Maximum

Up to 250 pages 75 gsm bond

## Paper Weight Range Supported - Standard Tray (gsm)

60 - 120 gsm

## Paper Weight Range Supported - Multipurpose Feeder (gsm)

60 - 220 gsm

## Number of Paper Inputs, Standard

2

## Number of Paper Inputs, Maximum

5

## Media Types Supported

Card Stock, Envelopes, Paper Labels, Plain Paper, Refer to the Paper & Specialty Media Guide

## Media Sizes Supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C5 Envelope, DL Envelope, Hagaki Card, Executive, Folio, JIS-B5, Legal, Letter, Statement, Oficio, A6

## Standard Connectivity

USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), 802.11a/b/g/n/ac + Apple iBeacon

## Optional Local Ports

Internal RS-232C serial, Internal 1284-B Bidirectional Parallel

## Optional Network Ports

MarkNet N8230 Fiber Ethernet Print Server

## Ethernet Network

Yes

**Wireless**

Yes

**Wireless Network**

WPA2™ - Personal, WEP Encryption (64- and 128-bit key), 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS

**Network Protocol Support**

TCP, UDP, IPSEC w/ IPv4, IPSEC w/ IPv6, ICMP, IGMP, IPv4, IPv6

**Network Printing Methods**

FTP, Telnet, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing, Thin Print

**Network Management Protocols**

WINS, APIPA (AutoIP), DHCP, DNS, DDNS, mDNS, ARP, BOOTP

**Network Security**

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, Certificate Management, SSL Cipher Configuration, TCP/UDP Port Access Control, Security Port Lockdown, TCP Restricted Server List, IPSEC Support (IPv4/IPv6)

**Printable Area (metric)**

4.2 mm of the top, bottom, right and left edges (within)

**Printer Languages (Standard)**

PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, PDF 1.7 emulation, PCL 5, PCLm

**Fonts and Symbol Sets**

39 scalable PPDS fonts, 5 PPDS bitmap fonts, 2 PCL 5/6 bitmap fonts, 163 scalable PostScript fonts, 94 scalable PCL 5/6 fonts

**Laser Cartridge Yields (up to)<sup>3</sup>**

, 31,000-page Black Cartridge

**Imaging Unit Estimated Yield**

Up to 75,000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage

**Cartridge(s) Shipping with Product**

5,000-page Return Programme Toner Cartridge

**Replacement Cartridges:**

Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/](http://www.lexmark.com/) regions for more details.

**Packaged Size (mm - H x W x D)**

422 x 470 x 430 mm

**Packaged Weight, kg**

17.2 kg

**Size (mm - H x W x D)**

307.7 x 399 x 389.4 mm

**Weight**

15.2 kg

**Noise level (Idle mode)**

14 dBA

**Noise Level (Print), Operating**

56 dBA

**Duplex Print Noise Level, Operating**

55 dBA

**Quiet Mode**

52 dBA

**ENERGY STAR**

Yes

**Average Power (Hibernate Mode)**

0.1 watts

**Average Power (Sleep Mode)**

1 watts

**Average Power (Ready Mode)**

7.7 watts

**Average Power (Printing)**

669 watts

**Average Power while Printing Duplex**

417 watts

**ENERGY STAR Typical Electricity****Consumption (TEC)**

0.61 kilowatt-hours per week

**Product Guarantee**

1-Year Onsite Service, Next Business Day

**Product Certifications**

ENERGY STAR, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62368-1 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EuP, EN 55032 Class B, UL), EFTA (CE), KCC, CCC, CECF, CEL, A-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, ISO 532B, ECMA-370, TED, SII, TER, Mopria Certified, Blue Angel / DE-UZ 219

**Maximum Monthly Duty Cycle**

Up to 175,000 pages per month<sup>2</sup>

**Recommended Monthly Page Volume**

2,000 - 20,000 pages<sup>1</sup>

**Specified Operating Environment**

Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2896 Metres (9,500 Feet)

**License/Agreement Terms**

Printers are sold subject to certain license/ agreement conditions. See [www.lexmark.com/](http://www.lexmark.com/) printerlicense for details.

**Country of Origin**

North America & TAA Compliant - Mexico, Rest of World - PRC

**UNSPSC Code**


43212105

<sup>1</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

<sup>2</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

<sup>3</sup>Average standard page yield value declared in accordance with ISO/IEC 19752.

<sup>4</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).



| Callout | Availability | Description                     |
|---------|--------------|---------------------------------|
| 1       | Standard     | 10.9 cm (4.3-inch) Touch Screen |
| 2       | Standard     | 250-Sheet Output Bin            |
| 3       | Standard     | 100-Sheet Multipurpose Feeder   |
| 4       | Standard     | 550-Sheet Input                 |
| 5       | Optional     | 250-Sheet Tray                  |
| 6       | Optional     | 550-Sheet Tray                  |
| 7       | Optional     | 550-Sheet Lockable Tray         |
| 8       | Optional     | Adjustable Stand                |
| 9       | Optional     | Swivel Cabinet                  |

| P/N     | Toner Cartridges                                                                     | P/N     | Extended Warranties                       |
|---------|--------------------------------------------------------------------------------------|---------|-------------------------------------------|
| 66S0XA0 | Lexmark MS631, 632, MX632 31K Toner Cartridge                                        | 2374912 | MS632 3 Year Parts Only Extended Warranty |
| 66S2000 | Lexmark MS531, 631, 632, MX532, 632 Return Programme 5K Toner Cartridge              | 2374913 | MS632 4 Year Parts Only Extended Warranty |
| 66S2X00 | Lexmark MS631, 632, MX632 Return Programme 31K Toner Cartridge                       | 2374914 | MS632 5 Year Parts Only Extended Warranty |
| 66S0Z00 | Lexmark MS531, 631, 632, 639, MX532, 632, M/XM3350 Return Programme 75K Imaging Unit | 2374915 | MS632 6 Year Parts Only Extended Warranty |
| 66S0ZA0 | Lexmark MS531, 631, 632, 639, MX532, 632 75K Imaging Unit                            | 2374916 | MS632 1 Year Renewal Parts Only           |
|         |                                                                                      | 2374917 | MS632 2 Year Renewal Parts Only           |
|         |                                                                                      | 2374918 | MS632 3 Year Renewal Parts Only           |
|         |                                                                                      | 2374919 | MS632 4 Year Renewal Parts Only           |

| P/N     | Paper Handling          |
|---------|-------------------------|
| 38S2910 | 250-Sheet Tray          |
| 38S3110 | 550-Sheet Tray          |
| 38S3130 | 550-Sheet Lockable Tray |

| P/N     | Furniture        |
|---------|------------------|
| 3073173 | Swivel Cabinet   |
| 35S8502 | Adjustable Stand |

| P/N     | Memory Options                  |
|---------|---------------------------------|
| 27X0500 | 500+ GB Hard Disk               |
| 57X9528 | Intelligent Storage Drive (ISD) |

| P/N     | Application Solutions                               |
|---------|-----------------------------------------------------|
| 57X0300 | Contact Authentication Device                       |
| 57X0301 | Contactless Authentication Device                   |
| 82S1204 | Bar Code License                                    |
| 82S1203 | IPDS License                                        |
| 57X0235 | Contactless Front Solutions Module (Primary Choice) |
| 57X0225 | Desktop Contactless Reader                          |

| P/N     | Connectivity                                       |
|---------|----------------------------------------------------|
| 27X0912 | Lexmark MarkNet™ N8230 Fiber Ethernet Print Server |
| 57X7040 | English Keyboard Kit                               |
| 1021231 | Parallel (10') Cable                               |
| 1021294 | USB (2 Meter) Cable                                |
| 27X0901 | Parallel 1284-B Interface Card                     |
| 27X0900 | RS-232C Serial Interface Card                      |
| SPD0002 | Surge Protective Device, 220-240V                  |

| P/N     | Extended Warranties                                                 |
|---------|---------------------------------------------------------------------|
| 2374872 | MS632 1 Year Base Warranty Onsite Repair Next Business Day          |
| 2374875 | MS632 1 Year Onsite Repair NBD Warranty                             |
| 2374876 | MS632 2 Year Onsite Repair NBD Warranty                             |
| 2374877 | MS632 3 Year Onsite Repair NBD Warranty                             |
| 2374878 | MS632 4 Year Onsite Repair NBD Warranty                             |
| 2374879 | MS632 5 Year Onsite Repair NBD Warranty                             |
| 2374880 | MS632 6 Year Onsite Repair NBD Warranty                             |
| 2374881 | MS632 1 Year Renewal Onsite Repair, Response Time Next Business Day |
| 2374882 | MS632 2 Year Renewal Onsite Repair, Response Time Next Business Day |
| 2374883 | MS632 3 Year Renewal Onsite Repair, Response Time Next Business Day |
| 2374884 | MS632 4 Year Renewal Onsite Repair, Response Time Next Business Day |
| 2374885 | MS632 1 Year Post Warranty Onsite Repair Next Business Day          |
| 2374910 | MS632 1 Year Parts Only Extended Warranty                           |
| 2374911 | MS632 2 Year Parts Only Extended Warranty                           |