



# Lexmark CX522ade

Multifunkcijski uređaj Lexmark CX522ade na brzinu štampanja do 35 [33] stranica u minuti\* dodaje ekran u boji osjetljiv na dodir od 4,3 inča [10,9 cm].

## Broj dela

42C7370

## Tehnologija štampe

Kolor laserski štampač

## Funkcija

Kolor Kopiranje, Primanje faksa u boji, Kolor Štampa, Kolor skeniranje

## Veličina radne grupe

Mala do srednja radna grupa

## Monitor sa ekranom osjetljivim na dodir

Da

## Ekran

Lexmark e-Task ekran u boji osjetljiv na dodir od 10,9 cm (4,3 inča)

## Brzina štampe (A4, crna)

Do 33 str/min<sup>6</sup>

## Brzina štampe (A4, kolor)

Do 33 str/min<sup>6</sup>

## Brzina štampe (A4, crna) dupleks

Do 16 str/min<sup>6</sup>

## Brzina štampe (A4, kolor) dupleks

Do 16 str/min<sup>6</sup>

## Vreme do prve strane (crna)

Za samo <8.5 sekundi

## Vreme do prve strane (kolor)

Za samo <8.5 sekundi

## Dupleks (dvostrana) štampa

Integrirani dupleks

## Rezolucija štampe, crna

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

## Rezolucija štampe, kolor

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

## Brzina kopiranja (A4, crna)

Do 33 kop/min<sup>6</sup>

## Brzina kopiranja (A4, kolor)

Do 33 kop/min<sup>6</sup>

## Brzina kopiranja (A4, crna) obostrano

Do 16 str/min<sup>6</sup>

## Brzina kopiranja (A4, kolor) obostrano

Do 16 str/min<sup>6</sup>

## Vreme do prve kopije (crna)

Za samo 9 sekundi

## Vreme do prve kopije (kolor)

Za samo 9.5 sekundi

## Umanjenje / Uvećanje

25 - 400 %

## A4/Ltr Brzina jednostranog skeniranja (crna)

Do 47 / 50 Strana u minuti

## A4/Ltr Brzina jednostranog skeniranja (kolor)

Do 30 / 32 Strana u minuti

## A4/Ltr Brzina obostranog skeniranja (crna)

Do 21 / 23 Strana u minuti

## A4/Ltr Brzina obostranog skeniranja (kolor)

Do 13 / 14 Strana u minuti

## Površina skeniranja, maksimalna (mm)

216 x 297 mm

## ADF skeniranje

RADF (obrnuto obostrano)

## Tip skenera

Fletbed skener sa ADF-om

## Tehnologija skeniranja

CIS

## Rezolucija kod skeniranja

600x600 ppi (crno), do 600x600 ppi (boja)

## Formati skeniranja datoteke (Pošalji kao)

JPEG, JPG, PDF, Сецуре ПДФ, TIFF, XPS, BMP, Архивски ПДФ (A-1a, A-1b), ПДФ који се може претраживати (опционални ОЦР са 1 ГБ РАМ-а и хард диском), Високо компримирани ПДФ (потребно је 1 ГБ РАМ-а и хард диска)

## Odredišta skeniranja

e-mail, FTP, USB Flash drive, USB ili mrežni računari, Lexmark Document Solutions Suite (LDSS)

## Brzina modema

ITU T.30, V.34 Half-Duplex, 33.6 Kbps Kb/s

## Brzina prenosa kod slanja telefaksa

<3 sekunde po stranici

## Brzina procesora

Quad Core, 1.2 GHz

## Memorija, Standardno

2048 MB

## Memorija, Maksimalno

6144 MB

## Čvrsti disk

Опција доступна

## Podržani Apple operativni sistemi

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13)

## Citrix MetaFrame

Microsoft Windows 2000 Server running Terminal Services with Citrix MetaFrame XP Presentation Server or Citrix MetaFrame Presentation Server 3.0., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 3.0, 4.0, Microsoft Windows Server 2012 sa Citrix XenApp 6.0, 6.5

## Podržani Linux operativni sistemi

Debian GNU/Linux 7.0, 8.0, SUSE Linux Enterprise Server 10, 11, 12, openSUSE Linux 13.2, Ubuntu 16.04 LTS, Fedora 23, 24, Red Hat Enterprise Linux WS 6, 7, openSUSE Linux 42.3

## Podržani Microsoft Windows operativni sistemi

Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows 10

## Podržani Novell operativni sistemi

Novell NetWare 6.5 Open Enterprise Server, Novell NetWare 5.1(SP 6+), 6.0(SP 3+) with Novell Distributed Print Services (NDPS), Novell Open Enterprise Server on SUSE Linux Enterprise Server, Novell Open Enterprise Server 2 na SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11, Novell Open Enterprise Server 2 SP2 on SuSE Linux Enterprise Server 10 SP3 3

## Podržani UNIX operativni sistemi

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

## Uključeno rukovanje papirom

Ulaz za 250 listova, Izlazna polica za 150 listova, Integrirani dupleks, Modul za ručno ulaganje jednog lista

## Opciono rukovanje papirom

550 listova, 650-listova дуо касета

## Ulazni kapacitet papira, standardni

Do 250+1 listova 20 lb ili 75 gr/m2

## Ulazni kapacitet papira, maksimalni

Do 1450+1 listova 20 lb ili 75 gr/m2

## Izlazni kapacitet papira, standardni

Do 150 listova 20 lb ili 75 gr/m2

## Izlazni kapacitet papira, maksimalni

Do 150 listova 20 lb ili 75 gr/m2

## Podržana težina papira - Standardna fioka (gr/m2)

60 - 200 gr/m2:

## Gornja granica integrisane fioke za tvrdi papir (dugo zrno)

Naslovna – 200 g/m<sup>2</sup>, Indeks Bristol – 200 g/m<sup>2</sup>, Oznaka – 200 g/m<sup>2</sup>

## ADF

Automatski ulagač dokumenata za 50 listova

## ADF ulazni kapacitet papira

Do 50 listova 20 lb ili 75 gr/m2

## ADF izlazni kapacitet papira

Do 50 listova 20 lb ili 75 gr/m2

## Završne opcije

Ne

## Broj ulaznih nosača papira

2

## Broj ulaznih nosača papira, maksimalan

5

## Podržani tipovi medija

Kartice, Papirne nalepnice, Običan papir, Vinil etikete, Za više pogledajte: Vodič za Papir & Specijalne medije

#### Podržane veličine medija

10 Koverta, 7 3/4 Koverta, 9 Koverta, A4, A5, B5 Koverta, C5 Koverta, DL Koverta, Hagaki Card, Executive, Folio, JIS-B5, Legal, Letter, Korisnički definisan, Oficio, A6

#### Standardni portovi

USB 2.0 specifikacija sertifikovana za velike brzine (Tip B), Gigabitna mreža (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A)

#### Opcioni mrežni portovi

Маркнет Н8372 ВиФи опција

#### Direktno korišćenje USB uređaja

Da

#### Mrežno povezivanje

Da

#### Mrežni protokoli

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

#### Metode mrežnog štampanja

LPR/LPD, Direct IP (Port 9100), Poboljšani IP (Port 9400), FTP, TFTP, ThinPrint .print integration, Telnet, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

#### Protokoli za upravljanje mrežom<sup>1</sup>

HTTP, HTTPS (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger,

#### Bezbednost u mreži

SNMPv3, 802.1x Autentifikacija: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, IPsec

#### Površina za štampanje (metrična)

4.2 mm od gornjih, donjih, desnih i levih ivica (unutar)

#### Jezici (Standardni)

PCL 5c emulacija, PCL 6 Emulacija, Personal Printer Data Stream (PPDS), PostScript 3 Emulacija, Direct Image, Microsoft XPS (XML Paper Specification), AirPrint™, PDF 1.7 emulation

#### Fontovi i simboli

3 od 9 skalabilnih PCL 5e fontova za Uski, Regularni i Široki mod, 158 scalable PostScript fonts, 2 PCL bitmap fontova, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B skalabilni PCL 5e fontovi, više informacija potražite u Tehničkom vodiču.

#### Kapacitet kertridža (do)<sup>5</sup>

, 1,400-page Colour (CMY) Cartridges, 2,000-page Black Cartridge, Kertridži sa tonerom u boji (CMY) za izuzetno veliku količinu štampanja za 5.000 stranica, Kertridž sa crnim tonerom za izuzetno veliku količinu štampanja za 8.500 stranica

#### Procenjeni kapacitet fotoprovodnika

Do 125000 stranica na osnovu 3 stranice veličine Letter ili A4 po zadatku i uz pokrivenost od otprilike 5%<sup>4</sup>

#### Kertridži koji se isporučuju sa proizvodom

Kertridž sa tonerom u boji (CMY) u okviru programa za vraćanje, za štampanje do 2.000 stranica, 3,000-page Black Return Program Toner Cartridge

#### Rezervni kertridži:

Proizvod funkcioniše samo sa tonerima dizajniranim za upotrebu u određenom geografskom području. Za više detalja: [www.lexmark.com/regions](http://www.lexmark.com/regions)

#### Dimenzije pakovanja (mm - V x Š x D)

570 x 558 x 594 mm

#### Težina pakovanja (kg)

30.8 kg

#### Dimenzije (mm - V x Š x D)

462 x 442 x 588 mm

#### Težina

27.1 kg

#### Nivo buke, mirovanje

Inaudible dBA

#### Nivo buke, u toku rada (Štampanje)

52 dBA

#### Nivo buke kod dvostrane štampe, operativni

53 dBA

#### Nivo buke, u toku rada (Kopiranje)

56 dBA

#### Nivo buke, u toku rada (Skeniranje)

55 dBA

#### U tihom režimu, u toku štampe

49 dBA

#### ENERGY STAR

Da

#### Prosečna potrošnja električne energije u hibernaciji

0.2 Vati

#### Prosečna potrošnja el. energije (u stanju mirovanja)

1.44 Vati

#### Prosečna potrošnja el. energije (u stanju pripravnosti)

35 Vati

#### Prosečna potrošnja el. energije (štampanje)

530 Vati

#### Prosečna snaga pri dvostranom štampanju

360 Vati

#### Prosečna potrošnja el. energije (kopiranje)

485 Vati

#### Prosečna potrošnja el. energije (skeniranje)

28.5 Vati

#### Energy Star tipična potrošnja el. energije (TEC)

0.57 kilovat-sati nedeljno

#### Garancija na proizvod

1-Year Onsite Repair, Next Business Day

#### Sertifikati proizvoda

ENERGY STAR, Blue Angel RAL-UZ 205, ICES-003 Class B, BSMI Class B, VCCI Class B, US FDA, UL 60950-1, FCC Class B, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class B, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class B, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, GOST-R, SII, TER, China Green Product (CGP)

#### Maksimalni mesečni obim štampe

Do 85000 Strana mesečno<sup>3</sup>

#### Preporučeni mesečni obim štampe

1500 - 8500 Strana<sup>2</sup>

#### Uslovi radnog okruženja:

Vlažnost: 8 do 80% relativne vlažnosti, Visina: 0 - 3.048 metara, Temperatura: 10 do 32 °C

#### Dozvole/Ugovorne obaveze

Štampači se prodaju pod određenim uslovima Dozvole/Ugovorne obaveze. Za više detalja pogledajte: [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense)

#### Zemlja porekla

Kina (PRC)

#### UNSPSC kod

43212110

<sup>1</sup>Ovaj proizvod uključuje softver razvijen od OpenSSL Project za upotrebu OpenSSL Toolkit-u. (<http://www.openssl.org/>)

<sup>2</sup>Preporučeni mesečni obim štampe" predstavlja broj stranica koji omogućava korisnicima da procene Lexmarkovu ponudu uređaja u odnosu na broj stranica koje planiraju da štampaju mesečno. Za optimalne performanse uređaja Lexmark preporučuje da mesečni broj strana bude u navedenom opsegu, a na osnovu faktora koji uključuju: interval zamene potrošnog materijala, intervale punjenja papirom, brzine, i tipičnih navika kupaca u korišćenju uređaja.

<sup>3</sup>"Maksimalni mesečni radni ciklus" predstavlja maksimalni broj stranica isporučenih od uređaja, mesečno u toku višestrukih operacija. Ova metrika omogućava poređenje robustnosti u odnosu na druge Lexmark štampače i MFP uređaje.

<sup>4</sup>Стварни принос може се разликовати у зависности од других фактора као што су брзина уређаја, величина папира и оријентација феед-а, покривеност тонером, извор папира, проценат црне боје и сложеност штампања.

<sup>5</sup>Saopštena prosečna količina neprekidnog štampanja za crni kertridž ili kompozitni CMY kertridž u jednostranom (simpleks) režimu do ovog broja standardnih stranica u skladu sa standardom ISO/IEC 19798.

<sup>6</sup>Brzine štampanja i kopiranja merene su u skladu sa ISO/IEC 24734 i ISO/IEC 24735 (ESAT). Za više detalja pogledajte: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds)



| Callout | Availability | Description                           |
|---------|--------------|---------------------------------------|
| 1       | Standardno   | 4,3" (10,9cm) ekran osetljiv na dodir |
| 2       | Opciono      | 650-listova duo kasete                |
| 3       | Opciono      | Fioka za papir za 550 listova         |

| P/N        | Kertridži sa tonerom                                                                                      | P/N        | Opcije memorije                                                     |
|------------|-----------------------------------------------------------------------------------------------------------|------------|---------------------------------------------------------------------|
| 78C50C0    | Lexmark 78C50C0 kertridž sa cijan tonerom iz programa za vraćanje                                         | 57X0204    | 4GBx32 DDR3-DRAM                                                    |
| 78C0ZK0    | Lexmark 78C0ZK0 komplet za izradu crnih slika iz programa za vraćanje                                     | <b>P/N</b> | <b>Rešenja za aplikacije</b>                                        |
| 78C0ZV0    | Lexmark 78C0ZV0 komplet za izradu crnih slika i slika u boji iz programa za vraćanje                      | 40C9200    | Kartica za obrasce i bar-kôd                                        |
| 78C0Z10    | Lexmark 78C0Z10 komplet za izradu crnih slika                                                             | 40C9202    | Kartica za emulaciju jezika PRESCRIBE                               |
| 78C0Z50    | Lexmark 78C0Z50 komplet za izradu crno-belih slika i slika u boji                                         | <b>P/N</b> | <b>Povezivanje</b>                                                  |
| 78C0W00    | Lexmark 78C0W00 boca za otpadni toner                                                                     | 27X6410    | Lexmark MarkNet N8372 802.11 a/b/g/n/ac server za bežično štampanje |
| 78C50M0    | Lexmark 78C50M0 kertridž sa magenta tonerom iz programa za vraćanje                                       | <b>P/N</b> | <b>Produžene garancije</b>                                          |
| 78C50Y0    | Lexmark 78C50Y0 kertridž sa žutim tonerom iz programa za vraćanje                                         | 2364190    | CX522 Ukupno 2 godine (1+1) servisa na lokaciji                     |
| 78C50K0    | Lexmark 78C50K0 kertridž sa crnim tonerom iz programa za vraćanje                                         | 2364191    | CX522 Ukupno 3 godine (1+2) servisa na lokaciji                     |
| 78C5XC0    | Lexmark 78C5XC0 kertridž sa cijan tonerom za izuzetno veliku količinu štampanja iz programa za vraćanje   | 2364192    | CX522 Ukupno 4 godine (1+3) servisa na lokaciji                     |
| 78C5XM0    | Lexmark 78C5XM0 kertridž sa magenta tonerom za izuzetno veliku količinu štampanja iz programa za vraćanje | 2364193    | CX522 Ukupno 5 godina (1+4) servisa na lokaciji                     |
| 78C5XY0    | Lexmark 78C5XY0 kertridž sa žutim tonerom za izuzetno veliku količinu štampanja iz programa za vraćanje   | 2364194    | CX522 Obnavljanje jednogodišnjeg servisa na lokaciji                |
| 78C5XK0    | Lexmark 78C5XK0 kertridž sa crnim tonerom za izuzetno veliku količinu štampanja iz programa za vraćanje   | 2365596    | CX522 6-Years Total (1+5) Onsite Service                            |
| 78C0X20    | Lexmark 78C0X20 Cyan Extra High Yield Toner Cartridge                                                     | 2367371    | CX522 7-Years Total (1+6) Onsite Service                            |
| 78C0X30    | Lexmark 78C0X30 Magenta Extra High Yield Toner Cartridge                                                  | 2365597    | CX522 2-Year Onsite Service Renewal                                 |
| 78C0X40    | Lexmark 78C0X40 Yellow Extra High Yield Toner Cartridge                                                   | 2365598    | CX522 3-Year Onsite Service Renewal                                 |
| 78C0X10    | Lexmark 78C0X10 Black Extra High Yield Toner Cartridge                                                    | 2365599    | CX522 4-Year Onsite Service Renewal                                 |
| 78C50CE    | Lexmark 78C50CE kertridž sa cijan tonerom pod ugovorom                                                    | <b>P/N</b> | <b>Delovi koje može da zameni korisnik</b>                          |
| 78C50ME    | Lexmark 78C50ME kertridž sa magenta tonerom pod ugovorom                                                  | 41X0917    | Valjak separatora mehanizma ADF                                     |
| 78C50YE    | Lexmark 78C50YE kertridž sa žutim tonerom pod ugovorom                                                    |            |                                                                     |
| 78C50KE    | Lexmark 78C50KE kertridž sa crnim tonerom pod ugovorom                                                    |            |                                                                     |
| 78C5XCE    | Lexmark 78C5XCE kertridž sa cijan tonerom za izuzetno veliku količinu štampanja pod ugovorom              |            |                                                                     |
| 78C5XME    | Lexmark 78C5XME kertridž sa magenta tonerom za izuzetno veliku količinu štampanja pod ugovorom            |            |                                                                     |
| 78C5XYE    | Lexmark 78C5XYE kertridž sa žutim tonerom za izuzetno veliku količinu štampanja pod ugovorom              |            |                                                                     |
| 78C5XKE    | Lexmark 78C5XKE kertridž sa crnim tonerom za izuzetno veliku količinu štampanja pod ugovorom              |            |                                                                     |
| <b>P/N</b> | <b>Manipulisanje papirom</b>                                                                              |            |                                                                     |
| 42C7550    | 550-Sheet Tray                                                                                            |            |                                                                     |
| 42C7650    | Dupla fioka za 650 listova                                                                                |            |                                                                     |
| <b>P/N</b> | <b>Nameštaj</b>                                                                                           |            |                                                                     |
| 40C2300    | Podesivi stalak                                                                                           |            |                                                                     |
| <b>P/N</b> | <b>Opcije memorije</b>                                                                                    |            |                                                                     |
| 27X0400    | Čvrsti disk 500+ GB                                                                                       |            |                                                                     |
| 57X9801    | Fleš memorijska kartica od 256 MB                                                                         |            |                                                                     |
| 57X9814    | Kartica sa fontovima za korejski                                                                          |            |                                                                     |
| 57X9815    | Kartica sa fontovima za japanski                                                                          |            |                                                                     |
| 57X9812    | Kartica sa fontovima za pojednostavljeni kineski                                                          |            |                                                                     |
| 57X9810    | Kartica sa fontovima za tradicionalni kineski                                                             |            |                                                                     |