



Lexmark CX825de

The Lexmark CX825de colour A4 MFP combines print speed of up to 52 pages per minute, ease of use, professional colour and configurable software solutions with available finishing options.

Part Number

42K0050

Print technology

Colour Laser

Functionality

Colour Copying, Colour Faxing, Colour Printing, Colour Scanning, Colour Network Scanning

Workgroup size

Medium-Large Workgroup

Touch screen display

Yes

Display

Lexmark e-Task 10-inch (25 cm) class colour touch screen

Print speed (A4, black)

Up to 52 ppm⁶

Print speed (A4, colour)

Up to 52 ppm⁶

Print speed (A4, black) duplex

Up to 52 spm⁶

Time to first page (black)

As fast as 6,5 seconds

Time to first page (colour)

As fast as 6,5 seconds

Duplex (2-sided) printing

Integrated Duplex

Print resolution, black

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

Print resolution, colour

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

Copy speed (A4, black)

Up to 52 cpm⁶

Copy speed (A4, colour)

Up to 52 cpm⁶

Time to first copy (black)

As fast as 6,5 seconds

Time to first copy (colour)

As fast as 7,0 seconds

Reduce / enlarge range

25 - 400 %

Simplex scan speed (A4, black)

Up to 57 spm

Simplex scan speed (A4, colour)

Up to 57 spm

Duplex scan speed (A4, black)

Up to 114 spm

Duplex scan speed (A4, colour)

Up to 114 spm

Scan area, maximum

216 x 355 mm

ADF scan

DADF (single pass Duplex)

Scanner type

Flatbed scanner with ADF

Scan technology

CCD

Optical scan resolution

1200 X 600 dpi

Scan file formats (send as)

JPEG, JPG, PDF, Secure PDF, TIFF, Archival PDF (A-1a, A-1b), Highly compressed PDF (1GB RAM and hard disk required), Searchable PDF

Scan destinations

e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)

Modem speed

ITU T.30, V.34 Half-Duplex, 33,6 kbps

Fax transmission speed

< 3 seconds per page

Processor speed

Quad Core 1,6 GHz

Memory, standard

2048 MB

Memory, maximum

4096 MB

Hard Disk

Included in configuration

Apple Operating Systems Supported

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11)

Citrix MetaFrame

Microsoft Windows Server 2008 and 2008 X64 Edition with Citrix XenApp 5.0, Microsoft Windows Server 2008 R2 with Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5

Linux operating systems supported

Debian GNU/Linux 7.0, 8.0, Fedora 21, 22, Linpus Linux Lite Desktop 2.1, Linux Mint 13 LTS, 17 LTS, 17.1 LTS, 17.2 LTS, Linux Mint 2 Debian, PCLinuxOS 2014.12, Red Hat Enterprise Linux WS 4, 5, 6, 7, SUSE Linux Enterprise Desktop 10, 11, 12, SUSE Linux Enterprise Server 10, 11, 12, Ubuntu 12.04 LTS, 14.04 LTS, 15.04, openSUSE 13.1, 13.2, openSUSE Tumbleweed

Microsoft Windows operating systems supported

Windows XP, Windows XP x64, Windows Vista, Windows Vista x64, Windows Server 2008, Windows Server 2008 x64, Windows 7, Windows 7 x64, Windows Server 2008 R2, Windows 8, Windows 8 x64, Windows Server 2012, Windows 8.1, Windows 8.1 x64, Windows Server 2012 R2, Windows RT, Windows RT 8.1, Windows 10

Novell operating systems supported

Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server 2 on SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11

UNIX operating systems supported

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

Standard paper handling

550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 500-Sheet Output Bin

Optional paper handling

550-Sheet Tray, Staple Punch Finisher, Inline Stapler, 2200-Sheet Tray

Paper input capacity, standard

Up to 650 pages

Paper input capacity, maximum

Up to 4500 pages

Paper output capacity, standard

Up to 500 pages

Paper output capacity, maximum

Up to 1950 pages

Paper weight range supported - standard tray

60 - 176 g/m²

Paper weight range supported - multipurpose feeder

60 - 176 g/m²

Integrated Tray Card Stock Upper limit (grain short)

Cover - 300 gsm (110 lb), Index Bristol - 300 gsm (166 lb), Tag - 300 gsm (184 lb)

Autom. document feeder (ADF)

150-Sheet Automatic Document Feeder

ADF paper input capacity

Up to 150 pages

ADF paper output capacity

Up to 150 pages

Finishing

Yes

Finishing functions

Offset stacking, Stapling, Hole punching

Number of paper inputs, standard

2

Number of paper inputs, maximum

6

Media types supported

Card Stock, Dual Web Labels, Envelopes, Labels, Plain Paper, Polyester Labels, Vinyl Labels, Banner Paper, Refer to the Paper & Specialty Media Guide

Media sizes supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Index Card, Executive, Folio, JIS-B5, Legal, Letter, 4 x 6", Statement, Universal, Oficio, A6

Caster base

Optional

Standard connectivity

One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A)

Optional network ports

Marknet N8370 WiFi Option

Direct USB

Yes

Ethernet network

Yes

Wireless

Wireless Option

Network protocol support

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

Network printing methods

LPR/LPD, Direct IP (Port 9100), Enhanced IP (Port 9400), Secure IP (Port 96xx), FTP, TFTP, ThinPrint .print integration, Telnet, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

Network management protocols¹

HTTP, HTTPs (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger,

Network security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, IPSec

Printer languages (standard)

PCL 5c Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, AirPrint™, PDF 1.7 emulation

Fonts and symbol sets

3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference., 165 scalable PostScript fonts, 15 PPDS bitmap fonts

Cartridge yields: up to⁵

, 22.000-page colour (CMY) cartridges, 33.000-page black and colour (CMY) cartridges, 17.000-page colour (CMY) cartridges, 8000-page black and colour (CMY) cartridges

Photoconductor yield

Up to 175.000 pages, based on average 3 pages per print job and 5% coverage⁴

Cartridge(s) shipped with product

8000-page black Return Programme toner cartridge, 17.000-page colour (CMY) toner cartridges

Replacement cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See www.lexmark.com/ regions for more details.

Packaged size (HxWxD)

1053 x 760 x 760 mm

Packaged weight

95,9 kg

Size (HxWxD)

813 x 559 x 588 mm

Weight

83,2 kg

Noise level, idle

16 dBA

Noise Level (Print), Operating

56 dBA

Duplex print noise level, operating

57 dBA

Noise Level (Copy), Operating

59 dBA

Noise Level (Scan), Operating

56 dBA

Quiet mode

52 dBA

Energy Star

Yes

Average power in Hibernate mode

0,3 Watt

Average power in Sleep mode

3,4 Watt

Average power in Ready mode

125 Watt

Average power while printing

825 Watt

Average power while printing duplex

775 Watt

Average power while copying

650 Watt

Average power while scanning

110 Watt

Energy Star Typical Electricity Consumption (TEC)

3,3 kWh per week

Product guarantee

1 year On Site Service

Product certifications

ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECF, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT, Blue Angel (Blauer Engel), China Green Product (CGP)

Maximum monthly duty cycle

Up to 250.000 pages per month³

Recommended monthly page volume

3000 - 30.000 pages²

Specified operating environment

Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2896 Metres (9,500 Feet)

License/Agreement Terms

Printers are sold subject to certain license/ agreement conditions. See www.lexmark.com/ printerlicense for details.

Country of origin

China (PRC)

UNSPSC code

43212110

Developer unit(s) yield

Up to 300.000 pages, based on average 3 pages per print job and 5% coverage

¹This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

²"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including:


supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

³"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

⁴Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

⁵Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

⁶Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: www.lexmark.com/ISOspeeds.



Standard
 Optional

P/N	Toner Cartridges	P/N	Toner Cartridges	P/N	Connectivity
72K2XKE	Lexmark CS/CX820, CX825, 860 Black Corporate 33K Toner Cartridge	72K0D50	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 3-Colour 300K Developer-PC Kit	57X7020	CX82x, CX860 English Keyboard Kit (Holder + Int. English Keyboard)
82K2HCE	Lexmark CX820, 825, 860 Cyan Corporate 17K Toner Cartridge			27X0142	Lexmark MarkNet N8230 Fibre Ethernet Print Server
82K2HME	Lexmark CX820, 825, 860 Magenta Corporate 17K Toner Cartridge	72K2XK0	Lexmark CS/CX820, CX825, 860 Black Return Programme 33K Toner Cartridge	27X6510	MarkNet N8370 802.11 a/b/g/n/ac Wireless Print Server
82K2HYE	Lexmark CX820, 825, 860 Yellow Corporate 17K Toner Cartridge	82K2XC0	Lexmark CX825, 860 Cyan Return Programme 22K Toner Cartridge	1021294	USB Cable (2 meter)
82K2XCE	Lexmark CX825, 860 Cyan Corporate 22K Toner Cartridge	82K2XM0	Lexmark CX825, 860 Magenta Return Programme 22K Toner Cartridge	14F0100	RS-232C Serial Interface Card
82K2XME	Lexmark CX825, 860 Magenta Corporate 22K Toner Cartridge			SPD0002	Surge protective device
82K2XYE	Lexmark CX825, 860 Yellow Corporate 22K Toner Cartridge	82K2XY0	Lexmark CX825, 860 Yellow Return Programme 22K Toner Cartridge	Extended Warranties	
72K0DC0	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Cyan Return Programme 300K Developer	72K0X10	Lexmark CS/CX820, CX825 Black 33K Toner Cartridge	2359998	CX825 2-Years Total (1+1) Onsite Service
72K0D20	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Cyan 300K Developer	82K0X20	Lexmark CX825 Cyan 22K Toner Cartridge	2359999	CX825 3-Years Total (1+2) Onsite Service
72K0D30	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Magenta 300K Developer	82K0X30	Lexmark CX825 Magenta 22K Toner Cartridge	2360000	CX825 4-Years Total (1+3) Onsite Service
72K0DM0	Magenta Return Programme Developer Unit	82K0X40	Lexmark CX825 Yellow 22K Toner Cartridge	2360001	CX825 5-Years Total (1+4) Onsite Service
72K0D40	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Yellow 300K Developer	82K2HCO	Lexmark CX820, 825, 860 Cyan Return Programme 17K Toner Cartridge	2360002	CX825 1-Year Onsite Service Renewal
72K0DY0	Yellow Return Programme Developer Unit	82K2HM0	Lexmark CX820, 825, 860 Magenta Return Programme 17K Toner Cartridge	2360003	CX825 1 Year Post Wty OSR NBD Extended Warranty
72K0W00	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 115K Waste Container	82K2HY0	Lexmark CX820, 825, 860 Yellow Return Programme 17K Toner Cartridge	2368433	CX825, XC8155 6 Years Total (1+5) Next Business Day Fix
72K0FK0	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Black Return Programme 175K Developer	72K20KE	Lexmark CS/CX820, CX825, 860 Black Corporate 8K Toner Cartridge	2368434	CX825, XC8155 7 Years Total (1+6) Next Business Day Fix
72K0F10	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Black 175K Developer	72K20CE	Lexmark CS/CX820, CX825, 860 Cyan Corporate 8K Toner Cartridge	2367401	CX825, XC8155 7 Years Total (1+6) Onsite Repair Next Business Day
72K0FV0	Colour (CMY) Return Programme Developer Kit and Photoconductors Pack	72K20ME	Lexmark CS/CX820, CX825, 860 Magenta Corporate 8K Toner Cartridge	2360005	CX825, XC8155 Upgarde Onsite Repair Next Business Day Fix
72K0F50	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 3-Colour 175K Developer-PC Kit	72K20YE	Lexmark CS/CX820, CX825, 860 Yellow Corporate 8K Toner Cartridge	2360006	CX825, XC8155 NBD Fix -Total 24 Months (12+12)
25A0013	Staple Cartridges (3 pack)	Paper Handling		2360007	CX825, XC8155 NBD Fix -Total 36 Months (12+24)
72K20K0	Lexmark CS/CX820, CX825, 860 Black Return Programme 8K Toner Cartridge	42K1598	CX825, CX860 Finisher, tall model (Staple, Hole Punch, Mailbox)	2360008	CX825, XC8155 NBD Fix -Total 48 Months (12+36)
72K20C0	Lexmark CS/CX820, CX825, 860 Cyan Return Programme 8K Toner Cartridge	42K1268	CX825, CX860 Finisher, short model (Staple, Hole Punch, Mailbox)	2360009	CX825, XC8155 NBD Fix -Total 60 Months (12+48)
72K20M0	Lexmark CS/CX820, CX825, 860 Magenta Return Programme 8K Toner Cartridge	21K0787	Envelope Tray	2360010	CX825, XC8155 1 Year Renewal Onsite Repair Next Business Day Fix
72K20Y0	Lexmark CS/CX820, CX825, 860 Yellow Return Programme 8K Toner Cartridge	21K0567	CS820, CX82x, CX860 550-Sheet Drawer (incl. Tray)	2365791	CX825, XC8155 6 Years Total (1+5) Onsite Repair Next Business Day
72K0P00	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 1-Pack 175K Photoconductor Kit	21K0237	CS820, CX82x, CX860 2200-Sheet Hi-Cap Drawer	2365792	CX825, XC8155 2 Years renewal OnSite Service, Response Time Next Business Day
72K0Q00	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 3-Pack 175K Photoconductor Kit	42K2300	CX825, CX860 Staple Finisher (integrated)	2365793	CX825, XC8155 3 Years renewal OnSite Service, Response Time Next Business Day
72K0DK0	Black Return Programme Developer Unit	Furniture		2365794	CX825, XC8155 4 Years renewal OnSite Service, Response Time Next Business Day
72K0D10	Lexmark CS/CX820, 827, CX825, 860, C6160, XC6152, 6153, 8155, 8160, 8163 Black 300K Developer	21K2501	CS820, CX82x, CX860 Caster Base	2365795	CX825, XC8155 2 Year Renewal Onsite Repair Next Business Day Fix
72K0DV0	Colour (CMY) Return Programme Developer Kit	Memory Options		2365796	CX825, XC8155 3 Year Renewal Onsite Repair Next Business Day Fix
		27X0400	500+ GB Hard Disk	2365797	CX825, XC8155 4 Year Renewal Onsite Repair Next Business Day Fix
		57X9022	CS820, CX82x, CX860 2 GB (2048 MB) DDR3 DIMM (x64)	User Replaceable Parts	
		57X9801	256 MB Flash Memory Card	41X0247	Fuser 220-240V
		57X9814	Korean Font Card	41X0245	Transfer Module
		57X9815	Japanese Font Card	41X0154	Transfer Roller
		57X9812	Simplified Chinese Font Card	41X0993	Media Pick Roller
		57X9810	Traditional Chinese Font Card	41X0360	ADF Separation Roller
		Application Solutions		41X0358	ADF Media Pick Roller
		21K0127	CS820, CX82x, CX860 Forms and Bar Code Card	41X0359	ADF Feed Belt
		21K0128	CS820, CX82x, CX860 IPDS Card	41X0931	ADF Maintenance Kit
		21K0129	CS820, CX82x, CX860 Prescribe Card	41X0929	Fuser Maintenance Kit 220-240V
		57X0300	Contact Authentication Device	Installation Service	
		57X0301	Contactless Authentication Device	2355254	Standard Installation Service
		57X0085	Lexmark Secure Element		
		57X0210	Elatec Reader Authentication Device		