



# Lexmark CX825de

The Lexmark CX825de colour A4 MFP combines print speed of up to 52 pages per minute, ease of use, professional colour and configurable software solutions with available finishing options.

## Part Number

42K0237

## Print Technology

Colour Laser

## Function

Colour Copying, Colour Faxing, Colour Printing, Colour Scanning, Colour Network Scanning

## Workgroup Size

Medium-Large Workgroup

## Touch Screen Display

Yes

## Display

Lexmark e-Task 10-inch (25 cm) class colour touch screen

## Print Speed (A4, Black)

Up to 52 ppm<sup>6</sup>

## Print Speed (A4, Colour)

Up to 52 ppm<sup>6</sup>

## Print Speed (A4, Black) Duplex

Up to 52 spm<sup>6</sup>

## Time to First Page (Black)

As fast as 6.5 seconds

## Time to First Page (Colour)

As fast as 6.5 seconds

## Duplex (2-sided) Printing

Integrated Duplex

## Print Resolution, Black

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

## Print Resolution, Colour

1200 x 1200 dpi, 4800 CQ (2400 x 600 dpi)

## Copy Speed (A4, Black)

Up to 52 cpm<sup>6</sup>

## Copy Speed (A4, Colour)

Up to 52 cpm<sup>6</sup>

## Time to First Copy (Black)

As fast as 6.5 seconds

## Time to First Copy (Colour)

As fast as 7.0 seconds

## Reduce / Enlarge Range

25 - 400 %

## A4/Ltr Simplex Scan Speed (Black)

Up to 57 / 60 Sides per minute

## A4/Ltr Simplex Scan Speed (Colour)

Up to 57 / 60 Sides per minute

## A4/Ltr Duplex Scan Speed (Black)

Up to 114 / 120 Sides per minute

## A4/Ltr Duplex Scan Speed (Colour)

Up to 114 / 120 Sides per minute

## Scan Area, Maximum (mm)

216 x 355 mm

## ADF Scan

DADF (single pass Duplex)

## Scanner Type

Flatbed scanner with ADF

## Scan Technology

CCD

## Optical Scanning Resolution

1200 X 600 dpi

## Scan File Formats (Send as)

JPEG, JPG, PDF, Secure PDF, TIFF, Archival PDF (A-1a, A-1b), Highly compressed PDF (1GB RAM and hard disk required), Searchable PDF

## Scan Destinations

e-mail, FTP, USB Flash drive, USB or Network connected computer, Lexmark Document Solutions Suite (LDSS)

## Modem Speed

ITU T.30, V.34 Half-Duplex, 33.6 Kbps

## Fax Transmission Speed

< 3 seconds per page

## Processor Speed

Quad Core 1.6 GHz

## Memory, Standard

2048 MB

## Memory, Maximum

4096 MB

## Hard Disk

Included in configuration

## Apple Operating Systems Supported

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11)

## Citrix MetaFrame

Microsoft Windows Server 2008 and 2008 X64 Edition with Citrix XenApp 5.0, Microsoft Windows Server 2008 R2 with Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5

## Linux Operating Systems Supported

Debian GNU/Linux 7.0, 8.0, Fedora 21, 22, Linpus Linux Lite Desktop 2.1, Linux Mint 13 LTS, 17 LTS, 17.1 LTS, 17.2 LTS, Linux Mint 2 Debian, PCLinuxOS 2014.12, Red Hat Enterprise Linux WS 4, 5, 6, 7, SUSE Linux Enterprise Desktop 10, 11, 12, SUSE Linux Enterprise Server 10, 11, 12, Ubuntu 12.04 LTS, 14.04 LTS, 15.04, openSUSE 13.1, 13.2, openSUSE Tumbleweed

## Microsoft Windows Operating Systems Supported

Windows XP, Windows XP x64, Windows Vista, Windows Vista x64, Windows Server 2008, Windows Server 2008 x64, Windows 7, Windows 7 x64, Windows Server 2008 R2, Windows 8, Windows 8 x64, Windows Server 2012, Windows 8.1, Windows 8.1 x64, Windows Server 2012 R2, Windows RT, Windows RT 8.1, Windows 10

## Novell Operating Systems Supported

Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server 2 on SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11

## UNIX Operating Systems Supported

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

## Included Paper Handling

550-Sheet Input, 100-Sheet Multipurpose Feeder, Integrated Duplex, 500-Sheet Output Bin

## Optional Paper Handling

550-Sheet Tray, Staple Punch Finisher, Inline Stapler, 2200-Sheet Tray

## Paper Input Capacity, Standard

Up to 650 pages 75 gsm bond

## Paper Input Capacity, Maximum

Up to 4500 pages 75 gsm bond

## Paper Output Capacity, Standard

Up to 500 pages 75 gsm bond

## Paper Output Capacity, Maximum

Up to 1950 pages 75 gsm bond

## Paper Weight Range Supported - Standard Tray (gsm)

60 - 176 gsm

## Paper Weight Range Supported - Multipurpose Feeder (gsm)

60 - 176 gsm

## Integrated Tray Card Stock Upper limit (grain short)

Cover - 300 gsm (110 lb), Index Bristol - 300 gsm (166 lb), Tag - 300 gsm (184 lb)

## ADF

150-Sheet Automatic Document Feeder

## ADF Paper Input Capacity

Up to 150 pages 75 gsm bond

## ADF Paper Output Capacity

Up to 150 pages 75 gsm bond

## Finishing Option

Yes

## Finishing Functions

Offset stacking, Stapling, Hole punching

## Number of Paper Inputs, Standard

2

## Number of Paper Inputs, Maximum

6

## Media Types Supported

Card Stock, Dual Web Labels, Envelopes, Labels, Plain Paper, Polyester Labels, Vinyl Labels, Banner Paper, Refer to the Paper & Specialty Media Guide

## Media Sizes Supported

10 Envelope, 7 3/4 Envelope, 9 Envelope, A4, A5, B5 Envelope, C4 Envelope, C5 Envelope, DL Envelope, Index Card, Executive, Folio, JIS-B5, Legal, Letter, 4 x 6", Statement, Universal, Oficio, A6

## Caster Base

Optional

## Standard Ports

One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Two Front USB 2.0 Specification Hi-Speed Certified port (Type A)

## Optional Network Ports

Marknet N8370 WiFi Option

## Direct USB

Yes

## Ethernet Network

Yes

## Wireless

Wireless Option

## Network Protocol Support

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

## Network Printing Methods

LPR/LPD, Direct IP (Port 9100), Enhanced IP (Port 9400), Secure IP (Port 96xx), FTP, TFTP, ThinPrint .print integration, Telnet, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

## Network Management Protocols<sup>1</sup>

HTTP, HTTPS (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutoIP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger,

## Network Security

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, IPSec

## Printer Languages (Standard)

PCL 5c Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, AirPrint™, PDF 1.7 emulation

## Fonts and Symbol Sets

3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference., 165 scalable PostScript fonts, 15 PPDS bitmap fonts

## Laser Cartridge Yields (up to)<sup>5</sup>

, 22,000-page Colour (CMY) Extra High Yield Cartridges, 33,000-page Black Extra High Yield Cartridge, 17,000-page Colour (CMY) High Yield Cartridges, 8,000-page Black and Colour (CMYK) Cartridges

## Photoconductor Estimated Yield

Up to 175000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage<sup>4</sup>

## Cartridge(s) Shipping with Product

8,000-page Black Return Programme Toner Cartridge, 17,000-page Colour (CMY) High Yield Return Programme Toner Cartridges

## Replacement Cartridges:

Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/](http://www.lexmark.com/) regions for more details.

## Packaged Size (mm - H x W x D)

1053 x 760 x 760 mm

## Packaged Weight (kg)

96.36 kg

## Size (mm - H x W x D)

813 x 559 x 588 mm

## Weight (kg)

83.2 kg

## Noise Level, Idle

16 dBA

## Noise Level (Print), Operating

56 dBA

## Duplex Print Noise Level, Operating

57 dBA

## Noise Level (Copy), Operating

59 dBA

## Noise Level (Scan), Operating

56 dBA

## Quiet Mode

52 dBA

## ENERGY STAR

Yes

## Average Power (Hibernate Mode)

0.3 watts

## Average Power (Sleep Mode)

1.43 watts

## Average Power (Ready Mode)

125 watts

## Average Power (Printing)

825 watts

## Average Power while Printing Duplex

775 watts

## Average Power (Copying)

650 watts

## Average Power (Scanning)

110 watts

## ENERGY STAR Typical Electricity

### Consumption (TEC)

0.86 kilowatt-hours per week

## Product Guarantee

1-Year Onsite Service

## Product Certifications

ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECF, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT, Blue Angel (Blauer Engel), China Green Product (CGP)

## Maximum Monthly Duty Cycle

Up to 250000 pages per month<sup>3</sup>

## Recommended Monthly Page Volume

3000 - 30000 pages<sup>2</sup>

## Specified Operating Environment

Humidity: 15 to 80% Relative Humidity, Temperature: 10 to 32°C (50 to 90°F), Altitude: 0 - 2896 Metres (9,500 Feet)

## License/Agreement Terms

Printers are sold subject to certain license/ agreement conditions. See [www.lexmark.com/](http://www.lexmark.com/) printerlicense for details.

## Country of Origin

China (PRC)

## UNSPSC Code

43212110

## Developer Unit(s) Estimated Yield

Up to 300000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage

<sup>1</sup>This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

<sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that


the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

<sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

<sup>4</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

<sup>5</sup>Average continuous black or continuous composite CMY declared cartridge yield up to this number of standard pages in accordance with ISO/IEC 19798.

<sup>6</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).



■ Standard  
■ Optional

| P/N     | Toner Cartridges                                                     | P/N     | Toner Cartridges                                                       | P/N        | Toner Cartridges                                                |
|---------|----------------------------------------------------------------------|---------|------------------------------------------------------------------------|------------|-----------------------------------------------------------------|
| 72K5XKE | CS820, CX82x, CX860 Black Extra High Yield Corporate Cartridge (33K) | 72K50M0 | CS820, CX82x, CX860 Magenta Return Programme Toner Cartridge           | 72K50KE    | CS820, CX82x, CX860 Black Corporate Cartridge (8K)              |
| 72K5XKE | CS820, CX82x, CX860 Black Extra High Yield Corporate Cartridge (33K) | 72K50M0 | CS820, CX82x, CX860 Magenta Return Programme Toner Cartridge           | 72K50CE    | CS820, CX82x, CX860 Cyan Corporate Cartridge (8K)               |
| 82K5HCE | CX82x, CX860 Cyan High Yield Corporate Cartridge (17K)               | 72K50Y0 | CS820, CX82x, CX860 Yellow Return Programme Toner Cartridge            | 72K50CE    | CS820, CX82x, CX860 Cyan Corporate Cartridge (8K)               |
| 82K5HCE | CX82x, CX860 Cyan High Yield Corporate Cartridge (17K)               | 72K50Y0 | CS820, CX82x, CX860 Yellow Return Programme Toner Cartridge            | 72K50ME    | CS820, CX82x, CX860 Magenta Corporate Cartridge (8K)            |
| 82K5HME | CX82x, CX860 Magenta High Yield Corporate Cartridge (17K)            | 72K0P00 | Photoconductor – 1 Pack                                                | 72K50ME    | CS820, CX82x, CX860 Magenta Corporate Cartridge (8K)            |
| 82K5HME | CX82x, CX860 Magenta High Yield Corporate Cartridge (17K)            | 72K0P00 | Photoconductor – 1 Pack                                                | 72K50YE    | CS820, CX82x, CX860 Yellow Corporate Cartridge (8K)             |
| 82K5HYE | CX82x, CX860 Yellow High Yield Corporate Cartridge (17K)             | 72K0Q00 | Photoconductor – 3 Pack                                                | 72K50YE    | CS820, CX82x, CX860 Yellow Corporate Cartridge (8K)             |
| 82K5HYE | CX82x, CX860 Yellow High Yield Corporate Cartridge (17K)             | 72K0Q00 | Photoconductor – 3 Pack                                                |            |                                                                 |
| 82K5HYE | CX82x, CX860 Yellow High Yield Corporate Cartridge (17K)             | 72K0DK0 | Black Return Programme Developer Unit                                  |            |                                                                 |
| 82K5XCE | CX825, CX860 Cyan Extra High Yield Corporate Cartridge (22K)         | 72K0DK0 | Black Return Programme Developer Unit                                  | P/N        | Paper Handling                                                  |
| 82K5XCE | CX825, CX860 Cyan Extra High Yield Corporate Cartridge (22K)         | 72K0D10 | Black Developer Unit                                                   | 21K0787    | Envelope Tray                                                   |
| 82K5XME | CX825, CX860 Magenta Extra High Yield Corporate Cartridge (22K)      | 72K0D10 | Black Developer Unit                                                   | 42K1268DSV | CX825, CX860 Multi-position Staple Punch Finisher (S-HV) DSV ZA |
| 82K5XME | CX825, CX860 Magenta Extra High Yield Corporate Cartridge (22K)      | 72K0DV0 | Colour (CMY) Return Programme Developer Kit                            | 21K0567    | 550-Sheet Tray                                                  |
| 82K5XME | CX825, CX860 Magenta Extra High Yield Corporate Cartridge (22K)      | 72K0DV0 | Colour (CMY) Return Programme Developer Kit                            | 21K0567    | 550-Sheet Tray                                                  |
| 82K5XME | CX825, CX860 Magenta Extra High Yield Corporate Cartridge (22K)      | 72K0D50 | Colour (CMY) Developer Kit                                             | 21K0237    | 2200-Sheet Tray                                                 |
| 82K5XYE | CX825, CX860 Yellow Extra High Yield Corporate Cartridge (22K)       | 72K0D50 | Colour (CMY) Developer Kit                                             | 21K0237    | 2200-Sheet Tray                                                 |
| 82K5XYE | CX825, CX860 Yellow Extra High Yield Corporate Cartridge (22K)       | 72K5XK0 | Black Extra High Yield Return Programme Toner Cartridge                | 42K2300    | CX825, CX860 Inline Staple Finisher                             |
| 82K5XYE | CX825, CX860 Yellow Extra High Yield Corporate Cartridge (22K)       | 72K5XK0 | Black Extra High Yield Return Programme Toner Cartridge                | 42K2300    | CX825, CX860 Inline Staple Finisher                             |
| 72K0DC0 | Cyan Return Programme Developer Unit                                 | 82K5XC0 | CX825, CX860 Cyan Extra High Yield Return Programme Toner Cartridge    | P/N        | Furniture                                                       |
| 72K0DC0 | Cyan Return Programme Developer Unit                                 | 82K5XC0 | CX825, CX860 Cyan Extra High Yield Return Programme Toner Cartridge    | 21K2501    | Caster Base                                                     |
| 72K0D20 | Cyan Developer Unit                                                  | 82K5XC0 | CX825, CX860 Cyan Extra High Yield Return Programme Toner Cartridge    | 21K2501    | Caster Base                                                     |
| 72K0D20 | Cyan Developer Unit                                                  |         |                                                                        | P/N        | Memory Options                                                  |
| 72K0D30 | Magenta Developer Unit                                               | 82K5XM0 | CX825, CX860 Magenta Extra High Yield Return Programme Toner Cartridge | 27X0400    | 500+ GB Hard Disk                                               |
| 72K0D30 | Magenta Developer Unit                                               | 82K5XM0 | CX825, CX860 Magenta Extra High Yield Return Programme Toner Cartridge | 27X0400    | 500+ GB Hard Disk                                               |
| 72K0DM0 | Magenta Return Programme Developer Unit                              | 82K5XM0 | CX825, CX860 Magenta Extra High Yield Return Programme Toner Cartridge | 57X9022    | 2GB x64 DDR3 RAM                                                |
| 72K0DM0 | Magenta Return Programme Developer Unit                              | 82K5XM0 | CX825, CX860 Magenta Extra High Yield Return Programme Toner Cartridge | 57X9022    | 2GB x64 DDR3 RAM                                                |
| 72K0D40 | Yellow Developer Unit                                                | 82K5XY0 | CX825, CX860 Yellow Extra High Yield Return Programme Toner Cartridge  | 57X9801    | 256MB Flash Memory Card                                         |
| 72K0D40 | Yellow Developer Unit                                                | 82K5XY0 | CX825, CX860 Yellow Extra High Yield Return Programme Toner Cartridge  | 57X9801    | 256MB Flash Memory Card                                         |
| 72K0DY0 | Yellow Return Programme Developer Unit                               | 82K5XY0 | CX825, CX860 Yellow Extra High Yield Return Programme Toner Cartridge  | 57X9814    | Korean Font Card                                                |
| 72K0DY0 | Yellow Return Programme Developer Unit                               | 82K5XY0 | CX825, CX860 Yellow Extra High Yield Return Programme Toner Cartridge  | 57X9815    | Japanese Font Card                                              |
| 72K0W00 | Waste Toner Bottle                                                   | 72K0X10 | CS820, CX820, CX825 Black Extra High Yield Toner Cartridge             | 57X9812    | Simplified Chinese Font Card                                    |
| 72K0W00 | Waste Toner Bottle                                                   | 72K0X10 | CS820, CX820, CX825 Black Extra High Yield Toner Cartridge             | 57X9810    | Traditional Chinese Font Card                                   |
| 72K0FK0 | Black Return Programme Developer and Photoconductor Unit Pack        | 82K0X20 | CX825 Cyan Extra High Yield Toner Cartridge                            | P/N        | Application Solutions                                           |
| 72K0FK0 | Black Return Programme Developer and Photoconductor Unit Pack        | 82K0X20 | CX825 Cyan Extra High Yield Toner Cartridge                            | 21K0127    | Forms and Bar Code Card                                         |
| 72K0F10 | Black Developer and Photoconductor Unit Pack                         | 82K0X30 | CX825 Magenta Extra High Yield Toner Cartridge                         | 21K0127    | Forms and Bar Code Card                                         |
| 72K0F10 | Black Developer and Photoconductor Unit Pack                         | 82K0X30 | CX825 Magenta Extra High Yield Toner Cartridge                         | 21K0128    | Card for IPDS                                                   |
| 72K0FV0 | Colour (CMY) Return Programme Developer Kit and Photoconductors Pack | 82K0X40 | CX825 Yellow Extra High Yield Toner Cartridge                          | 21K0128    | Card for IPDS                                                   |
| 72K0FV0 | Colour (CMY) Return Programme Developer Kit and Photoconductors Pack | 82K0X40 | CX825 Yellow Extra High Yield Toner Cartridge                          | 21K0129    | Card for PRESCRIBE Emulation                                    |
| 72K0F50 | Colour (CMY) Developer Kit and Photoconductors Pack                  | 82K5HC0 | CX82x, CX860 Cyan High Yield Return Programme Toner Cartridge          | 21K0129    | Card for PRESCRIBE Emulation                                    |
| 72K0F50 | Colour (CMY) Developer Kit and Photoconductors Pack                  | 82K5HC0 | CX82x, CX860 Cyan High Yield Return Programme Toner Cartridge          | 57X0300    | Contact Authentication Device                                   |
| 25A0013 | Staple Cartridges (3 pack)                                           | 82K5HM0 | CX82x, CX860 Magenta High Yield Return Programme Toner Cartridge       | 57X0301    | Contactless Authentication Device                               |
| 25A0013 | Staple Cartridges (3 pack)                                           | 82K5HM0 | CX82x, CX860 Magenta High Yield Return Programme Toner Cartridge       | 57X0085    | Lexmark Secure Element                                          |
| 72K50K0 | CS820, CX82x, CX860 Black Return Programme Toner Cartridge           | 82K5HY0 | CX82x, CX860 Yellow High Yield Return Programme Toner Cartridge        | 57X0210    | Elatec Reader Authentication Device                             |
| 72K50K0 | CS820, CX82x, CX860 Black Return Programme Toner Cartridge           | 82K5HY0 | CX82x, CX860 Yellow High Yield Return Programme Toner Cartridge        | P/N        | Connectivity                                                    |
| 72K50C0 | CS820, CX82x, CX860 Cyan Return Programme Toner Cartridge            | 72K50KE | CS820, CX82x, CX860 Black Corporate Cartridge (8K)                     | 57X7020    | English Keyboard Kit                                            |
| 72K50C0 | CS820, CX82x, CX860 Cyan Return Programme Toner Cartridge            |         |                                                                        | 57X7020    | English Keyboard Kit                                            |
|         |                                                                      |         |                                                                        | 27X0142    | Lexmark MarkNet™ N8230 Fibre Ethernet Print Server              |
|         |                                                                      |         |                                                                        | 27X6510    | MarkNet N8370 802.11 a/b/g/n/ac Wireless Print Server           |
|         |                                                                      |         |                                                                        | 1021294    | USB (2 Meter) Cable                                             |
|         |                                                                      |         |                                                                        | 1021294    | USB (2 Meter) Cable                                             |
|         |                                                                      |         |                                                                        | 14F0100    | RS-232C Serial Interface Card                                   |
|         |                                                                      |         |                                                                        | 14F0100    | RS-232C Serial Interface Card                                   |
|         |                                                                      |         |                                                                        | SPD0002    | Surge Protective Device, 220-240V                               |
|         |                                                                      |         |                                                                        | P/N        | Extended Warranties                                             |
|         |                                                                      |         |                                                                        | 2359998    | CX825 2-Years Total (1+1) Onsite Service                        |
|         |                                                                      |         |                                                                        | 2359998    | CX825 2-Years Total (1+1) Onsite Service                        |
|         |                                                                      |         |                                                                        | 2359999    | CX825 3-Years Total (1+2) Onsite Service                        |
|         |                                                                      |         |                                                                        | 2359999    | CX825 3-Years Total (1+2) Onsite Service                        |
|         |                                                                      |         |                                                                        | 2359999    | CX825 3-Years Total (1+2) Onsite Service                        |
|         |                                                                      |         |                                                                        | 2360000    | CX825 4-Years Total (1+3) Onsite Service                        |

| <b>P/N</b> | <b>Extended Warranties</b>                                                   |
|------------|------------------------------------------------------------------------------|
| 2360000    | CX825 4-Years Total (1+3) Onsite Service                                     |
| 2360001    | CX825 5-Years Total (1+4) Onsite Service                                     |
| 2360001    | CX825 5-Years Total (1+4) Onsite Service                                     |
| 2360002    | CX825 1-Year Onsite Service Renewal                                          |
| 2360002    | CX825 1-Year Onsite Service Renewal                                          |
| 2360003    | CX825 1 Year Post Wty OSR NBD Extended Warranty                              |
| 2368433    | CX825,XC8155 6 Years Total (1+5) Next Business Day Fix                       |
| 2368434    | CX825,XC8155 7 Years Total (1+6) Next Business Day Fix                       |
| 2367401    | CX825,XC8155 7 Years Total (1+6) Onsite Repair Next Business Day             |
| 2360005    | CX825, XC8155 Upgarde Onsite Repair Next Business Day Fix                    |
| 2360006    | CX825, XC8155 NBD Fix -Total 24 Months (12+12)                               |
| 2360007    | CX825, XC8155 NBD Fix -Total 36 Months (12+24)                               |
| 2360008    | CX825, XC8155 NBD Fix -Total 48 Months (12+36)                               |
| 2360009    | CX825, XC8155 NBD Fix -Total 60 Months (12+48)                               |
| 2360010    | CX825, XC8155 1 Year Renewal Onsite Repair Next Business Day Fix             |
| 2365791    | CX825,XC8155 6 Years Total (1+5) Onsite Repair Next Business Day             |
| 2365792    | CX825,XC8155 2 Years renewal OnSite Service, Response Time Next Business Day |
| 2365793    | CX825,XC8155 3 Years renewal OnSite Service, Response Time Next Business Day |
| 2365794    | CX825,XC8155 4 Years renewal OnSite Service, Response Time Next Business Day |
| 2365795    | CX825, XC8155 2 Year Renewal Onsite Repair Next Business Day Fix             |
| 2365796    | CX825, XC8155 3 Year Renewal Onsite Repair Next Business Day Fix             |
| 2365797    | CX825, XC8155 4 Year Renewal Onsite Repair Next Business Day Fix             |

| <b>P/N</b> | <b>User Replaceable Parts</b>  |
|------------|--------------------------------|
| 41X0247    | Fuser 220-240V                 |
| 41X0245    | Transfer Module                |
| 41X0154    | Transfer Roller                |
| 41X0993    | Media Pick Roller              |
| 41X0360    | ADF Separation Roller          |
| 41X0358    | ADF Media Pick Roller          |
| 41X0359    | ADF Feed Belt                  |
| 41X0931    | ADF Maintenance Kit            |
| 41X0929    | Fuser Maintenance Kit 220-240V |

| <b>P/N</b> | <b>Installation Service</b>   |
|------------|-------------------------------|
| 2355254    | Standard Installation Service |
| 2355254    | Standard Installation Service |