



# Lexmark MS725dvn

The Lexmark MS725dvn reliably prints in a wide range of sizes on diverse materials—from small, narrow-format papers to vinyl outdoor media.

**Part Number**

50G0630

**Print Technology**

Black & White Laser Printer

**Workgroup Size**

Large Workgroup

**Touch Screen Display**

No

**Display**

2.4-inch (60 mm) Color LCD display

**Print Speed (A4, Black)**

Do 52 ppm<sup>5</sup>

**Hitrost tiskanja (A4, Črno) Duplex**

Do 32 spm<sup>5</sup>

**Time to First Page (Black) As fast as**

Hitrost: 8 sekund

**Duplex (2-sided) Printing**

Integrated Duplex

**Print Resolution, Black**

1200 IQ (1200 x 600 dpi), 1200 x 1200 dpi, 2400 IQ (2400 x 600 dpi), 300 x 300 dpi, 600 x 600 dpi

**Processor Speed**

Dual Core, 1.0 GHz

**Memory, Standard**

512 MB

**Memory, Maximum**

4608 MB

**Hard Disk**

Option available

**Apple Operating Systems Supported**

Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13)

**Citrix MetaFrame**

Microsoft Windows 2000 Server running Terminal Services with Citrix MetaFrame XP Presentation Server or Citrix MetaFrame Presentation Server 3.0., Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 4.0, Microsoft Windows 2000 Server running Terminal Services with Citrix Presentation Server 3.0, 4.0, Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5

**Podprti Linux operacijski sistemi**

Debian GNU/Linux 7.0, 8.0, SUSE Linux Enterprise Server 10, 11, 12, openSUSE Linux 13.2, Ubuntu 16.04 LTS, Fedora 23, 24, Red Hat Enterprise Linux WS 6, 7, openSUSE Linux 42.3

**Podprti Microsoft Windows operacijski sistemi**

Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows 10

**Podprti Novell operacijski sistemi**

Novell NetWare 6.5 Open Enterprise Server, Novell NetWare 5.1(SP 6+), 6.0(SP 3+) with Novell Distributed Print Services (NDPS), Novell Open Enterprise Server on SUSE Linux Enterprise Server, Novell Open Enterprise Server 2 on SUSE Linux Enterprise Server 10 SP4, Novell Open Enterprise Server 11 on SUSE Linux Enterprise Server 11, Novell Open Enterprise Server 2 SP2 on SuSE Linux Enterprise Server 10 SP3 3

**Podprti UNIX operacijski sistemi**

Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 6.1, 7.1

**Included Paper Handling**

550-Sheet Input, 100-Sheet Multipurpose Feeder, 550-Sheet Output Bin, Integrated Duplex

**Optional Paper Handling**

250-Sheet Tray, 550-Sheet Tray, 2100-Sheet Tray, 250-Sheet Lockable Tray, 550-Sheet Lockable Tray, 4-Bin Mailbox, Staple Finisher, Staple Punch Finisher, High Capacity Output Expander, Output Expander

**Paper Input Capacity, Standard**

Do 650 strani 20 lbs ali 75 g bond

**Paper Input Capacity, Maximum**

Do 4400 strani 20 lbs ali 75 g bond

**Paper Output Capacity, Standard**

Do 550 strani 20 lbs ali 75 g bond

**Paper Output Capacity, Maximum**

Do 2550 strani 20 lbs ali 75 g bond

**Paper Weight Range Supported - Standard Tray (gsm)**

60 - 176 gsm

**Number of Paper Inputs, Standard**

2

**Number of Paper Inputs, Maximum**

6

**Media Types Supported**

Card Stock, Dual Web Labels, Integrated Labels, Paper Labels, Plain Paper, Polyester Labels, Transparencies, Vinyl Labels, Refer to the Paper & Specialty Media Guide

**Media Sizes Supported**

A4, A5, Executive, Folio, JIS-B5, Legal, Letter, Statement, Universal, Oficio, A6

**Caster Base**

Optional

**Standard Connectivity**

One Internal Card Slot, USB 2.0 Specification Hi-Speed Certified (Type B), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A)

**Optional Local Ports**

Internal RS-232C serial, Internal 1284-B Bidirectional Parallel

**Optional Network Ports**

Marknet N8370 WiFi Option, MarkNet N8230 Fiber Ethernet Print Server, Marknet N8372 WiFi Option

**Direct USB**

Yes

**Ethernet Network**

Yes

**Network Protocol Support**

TCP/IP IPv4, TCP/IP IPv6, TCP, UDP

**Načini mrežnega tiskanja**

LPR/LPD, Direct IP (Port 9100), Enhanced IP (Port 9400), Secure IP (Port 96xx), FTP, TFTP, ThinPrint .print integration, Telnet, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol), Microsoft Web Services WSD, Pull Printing

**Network Management Protocols<sup>1</sup>**

HTTP, HTTPs (SSL/TLS), SNMPv1, SNMPv2c, SNMPv3, WINS, IGMP, BOOTP, RARP, APIPA (AutolP), DHCP, ICMP, DNS, Bonjour, DDNS, mDNS, ARP, NTP, Telnet, Finger,

**Network Security**

SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS, IPsec

**Printable Area (metric)**

4.2 mm zgornjih, spodnjih, desni in levih robov (znotraj)

**Printer Languages (Standard)**

PCL 5e Emulation, PCL 6 Emulation, Personal Printer Data Stream (PPDS), PostScript 3 Emulation, Direct Image, Microsoft XPS (XML Paper Specification), AirPrint™, PDF 1.7 emulation

**Fonts and Symbol Sets**

3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 158 scalable PostScript fonts, 2 PCL bitmap fonts, 39 scalable PPDS fonts, 5 PPDS bitmap fonts, 84 scalable PCL fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference.

**Laser Cartridge Yields (up to)**

7,500-page Cartridge, 15,000-page High Yield Cartridge, 35,000-page Extra High Yield Cartridge, 55,000-page Ultra High Yield Cartridge, Average continuous cartridge yield is stated number of standard pages as listed. Declared yield value in accordance with ISO/IEC 19798.

**Imaging Unit Estimated Yield**

Do 150000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage<sup>4</sup>

**Cartridge(s) Shipping with Product**

11,000-page Return Program Toner Cartridge

**Replacement Cartridges:**

Product functions only with replacement cartridges designed for use in a specific geographical region. See [www.lexmark.com/](http://www.lexmark.com/) regions for more details.

**Packaged Size (mm - H x W x D)**

565 x 550 x 650 mm

**Packaged Weight, kg**

31.0 kg

**Size (mm - H x W x D)**

445 x 428 x 510 mm

**Weight**

25.4 kg

**Noise level (Idle mode)**

28 dBA

**Noise Level (Print), Operating**

56 dBA

**Duplex Print Noise Level, Operating**

55 dBA

**Quiet Mode**

54 dBA

**ENERGY STAR**

No

**Average Power (Hibernate Mode)**

0.2 watts

**Average Power (Sleep Mode)**

1.3 watts

**Average Power (Ready Mode)**

NA watts

**Average Power (Printing)**

720 watts

**Average Power while Printing Duplex**

540 watts

**ENERGY STAR Typical Electricity****Consumption (TEC)**

1.28 kilowatt-hours per week

**Garancija izdelka**

1-Year Onsite Repair, Next Business Day

**Product Certifications**

ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1, FCC Class A, cUL CAN/CSA-C22.2 60950-1, NOM, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62301 Class A, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class A, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER, China Green Product (CGP)

**Maximum Monthly Duty Cycle**

Do 300000 Strani na mesec<sup>3</sup>

**Recommended Monthly Page Volume**

5000 - 75000 Strani<sup>2</sup>

**Specified Operating Environment**

Humidity: 8 to 80% Relative Humidity,  
Temperature: 10 to 32°C (50 to 90°F), Altitude:  
0 - 2896 Meters (9,500 Feet)

**License/Agreement Terms**

Printers are sold subject to certain license/ agreement conditions. See [www.lexmark.com/printerlicense](http://www.lexmark.com/printerlicense) for details.

**Country of Origin**

China (PRC)

**UNSPSC Code**

43212105

<sup>1</sup>This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)

<sup>2</sup>"Recommended Monthly Page Volume" is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage.

<sup>3</sup>"Maximum Monthly Duty Cycle" is defined as the maximum number of pages a device could deliver in a month using a multishift operation. This metric provides a comparison of robustness in relation to other Lexmark printers and MFPs.

<sup>4</sup>Actual Yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

<sup>5</sup>Print and copy speeds measured in accordance with ISO/IEC 24734 and ISO/IEC 24735 respectively (ESAT). For more information see: [www.lexmark.com/ISOspeeds](http://www.lexmark.com/ISOspeeds).



| Callout | Availability | Description                     |
|---------|--------------|---------------------------------|
| 1       | Standard     | 2.4-inch (6-cm) LCD             |
| 10      | Dodatno      | 4-Bin Mailbox                   |
| 11      | Dodatno      | High Capacity Output Expander   |
| 12      | Dodatno      | 250-Sheet Tray                  |
| 13      | Dodatno      | 550-Sheet Lockable Tray         |
| 14      | Dodatno      | 250-Sheet Lockable Tray         |
| 15      | Dodatno      | Swivel Cabinet                  |
| 16      | Dodatno      | Adjustable Stand                |
| 17      | Dodatno      | Spacer                          |
| 18      | Dodatno      |                                 |
| 19      | Dodatno      |                                 |
| 2       | Standard     | 100-Sheet Multipurpose Feeder   |
| 3       | Standard     | 550-Sheet Tray                  |
| 4       | Dodatno      | 250-Sheet Tray / 550-Sheet Tray |
| 5       | Dodatno      | 2,100-Sheet Tray                |
| 6       | Dodatno      | Caster Base                     |
| 7       | Dodatno      | Staple Punch Finisher           |
| 8       | Dodatno      | Staple Finisher                 |

| P/N        | Kartuše z barvilom                                                                 | P/N        | Možnosti povezovanja                                  |
|------------|------------------------------------------------------------------------------------|------------|-------------------------------------------------------|
| 58D0UA0    | Lexmark 58D0UA0 Black Ultra High Yield Toner Cartridge                             | 27X6510    | MarkNet N8370 802.11 a/b/g/n/ac Wireless Print Server |
| 58D5000    | Lexmark 58D5000 Black Return Program Toner Cartridge                               | 14F0100    | RS-232C Serial Interface Card                         |
| 58D5H00    | Lexmark 58D5H00 Black High Yield Return Program Toner Cartridge                    | <b>P/N</b> | <b>Podaljšane garancije</b>                           |
| 58D5X00    | Lexmark 58D5X00 Black Extra High Yield Return Program Toner Cartridge              | 2363589    | MS725 2-Years Total (1+1) Onsite Service              |
| 58D5U00    | Lexmark 58D5U00 Black Ultra High Yield Return Program Toner Cartridge              | 2363590    | MS725 3-Years Total (1+2) Onsite Service              |
| 58D0Z00    | Lexmark 58D0Z00 Black Return Programme Imaging Unit                                | 2363591    | MS725 4-Years Total (1+3) Onsite Service              |
| 58D0ZA0    | Lexmark 58D0ZA0 Black Imaging Unit                                                 | 2363592    | MS725 5-Years Total (1+4) Onsite Service              |
| 58D5H0E    | Lexmark 58D1H0E Black High Yield Contract Toner Cartridge                          | 2363593    | MS725 1-Year Onsite Service Renewal                   |
| 58D5X0E    | Lexmark 58D1X0E Black Extra High Yield Contract Toner Cartridge                    | 2363594    | MS725 1-Year Post Wty Onsite Repair NBD Warranty      |
| 58D5U0E    | Lexmark 58D1U0E Black Ultra High Yield Contract Toner Cartridge                    | 2364730    | MS725 6-Years Total (1+5) Onsite Service              |
| 58D0Z0E    | Lexmark 58D0Z0E Corporate Imaging Unit                                             | 2367128    | MS725 7-Years Total (1+6) Onsite Service              |
| 58D0UAL    | Lexmark 58D0UAL Black Ultra High Yield Label Toner Cartridge                       | 2364731    | MS725 2-Year Onsite Service Renewal                   |
| 58D5U0L    | Lexmark 58D1U0L Black Ultra High Yield Return Program Label Toner Cartridge        | 2364732    | MS725 3-Year Onsite Service Renewal                   |
| 58D5U07    | Lexmark 58D1U07 Black Ultra High Yield Return Program Duplex Label Toner Cartridge | 2364733    | MS725 4-Year Onsite Service Renewal                   |
| 58D5U0N    | Lexmark 58D1U0N Black Ultra High Yield Contract Label Toner Cartridge              |            |                                                       |
| 58D5U08    | Lexmark 58D1U08 Black Ultra High Yield Contract Duplex Label Toner Cartridge       |            |                                                       |
| 25A0013    | Staple Cartridges (3 pack)                                                         |            |                                                       |
| <b>P/N</b> | <b>Ravnanje s papirjem</b>                                                         |            |                                                       |
| 50G0800    | 250-Sheet Tray                                                                     |            |                                                       |
| 50G0801    | 250-Sheet Tray                                                                     |            |                                                       |
| 50G0820    | 250-Sheet Lockable Tray                                                            |            |                                                       |
| 50G0802    | 550-Sheet Tray                                                                     |            |                                                       |
| 50G0803    | 550-Sheet Tray Insert                                                              |            |                                                       |
| 50G0822    | 550-Sheet Lockable Tray                                                            |            |                                                       |
| 50G0804    | 2,100-Sheet Tray                                                                   |            |                                                       |
| 50G0849    | Staple, Hole Punch Finisher                                                        |            |                                                       |
| 50G0850    | Staple Finisher                                                                    |            |                                                       |
| 50G0851    | Output Expander                                                                    |            |                                                       |
| 50G0852    | 4-Bin Mailbox                                                                      |            |                                                       |
| 50G0853    | High Capacity Output Expander                                                      |            |                                                       |
| 50G0854    | 4.3 in. (11 cm) Spacer                                                             |            |                                                       |
| <b>P/N</b> | <b>Pohištvo</b>                                                                    |            |                                                       |
| 40C2300    | Adjustable Stand                                                                   |            |                                                       |
| 50G0855    | Caster Base                                                                        |            |                                                       |
| <b>P/N</b> | <b>Možnosti pomnilnika</b>                                                         |            |                                                       |
| 57X9801    | 256MB Flash Memory Card                                                            |            |                                                       |
| 57X9814    | Korean Font Card                                                                   |            |                                                       |
| 57X9815    | Japanese Font Card                                                                 |            |                                                       |
| 57X9812    | Simplified Chinese Font Card                                                       |            |                                                       |
| 57X9810    | Traditional Chinese Font Card                                                      |            |                                                       |
| 27X0500    | 500+ GB Hard Disk                                                                  |            |                                                       |
| 57X0204    | 4GBx32 DDR3-DRAM                                                                   |            |                                                       |
| <b>P/N</b> | <b>Programske rešitve</b>                                                          |            |                                                       |
| 40C9201    | Card for IPDS                                                                      |            |                                                       |
| 40C9200    | Forms and Bar Code Card                                                            |            |                                                       |
| 40C9202    | Card for PRESCRIBE Emulation                                                       |            |                                                       |
| <b>P/N</b> | <b>Možnosti povezovanja</b>                                                        |            |                                                       |
| 27X0142    | Lexmark MarkNet™ N8230 Fiber Ethernet Print Server                                 |            |                                                       |
| 27X6410    | Lexmark MarkNet N8372 802.11 a/b/g/n/ac Wireless Print Server                      |            |                                                       |